Final Report
Listing Site Inspection
Big River Mine Tailings
Volume I

Desloge, St. Francois County, Missouri TDD #F-07-9004-011 PAN # FM00616XA

Site #Y60 Project #003

Submitted to: Region VII EPA by E & E/FIT

Superfund Contact: Greg Reesor FIT Task Leader: Bob Overfelt, AFITOM Date: October 30, 1991 OCT 37 1991
SAFE SECTION

40275672 Superfund

# Table of Contents

Section		Page
1	INTRODUCTION	1-1
2	SITE DESCRIPTION AND HISTORY 2.1 SITE DESCRIPTION 2.2 SITE HISTORY 2.3 STABILIZATION EFFORTS 2.4 SITE CONTACTS	2-1 2-1 2-6 2-11 2-18
3	PAST INVESTIGATIONS  3.1 METALS IN BIG RIVER WATER AND SEDIMENT  3.2 METALS IN AQUATIC BIOTA  3.3 MINE TAILINGS FOR USE AS AGRICULTURAL LIME  3.4 PARTICULATES IN AMBIENT AIR FROM TAILINGS IN AREA  3.5 E & E/FIT PREVIOUS INVESTIGATIONS	3-1 3-1 3-4 3-6 3-6 3-7
4	SUMMARY OF WASTE SOURCE AND CHARACTERISTICS	4-1
5	PHYSICAL AND CULTURAL SETTING	5-1 5-1 5-2 5-4
6	FIELD ACTIVITIES  6.1 SOIL AND TAILINGS SAMPLING  6.2 SEDIMENT AND SURFACE WATER SAMPLING  6.3 GROUND WATER SAMPLING  6.4 AIR SAMPLING	6-1 6-2 6-2 6-7 6-10
7	ANALYTICAL RESULTS 7.1 SOIL AND TAILINGS 7.2 SEDIMENT AND SURFACE WATER 7.3 GROUND WATER 7.4 AIR	7-1 7-1 7-7 7-16 7-24
8	SUMMARY AND CONCLUSIONS	8-1
Q	RTRI TOCRAPHY	0 1

# LIST OF APPENDICES

Appendix		Page
A	PLATES 1, 2, AND 3  PLATE 1 - SOIL/TAILINGS AND AIR SAMPLE LOCATIONS  PLATE 2 - SURFACE WATER/SEDIMENT AND GROUND WATER  SAMPLE LOCATIONS  PLATE 3 - ENLARGEMENT OF SITE AREA	A-1
В	TECHNICAL DIRECTIVE DOCUMENT	B-1
c	SITE CONTACTS AND PROPERTY OWNERS	C-1
D	EPA DATA TRANSMITTAL	D-1
E	FIELD SHEETS AND CHAIN-OF-CUSTODY RECORDS	E-1
F	PHOTOGRAPHIC RECORD	F-1
G	WELL LOGS FOR MONITORING WELLS	G-1
Н	DETAILED TOPOGRAPHIC MAP OF THE BIG RIVER MINE TAILINGS SITE	H-1
I	WASTE CHARACTERISTICS	K-1
J.	ATR CALCULATIONS AND WIND ROSES	.1-1

# LIST OF FIGURES


<u>Figure</u>		Page
1-1	Site Location Map	1-2
2-1	Major Erosional Features	2-10
3–1	National Fisheries Research Laboratory Study-Sample Locations on Big River	3-2
5-1	Generalized Statigraphic Column	5-6
	LIST OF TABLES	
<u>Table</u>		Page
2-1	Site History and Stabilization Efforts	2-12
2-2	Metal Analyses of Tailings - UMC Report	2-15
3-1	Metals Concentrations in Water Samples - NFRL Report	3-3
3-2	Metals Concentrations in Sediment Samples - NFRL Report	3-4
3-3	Metals Concentrations in Edible Portions of Fish - NFRL Report	3-5
5~1	Population Surrounding the Site in Four-Mile Radius	5-1
5-2	Municipal Ground Water Usage in Four-Mile Radius of the Surrounding Site	5-7
6-1	Soil and Tailings Sample Summary	6-3
6-2	Sediment Sample Summary	6-4
6-3	Surface Water Sample Summary	6-5
6-4	Ground Water Sample Summary	6-8
6-5	Air Sample Summary	6-12
7–1	Selected Metals Detected in Soil and Tailings Samples .	7-2
7-2	Selected Metals Detected in Sediment Samples	7-8
7-3	Selected Metals Detected in Surface Water Samples	7-9
7-4	Selected Metals Detected in Ground Water Samples	7-18
7–5	Selected Metals in Air Samples	7-26

#### SECTION I: INTRODUCTION

The Ecology and Environment, Inc., Field Investigation Team (E & E/FIT) was tasked by the U.S. Environmental Protection Agency (EPA) under Technical Directive Document (TDD) #F-07-9004-011 (Appendix B) to conduct a Listing Site Inspection (LSI) of the Big River Mine Tailings site near Desloge, Missouri.

The Big River Mine Tailings site is located in St. Francois County adjacent to the north and west boundaries of the town of Desloge, Missouri (Figure 1-1). This area of southeast Missouri is a region known as the "Old Lead Belt" and was formerly a major producer of lead. The coordinates of the approximate center of the site are 37° 53′ 11.4" N latitude and 90° 33′ 00.0" W longitude (USGS 1982).

The objectives of the LSI were to determine the level of toxic metals of concern present in the tailings on site and characterize how the site is influencing the ambient air, surface water, and ground water quality on site as well as in the surrounding area. The LSI field work was conducted July 21 through 29, 1990 by E & E/FIT members: Bob Overfelt, team leader and sampler; Chris Williams, Site Safety Officer and sampler; Sharon Martin, sampler; Curt Enos, sampler and HRS information; Annette Sackmann, air sampling trainer; Otavio Silva, air and soil sampler; Patty Roberts, air and soil sampler; and Wes McCall, air and soil sampler.



PREPARED BY: R. OVERFELT

ECOLOGY & ENVIRONMENT FIT MARCH 1988 SOURCE: USGS 7.5' BONNE TERRE & FLAT RIVER, MO QUADS. 1982

#### SECTION 2: SITE DESCRIPTION AND HISTORY

# 2.1 SITE DESCRIPTION

The Big River Mine Tailings site covers approximately 600 acres (Appendix A; Plates 1 and 3). It consists mainly of mine tailings ranging from 0 to more than 100 feet deep (EAP 1981). An active sanitary landfill and landfill office are located on the south end of the site. The landfill is operated by the St. Francois County Environmental Corporation (SFCEC) which has a state permit to fill approximately 60 acres (Hudwalker 1988). There are six monitoring wells installed around the landfill. The well logs for these wells are included as Appendix G. These wells are drilled to the base of the tailings. The average thickness of the tailings calculated from the well logs is approximately 50 feet. The majority of the site is situated within a horseshoe meander of the Big River (Plate 3). Therefore, the site is bordered by Big River on its west, north, and east sides. Residential areas and the town of Desloge are adjacent to the site to the south and southeast.

In order to simplify referencing specific areas on site, the three main areas discussed will be referred to as the meander area, the landfill area, and the St. Joe Minerals property. The landfill area and St. Joe Minerals property make up the southwest and southeast sections of the site, respectively, while the meander area consists of all property north of these areas within the Big River meander (Plate 3).

The site is the result of 30 years (1929 to 1958) of stockpiling lead mining wastes from a mine/mill operation located on the southern edge of the site (Novak 1980). After processing the lead ore, the tailings were transported to a designated disposal location on the site via a slurry pipeline. At the time of deposition, the material was about 50 percent water, and ponded areas would form on site, hence the name "tailings pond". Because the tailings are porous and highly permeable in most instances, the ponds dried up rapidly. There is only one small ponded area located on the west side of the site that always contains water (Plate 1). Other areas temporarily pond after heavy rainfall events but rapidly dry up. The vast majority of the site consists of dry, unvegetated tailings; therefore, it will be referred to

as a tailings pile.

The site was brought to the attention of the EPA in 1977, after an estimated 50,000 cubic yards of the tailings slumped into Big River during a heavy rainfall. The tailings contain elevated levels of lead, cadmium, and zinc as well as other metals of concern. Because the tailings consist of powder, silt, and sand-sized particles, they are easily eroded via water and wind. Due to the proximity of the site to the Big River and to the town of Desloge, there were major concerns about the site's influence on the surface water and sediment quality of Big River as well as ambient air quality on and off site.

Photo 1 illustrates the area of the 1977 major tailings collapse into the Big River (Appendix F). This was taken during the 1988 Preliminary Assessment (PA) reconnaissance. Photo 2 illustrates tailings erosion on top of the pile at the major area of collapse. Photo 3, taken during the 1988 PA reconnaissance, illustrates the proximity of site to Big River on the east side as well as the migration of wind blown tailings. A strong west/northwest wind was transporting the tailings in a east/southeast direction toward the town of Desloge during the January 1988 PA reconnaissance. The predominate winds that transport the tailings appear to be from the southwest, west, and northwest. This can be concluded by the dune-like migration of the tailings that is apparent on site. The primary migration appears to be from west to east, although the prevailing wind in the area is from the south (SCS 1981). Some south to north migration is evident, however, most migration appears to be west to east. This is particularly evident in the relatively flat, unvegetated, and most elevated portion of the meander area. This area lies directly west of the major collapse area and extends approximately 2,000 feet north, 1,500 feet south, and 2,000 feet west. The topographic map in Appendix H illustrates this area. Photo 4 illustrates the barchan-type dunes and ripples that have formed in this elevated portion of the meander area. The wind fence in the photo was emplaced by SFCEC to aid in prevention of the erosion. fencing has had minimal effect, and much of it is in need of repair. Other areas on site that release tailing particulates readily to the ambient air are the landfill operations area and the huge tailings pile located on St. Joe Minerals property that is elevated 75 to 100 feet

above the adjacent tailings (Photo 5). Photo 6 was taken from the top of the large St. Joe Minerals property pile and illustrates the meander area bordering Big River to the west and farmland to the east. Howard Wood, owner of the farm property to the east of the site, stated that he never had to apply agricultural lime to his property, because so much of the tailings material blows from the site and is deposited on his fields.

Tailings have been transported by surface water erosion to Big River in many areas along the perimeter of the site bordering Big River. Section 3 documents the history of these major areas. Some have been stabilized, and some are actively transporting tailings or in direct contact with the river. During the LSI reconnaissance of the river and site border, the areas where tailings are obviously being transported into the river by surface water erosion or areas where tailings are in contact with the river were documented. These areas are illustrated on Plate 3. Photos 7 and 8 illustrate two of these areas on the west side of the site. During the reconnaissance, it became obvious that a large portion along the northern border of the site had tailings in contact with the river; therefore, this area was marked on Plate 3. Photo 9 illustrates one of these numerous areas along the north perimeter. Photo 10 shows tailings in contact with the river at the east bend on the east side of the site. The bank is very steep and undercut by the river which releases additional tailings. Tailings at this location constantly exceed their angle of repose and fall into the river.

The on-site landfill is also considered a serious problem for two reasons. First, the activity around the landfill operations continuously creates dusty conditions and releases additional heavy metal-laden particulates to the ambient air. Workers on site are constantly exposed to tailings dust. The second reason for concern is the leachate production from the landfill. Landfill leachate is typically low pH and contains large quantities of organic material. This condition could possibly dissolve and mobilize heavy metals bound in the tailings. Therefore, these metals could easily migrate to the shallow ground water and to Big River. Results from a leachate sample taken during the LSI confirms that this problem does exist.

During the LSI, several previously unknown site features were docu-

mented. The most significant of these features include a drainage tunnel, artesian wells, and a swimming area.

A drainage tunnel approximately 10 feet wide, 15 feet high, and 1,500 feet long runs under the southwest corner of the site. The tunnel entrance (Photo 11) is located approximately 300 feet southeast of the landfill office (Plate 3). The tunnel trends southeast/northwest and exits at an opening (Photo 12) approximately 200 feet southeast of the west Desloge river access (Plate 3). Water flowing through the tunnel then drains directly into the Big River. In an interview with landfill manager Bryant AuBuchon, E & E/FIT learned that the tunnel was built by St. Joe Minerals. It was used to divert surface water drainage from a tributary to Big River that once traversed and drained the south part of the site. This former tributary has obviously been filled with tailings. E & E/FIT did not perform a reconnaissance through the drainage tunnel due to safety restrictions; however, AuBuchon confirmed the actual path from his experience.

The area near the drainage tunnel entrance is approximately 50 feet lower in elevation than the adjacent access road and landfill area to the north, due to the thickness of the tailings (Photo 13). Because the landfill operators had a problem with ponding water in an area approximately 200 feet north of the tunnel (Photo 14), a culvert was installed under the access road that drains from this ponded area to the drainage tunnel entrance (Photo 13). Also, a constant flow of landfill leachate seeps into the drainage tunnel in the area (Photo 15). One other notable feature near the drainage tunnel entrance is another drainage tunnel that once drained an area on the tailings pile from a drainage tower (Photo 16). This opening is approximately 20 feet north of the drainage tunnel and appears to trend in a north/south direction underneath the tailings. This tower drainage tunnel drains into the drainage tunnel leading to Big River. It appears that the tower drainage tunnel contributes a significant amount to tailings runoff.

AuBuchon stated that during heavy rainfall events, a significant amount of tailings is carried through the drainage tunnel and deposited into Big River. E & E/FIT observed that the bottom of the tunnel near the entrance was lined with tailings at least one to two feet thick (Photo 11). It is obvious that the landfill leachate also flows through

the tunnel and into Big River. Therefore, E & E/FIT sampled the leachate and tailings at the tunnel entrance and the water at the tunnel exit in order to characterize the contaminants in the water and sediment entering Big River via the tunnel.

While performing a reconnaissance near Owl Creek just west of the site, the E & E/FIT discovered four artesian wells. In an interview with Bryant AuBuchon, it was determined that these were actually former exploratory borings installed many years ago by St. Joe Minerals in order to determine the areal and vertical extent of the lead ore deposits. Apparently, the borings were never plugged after installation. These borings are cased with two-inch diameter steel casing that rises one to two feet above the ground surface. Ground water conditions in the site vicinity apparently have created artesian conditions in these borings (Photo 17). All of these artesian wells were located near the east bank of Owl Creek, north of the abandoned railroad spur, and south of the Owl Creek and Big River confluence. Two of the artesian wells are located at sample location 324 (Plates 2 and 3), and two of the wells are located at sample location 301 (Plates 2 and 3). All of these wells were producing several gallons of water per minute. This water flows directly into Owl Creek which drains into Big River. The E & E/FIT sampled one well at each location.

The E & E/FIT also determined during the LSI that a large tailings sandbar on Big River located on the northwest side of the site is used as a swimming and fishing area for the landfill workers and their friends (Plate 3). A road to access this swimming area had recently been constructed before the LSI fieldwork. AuBuchon confirmed that the area is used for swimming and fishing. The E & E/FIT sampled the surface water and sediment at this location.

It is important to realize that all of the major tailings piles in this former mining region are contributing to the contamination entering Big River and its tributaries, and that all are potentially impacting the ambient air. Consequently, the problem is regional and cannot be attributed to only one waste pile. However, the Big River Mine Tailings site (Big River pile) is unique in several ways that make it more detrimental to the environment. Because it borders Big River on three sides and is elevated above the river, tailings directly enter Big River

via wind and water erosion as well as by undercutting of the tailings by the river. None of the other piles in the area are situated on Big River. As of 1980, an estimated 90,000 cubic yards of tailings have been eroded into the Big River from the site (Novak and Hasselwander 1980). E & E/FIT has observed active deposition of tailings into the river and areas on site where tailings are continuously in contact with Big River. Another notable difference about the site is that it was deposited on relatively flat topography. Therefore, as the pile of tailings accumulated, it became topographically elevated above the surrounding area. With no vegetation to stabilize the elevated areas, tailings are more easily transported to the ambient air. This occurs over much of the site; however, the large, flat, elevated area in the east-central portion of the meander area is the most severely eroded. The topographic map of the site included in Appendix H illustrates this elevated area. Tailings constantly migrate from west to east in this area creating dune features typical of aeolian deposits. Photos 3 and 4 illustrate erosion in this portion of the meander area. Other large tailings piles, such as the Leadwood and Federal piles (See Section 2.2), were deposited in valleys of dammed tributaries. As they were deposited, they filled in these valleys. While some elevated areas exist on these piles and on other tailings piles in the area, due to the size of the Big River site and relative elevation, it appears to have greater potential to create significant tailings particulate releases to the ambient air. Air monitoring of individual tailings piles is needed to confirm or refute these observations.

The on-site landfill is another unique site characteristic. No landfills are known to exist in other tailings piles. Complications associated with the landfill were discussed previously in this section. Consequently, while the metals contamination in the area cannot be attriubted to one mining waste source, the Big River site appears to contribute a disproportionate share of the contamination due to its specific characteristics.

# 2.2 SITE HISTORY

The Big River Mine Tailings site is located in an area known as the Old Lead Belt. The Old Lead Belt is located entirely in St. Francois

County and covers an area of approximately 110 square miles (USGS 1988).

Lead was first discovered in southwestern Missouri in the early 1700s. Until the 1860s, mining in the area was restricted to shallow workings from pits or trenches. In 1864, the St. Joseph Lead Company purchased 964 acres and began mining in Bonne Terre, Missouri. Plates 1 and 2 illustrate the towns and mining waste piles of the Old Lead Belt. Diamond-bit core drilling of the area began in 1869 and determined lead rich ore deposits existed under the towns of Bonne Terre, Desloge, Flat River, Leadwood, and Elvins. As many as fifteen lead companies operated in the area from the late 1800s to early 1900s. However, by 1933, all of the properties in the area had been acquired by the St. Joseph Lead Company. The St. Joseph Lead Company is presently known as the St. Joe Minerals Corporation. The St. Joseph Lead Company operated mine/milling operations at Bonne Terre from 1864 to 1961, at Desloge (Big River Mine Tailings site) from 1929 to 1958, and at Leadwood from 1915 to 1962. Mining activity in the area began to decrease in the 1950s and 1960s as the ore deposits were depleted and with the discovery of the Viburnum Trend (New Lead Belt) which had higher grade ore. The Federal Division of the St. Joseph Lead Company was the last mine to close in the Old Lead Belt in 1972 (USGS 1988).

This area was the nation's largest producer of lead from 1907 to 1953. Approximately eight million tons of lead were produced. Mining wastes or tailings were produced and disposed of in piles directly on the land surface. Early mining methods produced coarse tailings (known locally as chat) from mechanical separators that concentrated the ore. As technology improved chemical separators were used that produced fine-grained tailings. The majority of the Big River site consists of fine-grained tailings. However, both methods produced wastes that contain elevated metals levels. An estimated 250 million tons of tailings were produced in the Old Lead Belt. The Big River drainage basin which drains the Old Lead Belt is estimated to contain 3,000 acres of tailings. Tailings from these waste piles are easily transported and released to surface water bodies and ambient air via wind and water erosion. Plates 1 and 2 illustrate the major tailings piles that make-up the Old Lead Belt wastes as well as the tributaries of Big River that drain them.

The St. Joe Minerals Corporation (formerly St. Joseph Lead Co.) owned and operated the mining and milling operation that produced the tailings at the Big River site. In 1972, the corporation donated the majority of the site, 502 acres, to St. Francois County (Novak 1980). Approximately 100 acres, which is located directly east of the present landfill, is still owned by St. Joe Minerals (Hudwalker 1988; Plate 3).

After acquisition of the 502 acres, St. Francois County leased the land to the St. Francois County Environmental Corporation (SFCEC) (AuBuchon 1987). In 1973, the non-profit SFCEC established a sanitary landfill on approximately 60 acres of the southwest section of the mine tailings pile (EAP 1981; Hudwalker 1988). AuBuchon (1987) stated that the landfill accepts typical residential refuse and debris, and that the refuse is not separated into specified cells. The landfill operation has four full-time employees: AuBuchon and three heavy equipment operators. Hudwalker and Associates, Inc., a consulting engineering firm located in Farmington, Missouri, has administered landfill operations and maintenance of the tailings pile since 1985 (Hudwalker 1988).

Part of the 100-acre area on the east side of the site owned by St. Joe Minerals Corp. is currently leased to the Morgan and White Company (Plate 3). Morgan and White use tailings and chat from this portion of the site for mixing asphalt and sell the tailings for agricultural lime. The number of workers at Morgan and White varies. There are three full time workers; however, during the peak asphalt season (April through September), there are up to five workers on site.

Marvin Hudwalker of Hudwalker and Associates, Inc., was present during the January 1988 PA reconnaissance. He stated that mine tailings were used as daily cover on the landfill trash, and that when a cell is filled, a one-yard thick clay cover is applied, and grass is planted. During the PA reconnaissance, the filled landfill cells were noted to have a continuous cover and the area was relatively clean.

A review of the Missouri Department of Natural Resources (MDNR) files regarding the landfill revealed that the landfill operation was very inadequate before Hudwalker and Associates took over administration. The facility was cited numerous times for various violations. Photographs from repeated inspections of the landfill

depict large amounts of refuse with no cover or vegetated cap (Burris 1988).

According to a 1977 University of Missouri-Columbia (UMC) report, the area experienced a severe storm event involving the section of the tailings pile known as Gap A, adjacent to the Big River on the southeast side of the meander area (Figure 2-1). This portion of the mine tailings pile became supersaturated and collapsed, releasing its contents into the Big River (Appendix F; Photo 1). Although the exact quantity of mine tailings that washed into the river is not known, estimates suggest that the quantity may have been as much as 50,000 cubic yards (Hudwalker 1988; Figure 2-1). When MDNR discovered this catastrophic event, they requested that the EPA Surveillance and Analysis team (SVAN) conduct an extensive investigation of the Big River. The SVAN conducted a survey in late 1977, and the general findings, based on aquatic population density and diversity, were that the Big River was degraded by the mine tailings that entered the river. The degradation was mainly the result of physical changes in the benthic zone of the river rather than chemical toxicity of the river water (EAP 1981).

In 1980, the Missouri Department of Conservation (MDC) submitted evidence that some fish sampled downstream from the tailings pile contained elevated lead levels (EAP 1981). This report concluded that the high concentrations of lead were found in the edible tissue of fish found in the Big River downstream from the location where mine tailings had entered the river during the 1977 rupture. The highest concentration, 1.30 parts per million (ppm), was found in sample nine from four golden red-horse fish collected immediately downstream from the collapsed Desloge tailings pile. The World Health Organization (WHO) dietary limit for lead is 0.3 ppm (Czarneski 1984).

As a result of these findings, the state of Missouri issued a press release cautioning local residents not to eat bottom-feeders taken from a 50-mile stretch of the Big River from the city of Leadwood (near the Desloge tailings pile) downstream to Washington State Park (Gale et al. 1982). Since 1980, numerous research projects have focused on the impact of the mine tailings piles in the Old Lead Belt on the Big River. Results of various studies are presented in Section 3.




Figure 2-1: Major Erosional Features

By December 1981, St. Joe Minerals Corporation, under a cooperative agreement with the state of Missouri, began limited remedial action on the pile in an effort to fill the erosional gaps and stabilize the pile (Mattson 1987). Many smaller erosional events have been documented since the massive 1977 release. Section 2.3 details the past and present erosional problems as well as the efforts undertaken to stabilize the pile.

In the spring of 1985, the Desloge Tailings Task Force was organized to deal with the existing problems of the Desloge Mine Tailings site. The Task Force, organized by St. Joe Minerals, consisted of representatives from St. Joe Minerals, the landfill, and MDNR, as well as local officials and others. Specific Task Force activities are detailed in Section 2.3. The Task Force focused on three primary objectives:

- 1. Provide adequate site supervision to ensure proper repair and maintenance.
- 2. Develop and implement short-term measures to stabilize the site.
- Develop a long-term stabilization plan for the site.

Landfill authorities requested a permit from the state of Missouri to expand operation into 200 additional acres of the tailings pile. In January 1987, as a result of this proposed expansion, the MDNR requested that six monitoring wells be installed around the existing landfill to determine whether the ground water contained significant quantities of landfill leachate (Plate 3). The well logs for these six monitoring wells are included as Appendix G. Water samples were taken from the wells during the LSI. Table 2-1 summarizes the pertinent site history events as well as stabilization efforts.

# 2.3 STABILIZATION EFFORTS

After the massive release of mine tailings into the Big River in 1977, efforts to stabilize this mine tailings pile were initiated. A number of remedial efforts have been accomplished. Reports from several agencies detail the problems that exist at the site and present solutions to these problems.

Table 2-1 Site History and Stabilization Efforts

=======================================					
Date	Chronology of Pertinent Site Events				
1929-1958	Mining occurred and tailings were deposited in slurry form.				
1973	St. Joe Minerals Corporation donated 502 acres to St. Francois County. St. Francois County leased the land to the St. Francois County Environmental Corporation which opened the existing landfill.				
1977	Collapse of tailings in Gaps A and B; SVAN reports degradation of Big River due to influx of tailings during collapse.				
1980	Missouri Department of Conservation determined elevated Pb levels in bottom-feeding fish and issued a press release cautioning local residents not to eat these fish.				
1981	St. Joe Minerals began remedial activity in an attempt to stabilize the tailings.				
1983	Gaps G and H were formed by overtopping of the retaining berm.				
1984	1,500 feet of wind fencing installed.				
1985	Desloge Tailings Task Force was orgainzed. Gap I was formed by overtopping. Burns and McDonnel long-term stabilization plan. Twenty acres near Gap I were seeded. This area appears to be growing well today. Installation of an additional 2,000 feet of wind fencing.				
1986	10,000 Black Locust trees planted; mostly near Gap I.				
1987	Monitoring wells installed around landfill. Some 15,000 Black Locust trees planted near Gap G. Some 20,000 feet of wind fencing installed.				
1988 (Jan) (May)					
1990	E & E/FIT Listing Site Inspection.				

A comprehensive report prepared in 1980 for MDNR by the UMC College of Engineering characterizes the major environmental concerns at the site including water and wind erosion and the apparent hazard of constructing a landfill in the tailings pile. The UMC investigation concluded that the tailings pile contained numerous points where tailings are entering the Big River due to water erosion. The UMC team designated six gaps, which were labeled alphabetically around the pile starting on the southeast side (Figure 2-1). Erosional Gaps G, H, and I developed after the report was completed and have been labeled as they occurred. Areas where tailings are eroding into the river via water erosion or where tailings are in direct contact with the river were noted during the LSI. These areas are illustrated on Plate 3.

Two of the original drainage structures placed by the mining company are illustrated in Photos 7 and 18 (Appendix F). These concrete drainage structures were constructed to drain the water from off the tailings pile and divert it into Big River. During the E & E/FIT PA site reconnaissance in January 1988, it was noted that drainage structure #1 near Gap A was totally collapsed and was no longer functional. According to the UMC report, drainage structure #1 became blocked, leading to the massive erosion which occurred in 1977 at Gaps A and B. The UMC report recommended that the major erosional gaps be filled with a suitable fill material and the area be reshaped to reduce further erosion. Further, the report suggested that the drainage structure located near Gap A be altered to minimize the chance for overflow (Novak and Hasselwander 1980). As Photo 18 illustrates, no further stabilization efforts had been conducted at drainage structure #1 as of July 1990, during the LSI fieldwork.

Wind erosion and the associated blowing of lead-laden dust is also a major concern (Appendix F; Photos 3 and 4). As tailings accumulate and their angle of repose is exceeded, they collaspe and fall into the river. Wind erosion is generally from west to east, which produces a continuous movement of the tailings toward the east. Because the tailings are a very fine, dolomitic sand or silt, sufficient wind velocity creates a tailings dust cloud. During the January 1988 site reconnaissance, this occurrence was observed to be a serious problem (Photo 3). A dust plume originating from the site appeared to be

transporting dust at least one mile to the southeast. Wind speeds on that day included gusts up to 35 miles per hour.

The UMC report recommended that a study be undertaken to assess the possibility for plant growth to be established on the pile to control wind erosion. Plant life is very difficult to establish in this environment for several reasons:

- o A serious nutrient deficiency exists in the tailings;
- o Wind erosion prevents establishment of seedlings;
- o Moisture cannot be retained, especially on the slopes, due to the porous nature of the tailings; and
- o The lead content of the tailings may cause plant sterilization, preventing reseeding by existing plants.

Because of these deleterious conditions, natural plant growth on the majority of the pile is almost nonexistent. Thus, experimentation was suggested as an attempt to establish a method for maintaining a vegatative cover.

The UMC report considers the on-site landfill to be a serious potential problem. The liquid runoff (leachate) that results from a landfill is typically low in pH and contains large quantities of organic material. If these conditions exist, it is very possible that heavy metals could be leached from the tailings and transported to the Big River and shallow ground water at the site. In the UMC report, tests were conducted by extracting mine tailings with nitric acid, distilled water, and ethylenediaminetetra-acetic acid (EDTA). The nitric acid extraction represents the total quantity of metals in the tailings. The distilled water extraction represents what is released by the movement of rain water through the tailings. The EDTA extraction represents the potential for extraction by landfill leachate (Table 2-2). Metals that are extracted by landfill leachate would also be chemically bound by organics and might remain in solution after entering a body of water such as the Big River. During the reconnaissance, the area where landfilling was complete and soil cover was applied was observed to be much more stable than the adjacent mines tailings. However, the benefits of soil cover are offset by the potential for landfill leachate to release lead and other metals from the tailings (Novak and Hasselwander 1980).

These three problems of water erosion, wind erosion, and the land-

fill are the primary concerns at the Desloge tailings pile. When the UMC report was submitted in 1980, no remedial action had begun. However, St. Joe Minerals Corporation began remedial activities in 1981.

Table 2-2

Metals Analyses of Tailings

Big River Mine Tailings Desloge, Missouri
University of Missouri-Columbia College of Engineering

Clay (μg/g dry)					S	and (µg/g o	dry)
	Water	EDTA	HNO 3		Water	EDTA	HNO <sub>3</sub>
Lead	20	2,200	2,400		26	720	850
Cadmium	ND	3.2	14		ND	5.8	25
Zinc	3.4	220	680		14	230	1,000

Source: Novak and Hasselwander 1980

NOTE:

ND: Not detected.

Water: Represents rainfall through tailings.

EDTA: Ethylenediaminetetra-acetic acid and represents

landfill leachate through tailings.

HNO<sub>2</sub>: Nitric acid and represents total metal content in

tailings.

In December 1981, St. Joe Minerals Corporation began filling Gaps A, B, C, and D. This remedial action was completed in January 1982 (Mattson 1987). C.G. Mattson, St. Joe Minerals Corporation Project Manager, provided a summary of the remedial activity and maintenance performed after the initial work on Gaps A, B, C, and D to the date of the EPA PA.

According to Mattson, inspections have been performed at least once per month from December 1981 by St. Joe Minerals and/or the engineer for

the landfill. Inspections also are made after or during heavy rainfall events. The inspections consists of confirming that all drainage structures are functional and that no observable defects have occurred in the retaining berm.

In April 1983, two small gaps, designated Gaps G and H, were formed when unusually heavy rainfall overtopped the retaining berm (Figure 2-1). The gaps were filled and a 22-inch steel pipe drainage structure was placed in each. In October 1984, 1,500 feet of fence was placed along the base of the large tailings pile on St. Joe Minerals property, and the area north of the fence was seeded, fertilized, and covered with straw mulch. This fence was built to reinforce a dune formed by a wind fence placed in 1980.

In April 1985, Gap I was formed when heavy rainfall topped the retaining berm. The gap was filled and a 22-inch steel pipe drainage structure was established. At the same time, 2,000 feet of snow fence was placed in the area of the break to build up the retaining berm with wind-blown material. The open channel spillway cut that drains the pond area was deepened and a diversion ditch was cut across natural ground to keep water from flowing into the Gap I area (Figure 2-1). A diversion dike was also built through natural ground so that water diverted by the landfill operation would not flow into Gap E (Figure 2-1).

In October 1985, the approximately 20 acres of tailings that comprise the major portion of the Gap I drainage area were fertilized and seeded. During the January 1988 FIT reconnaissance, it was apparent that the vegetation in this particular area was growing well and had helped stabilize the area. It should be noted that this area is flat and stable relative to other steep sloping, dune-like areas that also exist on the tailings pile. The condition of this area was similar during the July 1990 LSI.

In 1985, the Desloge tailings Task Force contracted the engineering firm Burns and McDonnel, Inc., to develop a long-term stabilization plan. The investigation and report were funded 25 percent by the land-fill corporation and 75 percent by St. Joe Minerals. The Burns and McDonnel (B & M) proposal was highly criticized because it included creating several ponds on the tailings pile to control surface runoff (B & M 1987). Because of the proven instability of the tailings, the

plan to create ponds on the pile was not considered a satisfactory solution. In March 1986, 10,000 Black Locust trees were planted on the Desloge tailings area; some 7,500 of them were planted in the Gap I drainage area that was sewn in October 1985. During the reconnaissance, it was apparent that the seeding of Black Locust in this area was very successful. Some trees were approximately 12 feet tall. In February 1987, 15,000 Black Locust trees were planted on the approximately 15 acres of tailings that form the drainage area for Gap G. These areas were inspected during the LSI, and the vegetation attempts appeard to be successful in the Gap I area and moderately successful in the Gap G area.

In September and October 1987, some 20,000 feet of wind fencing was installed on the upper portion of the tailings area. During the FIT reconnaissance it was noted that much of this fencing was damaged or blown down due to a recent storm. Reconstruction of the fencing, as well as reinforcement, were planned. It was obvious that the wind fencing was controlling some movement of the sand-like material, but it is ineffective during stronger winds (Mattson 1987). It should be noted that at the time of the LSI, most of the wind fencing was damaged and, therefore, ineffective.

In April 1987, the Soil Convervation Service proposed some stabilization plans for the site to the Desloge Mine Tailings Task Force. They suggested diverting the surface drainage away from critical erosion areas and planting some test plots to determine what methods might be best for revegetation. Plans in 1988 were to carry out revegetation test plot experiments in an attempt to determine what plants and planting methods are best suited to the mine tailings. No known further stabilization efforts had been completed or undertaken during the period from the 1988 PA to the 1990 LSI activity. No additional areas were vegetated and it was noted during the LSI that most of the wind fencing was in need of repair.

# 2.4 SITE CONTACTS

Persons associated with the operation and regulation of the site include the following:

Marvin Hudwalker Professional Engineer Hudwalker and Associates, Inc., Consulting Engineers Farmington, Missouri (314)756-6775

Bryant AuBuchon Landfill Manager St. Francois County Environmental Corporation Desloge, Missouri (314)431-4768

C.G. Mattson
Project Manager
St. Joe Minerals Corporation
Irvine, California
(714)975-5269

Greg Reesor Superfund Contact U.S. EPA 726 Minnesota Avenue Kansas City, Kansas (913)551-7695

Also see Appendix C for additional site contacts and property owners associated with the site sampling.

## SECTION 3: PAST INVESTIGATIONS

Numerous investigations regarding the effects of mine tailings on the Big River have been completed since the massive erosional event in 1977. This section will address the significant results of this research.

#### 3.1 METALS IN BIG RIVER WATER AND SEDIMENT

In a study conducted by the National Fisheries Research Laboratory (NFRL), the metals content in river water and sediment was measured at different locations along the Big River (Figure 3-1). The Irondale and Mineral Fork sampling locations were considered control areas while Desloge, Washington State Park, and Brown's Ford sites are 5 miles, 37 miles, and 60 miles, respectively, downstream from the Desloge Mine tailings pile.

Water sampling was done during low, medium, and high stream flow. Total metals and dissolved metals were measured for lead, cadmium, and zinc. The highest total lead (0.68 milligrams/liter [mg/l]) occurred at Washington State Park, and the highest dissolved lead (0.026 mg/l) occurred at Brown's Ford (Table 3-1).

Sediments samples were collected from corresponding locations on the Big River (Table 3-2). Total sediment lead concentrations were highest in Desloge (2215.0 milligrams/kilogram [mg/kg]) and tended to decrease with distance downstream. This value is similar to the lead content found in the tailings at the Desloge pile. Total lead concentration was lowest (49.6 mg/kg) at Irondale. Concentrations at Mineral Fork were substantially higher than at Irondale, though they were lower at Mineral Fork than at other locations. This is probably attributable to the past lead mining or ongoing barite mining activities in the Mineral Fork watershed. These sampling results show how the mine tailings had affected the benthic zone of the Big River at the Desloge mining pile and for several miles downstream (Table 3-2; Schmitt 1982).




Figure 3-1 NFRL Study Sample Locations on Big River

Table 3-1
Metals Concentrations in Water Samples Collected
in the Big River
Big River Mine Tailings Site
Desloge, Missouri

Location/	Flow	Lea	ıd	Cadmium		Zinc	
Stage	(CFS)	D	T_	D	T	D	T
Mineral For	k	<del></del>					
Low	29.6	0.005	0.009	0.001	0.001	<0.01	<0.01
Med.	160.0	0.006	0.005	0.001	0.001	<0.01	<0.01
High	505.0	0.005	0.009	0.001	0.001	<0.01	<0.01
Brown's For	:d						
Low	95.6	0.005	0.043	0.001	0.001	0.02	0.03
Med.	650.0	0.007	0.084	0.001	0.001	0.01	0.03
High	11900.0	0.026	0.440	0.001	0.001	0.05	0.17
Washington							
State Park							
Low	70.2	0.009	0.091	<0.001	0.001	0.01	0.04
Med.	490.0	<0.005	0.140	<0.001	<0.001	0.01	0.07
High	11395.0	0.021	0.680	<0.001	<0.004		0.22
Desloge							
Low	45.3	0.020	0.041	0.002	0.004	0.31	0.36
Med.	298.0	0.010	0.085	0.001	0.001	0.06	0.11
High	932.0	0.012	0.110	0.002	0.004	0.10	0.16
Irondale							
Low	7.1	0.005	0.005	0.001	0.001	<0.01	<0.01
Med.	160.0	0.005	0.005	0.001	0.001	<0.01	<0.01
High	300.0	0.005	0.005	0.001	0.001	<0.01	<0.01

Source: National Fisheries Research Laboratory Report (Schmitt 1982).

Note: CFS = Cubic feet per second.

D = Dissolved Metals.

T = Total Metals.

Reporting unit is mg/l.

Table 3-2
Metals Concentrations in Sediment Samples
Collected in the Big River
Big River Mine Tailings Site, Desloge, Missouri

Location	Lead	Cadmium	Zinc	
Irondale	49.6	1.62	64.9	
Desloge	2,215.0	29.96	1,658.4	
Washington State Pa	rk 1,843.4	10.79	704.3	
Brown's Ford	1,438.3	6.55	484.5	
Mineral Fork	291.5	2.52	369.7	

Source: National Fisheries Research Laboratory Report (Schmitt 1982).
NOTE: Adjusted total sediment metals concentrations (ug/g dry weight).

#### 3.2 MRTALS IN AQUATIC BIOTA

Several past studies have focused on the elevated metal levels in the Big River aquatic biota.

In the report prepared by the NFRL, cray-fish, fresh water mollusks, and fish were sampled. The sample locations were the same as for surface water and sediments. In crayfish samples, lead and cadmium levels were elevated at Desloge, Washington State Park, and Brown's Ford. The highest lead concentration (140 micrograms/gram [ $\mu$ g/g]) occurred at Desloge. The lead concentration in crayfish was 1.4  $\mu$ g/g at Irondale and 2.7  $\mu$ g/g at Mineral Fork. Since crayfish feed on aquatic macrophytes and detritus, they can accumulate sediment-bound toxins.

Pocketbook mussels were collected at all the locations except Desloge, where none could be found. Results were listed by mean concentrations. Results showed the highest mean lead concentrations at Brown's Fork ranging from 310 to 490  $\mu$ g/g in soft tissue and 18 to 19  $\mu$ g/g in the shell. Lead levels at Washington State Park were from 200 to 310  $\mu$ g/g in soft tissue and 8 to 22  $\mu$ g/g in the shell. The control sample at Irondale had mean lead levels of 2.16  $\mu$ g/g in soft tissue and 0.76  $\mu$ g/g in the shell.

The results of fish samples collected in the Big River vary with fish types (Table 3-3). Bottom-feeders, such as catfish and the Redhorse sucker, tended to have higher concentrations of metals than fish such as the smallmouth bass that do not feed on bottom sediment.

Table 3-3
Metals Concentration in Edible Portions
of Fish in the Big River
Big River Mine Tailings, Desloge, Missouri

Location/						
Species	Lead	Cadmium	Zinc			
Minaral Warb						
Mineral Fork	0 10	0.01	12.07			
Smallmouth bass	0.19	0.01	13.97			
Yellow bullhead	0.13	0.02	5.67			
Redhorse sucker	0.08	0.01	13.42			
Brown's Ford						
Smallmouth bass	0.21	0.01	4.50			
Flathead catfish	0.29	0.02	12.24			
Redhorse sucker	0.63	0.01	11.67			
Washington State Park						
Smallmouth bass	0.27	0.01	9.49			
Flathead catfish (4)		0.34	23.00			
· · · · · · · · · · · · · · · · · · ·			9.38			
Redhorse sucker	0.43	0.01	9.36			
Mixed suckers	0.38					
Desloge						
Smallmouth bass	0.05	0.01	11.73			
Channel catfish	0.13	0.03	5.12			
Redhorse sucker	0.57	0.03	16.15			
Mixed sucker	0.79					
Irondale						
Smallmouth bass	0.01	<0.01	13.28			
Flathead catfish	0.06	0.06	6.75			
Redhorse sucker	0.02	0.01	9.32			
Mixed sucker	0.07		7.52			
MIXED SUCKEI	J. 0 /					

Source: National Fisheries Research Laboratory Report (Schmitt 1982).

NOTE: Means of two samples (individual fish) unless otherwise indicated. Reporting unit is ug/g wet weight.

The lead content in the Redhorse sucker was greater than the 0.3  $\mu$ g/g dietary limit recommended by the World Health Organization (WHO): 0.57  $\mu$ g/g at Desloge, 0.43  $\mu$ g/g at Washington State Park, and 0.63  $\mu$ g/g at Brown's Ford. The lead concentrations at Irondale and Mineral Fork were well below the WHO limit (Table 3-3; Schmitt 1982.)

Research conducted on fish over a five-year period by the University of Missouri-Rolla (UMR) confirms there results. UMR research shows that over a five-year period, the lead concentrations in suckers from the Big River near the lead tailings pile have consistently exceeded the WHO limit (Gale et al. 1982).

These results suggest that mine tailings have raised lead levels in the benthic zone of the Big River and in the bottom feeders that live in this zone of the river. This study also suggests that the tailings have had little effect on the heavy metals content in the river water. However, the LSI sampling results have determined that the surface water in Big River does contain elevated levels of metals which are attributable to the site.

# 3.3 MINE TAILINGS FOR USE AS AGRICULTURAL LIME

UMR research determined that the possible use of mine tailings as agricultural lime may be acceptable. It also stated that caution should be taken because some older tailings piles have much higher concentrations of lead than more recently developed piles. It should also be noted that plant uptake studies have indicated that both lettuce and radishes tend to accumulate some lead and cadmium when tailings were mixed with soil as agricultural lime (Wixon et al. 1983).

# 3.4 PARTICULATES IN AMBIENT AIR FROM TAILINGS IN AREA

MDNR collected air quality data near Flat River, Missouri, approximately two miles southeast of the site. MDNR used one Hi-vol sampler located approximately 2,000 feet north of the St. Joe Park Tailings Pile (Federal Pile) near Flat River (Plate 1). Data was collected for a three-year period, 1981 to 1983. Monitor filters taken during the initial sampling period of January through August 1981 were analyzed for lead. They were analyzed for total suspended particulates only. No additional filters in the three-year period were analyzed for

lead. The total suspended particulate (TSP) annual geometric mean in 1981 was 50.55 micrograms/cubic meter ( $\mu g/m^3$ ); 1982 was 35.47; and 1983 was 47.43 μg/m<sup>3</sup> (MDNR 1981). The National Ambient Air Quality Standard (NAAQS) for the annual geometric mean of TSP is 75  $\mu$ g/m<sup>3</sup> (CFR 1987). The results of the lead analyses for the first three quarters of 1981 were January to March 0.14  $\mu g/m^3$ , April to June 1.09  $\mu g/m^3$ , and July to August 0.17  $\mu g/m^3$  (MDNR 1981). The NAAQS primary standard for lead in a calendar quarter is 1.5  $\mu$ g/m<sup>3</sup> (CFR 1987). These results are all within the standards for air quality and are adequate for southerly winds. Because the prevailing winds in this part of the country vary from season to season or month to month, additional Hi-vol monitoring devices situated around the tailings pile would have been more effective than one unit (USDC 1979). A background or control Hi-vol sampler was not used; therefore, no control data is available for comparisons. The Hi-vol air monitoring data collected during the LSI included a much more complete study and analysis. These results are discussed in Section 7.4.

## 3.5 E & E/FIT PREVIOUS INVESTIGATIONS

PA site reconnaissance was conducted in January 1988. Site conditions at that time were documented in the PA report submitted May 17, 1988, to EPA. Much of the background material from the PA has been updated and is included in this report. During the PA reconnaissance, 35 mile per hour westerly winds were observed transporting tailings material off site. Photographs taken during this PA thoroughly document this air release.

A limited site investigation that included surface sampling of the tailings and background soils was conducted May 16, 1988. Nine samples, including a duplicate, were collected on site, and three background soil samples were collected near a gravel road 2.5 miles northwest of the site. Concentration ranges of on-site samples were 880 to 1,400 mg/kg of lead, 8.4 to 19 mg/kg of cadmium, and 370 to 1,100 mg/kg of zinc. Concentrations of background samples were 410 to 570 mg/kg of lead, undetected cadmium, and 97 to 99 mg/kg of zinc. Tailing concentrations were elevated above these background samples; however, the background concentrations were considered very high. This probably is due to the

collection of the background samples adjacent to a gravel road.

Tailings are used for road material in the area; therefore, dust from the road may have elevated the adjacent soil. The LSI sampling yielded much lower metals concentrations in background surface soil.

# SECTION 4: SUMMARY OF WASTE SOURCE AND CHARACTERISTICS

It has been determined that the 600-acre mine tailings located at the Big River Desloge Tailings site contain significant amounts of lead, cadmium, and zinc. The tailings from the pile are migrating into the river and ambient air via water and wind erosion. Therefore, these heavy metals constituents are contaminating the river, air, and possibly the ground water. This section will discuss the three heavy metals of primary concern (lead, cadmium, and zinc), their characteristics, potential hazards, and relevant EPA Maximum Contaminant Levels (MCL). Detailed waste characteristics for these metals as well as arsenic, cobalt, and nickel are included in Appendix I.

Lead exists in nature mainly as lead sulfide (galena). Other common forms are lead carbonate (cercissite), lead sulfate (anglesite), and lead chlorophosphates (pyromorphite). Stable complexes result from the interaction of lead with the sulflydryl, carboxyl, and amine coordination site found in living matter. The toxicity of lead in water is affected by pH, hardness, organic materials, and the presence of other metals. The aqueous solubility of lead ranges from 500 micrograms/liter (µg/l) in soft water to 3 µg/l in hard water (EPA 1976).

Lead is a toxic metal that tends to accumulate in the tissues of humans and other animals. Although seldom seen in the adult population, irreversible brain damage is a frequent result of lead intoxication in children. This most commonly results from the ingestion of lead-containing paint found in older homes. The major toxic effects of lead include anemia, neurological dysfunction, and renial impairment. The most common symptoms of lead poisoning, which usually develop slowly, are anemia, severe intestinal cramps, paralysis of nerves (especially the arms and legs), loss of appetite, and fatigue. The MCL established for lead in drinking water is 50 µg/l and proposed 5 µg/l (EPA 1991). The National Ambient Air Quality Primary Standard for lead in the air in a calendar quarter is 1.5 µg/m³ (CFR 1987).

Cadmium occurs mainly as a sulfide salt, frequently in association with zinc and lead ores (EPA 1976). Accumulation of cadmium in soils in the vicinity of mines and smelters may result in high local concen-

trations in nearby waters. Cadmium is deposited and accumulated in various body tissues. Cadmium may function in or may be an etiological factor for various human pathological processes including testicular tumors, renal dysfunctions, hypertension, arteriosclerosis, growth inhibition, chronic diseases of old age, and cancer (EPA 1976). The MCL established for cadmium in drinking water is 10  $\mu$ g/l and proposed at 5  $\mu$ g/l (EPA 1991).

Zinc is usually found naturally as a sulfide, and it is often associated with other metals, especially lead, copper, cadmium, and iron. It is used in galvanizing processes and in preparation of alloys. Zinc is essential and beneficial in human metabolism. Community water supplies tested have contained 11 to 27 mg/l without harmful effects. The toxicity of zinc compounds to aquatic animals is modified by environmental factors. An increase in temperature and reduction in dissolved oxygen increases the toxicity of zinc for fish. Toxic concentrations of zinc compounds cause adverse changes in the morphology and physiology of fish (EPA 1976). No primary MCL for zinc has been established.

Arsenic, nickel, and cobalt were also detected in the ground water near the on-site landfill. The MCLs for arsenic and nickel are 50  $\mu$ g/l and 100  $\mu$ g/l, respectively. No MCL for cobalt has been established.

Mean concentrations of lead, cadmium, zinc, cobalt, nickel, and arsenic were calculated from the fourteen tailings samples collected on site during the 1990 LSI. Mean concentrations are 2,215 mg/kg lead, 21.7 mg/kg cadmium, 1,044 mg/kg zinc, 15.4 mg/kg cobalt, 15.8 mg/kg nickel, and 7.6 mg/kg arsenic.

The tailings area has been established to be approximately 600 acres. The average thickness of the tailings is approximately 46 feet based on an evaluation of contours from a 1908 USGS map (before tailings deposition) compared to the current topographic elevation. Well logs also verify that the tailings are approximately 50 feet thick. Therefore, the overall volume of waste was calculated to be approximately 44,528,000 cubic yards.

# SECTION 5: PHYSICAL AND CULTURAL SETTING

#### 5.1 SITE VICINITY AND AIR PATHWAY CONSIDERATIONS

There are several people working on site and numerous people residing in the area surrounding the site. The landfill operation employs four full-time personnel. The Morgan and White facility has three full-time employees and may have up to five during April to Septem-ber. Therefore, there are seven people that work on site year round. The nearest individual residing off site is at the Kyle residence, located 100 feet south of the southwest side of the site.

Population of the surrounding site area was determined using topographic maps, aerial photographs, US Census Bureau data, and the Graphical Exposure Modeling System (GEMS). Table 5-1 lists these results.

Table 5-1
Population Surrounding the Site in Four-mile Radius

Distance from site (miles)	Population
0 - 1/4	52
1/4 - 1/2	235
1/2 - 1	2,399
1 - 2	11,443
2 - 3	6,469
3 - 4	238

Sources: USGS 1982, St. Francois 1983, EPA 1989, U.S. Census 1991

Resources in the area include the adjacent Big River and commercial agriculture. The Big River is recognized by MDNR for uses that include livestock watering, wildlife watering, swimming, boating, and aquatic life (fishing etc.) (Howland 1988). The E & E/FIT observed numerous individuals fishing and swimming in Big River at and downstream of the site. It should also be noted that during the LSI, it was determined that landfill employees had recently built an access road on site

leading to a large tailings sandbar that employees use for swimming and fishing. This area is located on the west side of the meander area and is illustrated on Plate 3. Howard Wood owns the farm that lies across the river on the east side of the site. Wood uses the land for livestock grazing and hay production. Wood stated that he does not need to apply agricultural lime to his fields due to the significant amount of tailings that blow from the site and are deposited on his property. No terrestial or aquatic sensitive environments exist within a four-mile radius of the site (Dickniete 1990).

### 5.2 TOPOGRAPHY AND SURFACE WATER CONSIDERATIONS

The Big River Mine Tailings site lies on the eastern side of the Ozark highlands in St. Francois County, Missouri. The major physical features in the area are the St. Francois Mountains to the south, the Farmington Plain to the east, and the dissected topography of the Salem Plateau located to the north (SCS 1981). The site is between these major features on the floodplain of the Big River.

The Big River Mine Tailings site is a mounded pile of tailings that slopes from the middle toward the river boundary. Therefore, drainage on the east, north, and west sides of the site is directly into Big River. Section 3 discusses in detail site drainage as well as past and present problems. Refer to the detailed topographic map of the site included in Appendix H for specific site drainage patterns. Some of the drainage on the south end of the site enters the on-site tunnel and is transported to Big River.

The majority of the site is bordered by Big River. There are numerous areas along this perimeter where tailings constantly erode into the river. Therefore, the tailing wastes are easily transported to the river and in many areas are continuously in contact with the river.

The tailing material is processed dolomite powder, silt, and sand-sized material. Because the tailings are very porous and permeable, they will not retain water through infiltration. Also, tailings are devoid of organic nutrients. Therefore, plant growth is very difficult. Most of the site is unvegetated.

The Soil Conservation Service describes the majority of the site as Psamments soils. This unit consists of deep, nearly level to gently

rolling, excessively drained, newly formed soil in tailings ponds. These soils are formed in crushed dolomite material from lead mining. Permeability is rapid, and surface runoff is slow to medium although most precipitation is absorbed into the surface. The available water capacity is low. The natural fertility is very unbalanced, and careful fertilization is required to make the soil suitable for any plant growth. The organic matter is also very low. Some areas have been seeded to grasses and legumes, but results are poor. These soils are generally unsuitable for growing grasses, shrubs, and trees, unless intensively managed (SCS 1981).

The area where natural vegetation occurs on site consists mainly of Caneyville silt loam except for a small area on the southwest portion of the site where Gasconade, flaggy, silty, clay loam occurs.

Caneyville silt loam has 2 to 5 percent slopes and is moderately deep and well drained. This soil occurs on convex ridgetops. The surface layer is a dark-brown silt loam about five inches thick. Surface runoff is slow to medium. Available water capacity is low (SCS 1981).

Gasconade flaggy, silty, clay loam has 9 to 35 percent slopes, is excessively drained, and occurs on uneven side slopes. The surface layer is a very dark-brown flaggy, silty, clay loam about eight inches thick. The subsoil is dark-brown very flaggy, silty, clay about five inches thick. Permeability is moderately slow, and surface runoff is rapid. Available water capacity is very low (SCS 1981).

All of the soils on site are underlain by hard-bedded Bonneterre dolomite (SCS 1981).

As stated in Section 5.1, the Big River is officially recognized for uses that include swimming, boating, fishing, livestock watering, and wild-life watering (Howland 1988). E & E/FIT observed many local individuals swimming and fishing in the Big River at the site and downstream. There are no drinking water intakes on Big River within 15 miles downstream of the site. However, there is an intake on Big River in Jefferson County, at least 60 river miles from the site (Price 1991).

There are no sensitive environments or critical habitats within one mile downstream of the site (Dickniete 1990).

### 5.3 HYDROGEOLOGY AND GROUND WATER CONSIDERATIONS

The regional and site specific hydrogeology is very complex due to the past mining activities. Hundreds of miles of abandoned underground mine shafts are now filled with ground water. It is estimated that 100,000 exploratory borings were also drilled in the Old Lead Belt (USGS 1988). It is assumed that most of these borings were never properly sealed. Consequently, the mining activity in the region has significantly altered ground water flow and has left the ground water more susceptible to contamination. A comprehensive, regional ground water study was beyond the scope of the LSI. However, the USGS office in Rolla, Missouri, is currently conducting a ground water study of the site and surrounding area.

The shallow ground water on site was characterized during the LSI using several sampling methods. This included sampling of monitoring wells, installing and sampling Geoprobe temporary wells, sampling springs, and sampling artesian wells. It was determined that the shallow ground water is in contact with the tailings. Monitoring wells drilled to the base of the tailings directly around the landfill had static water level (SWL) measurements ranging from 30.5 to 45.75 feet below the ground surface. These monitoring wells (UG-1, DG-3, and DG-2) were emplaced in areas where the tailings are thickest. Monitoring well DG-5, located at a lower elevation near the Big River, had a SWL of 4.25 feet below the ground surface. When the SWL is compared to the total depth of the well, which is drilled to the base of the tailings, it is apparent that shallow ground water is in contact with the tailings. Well logs for the monitoring wells are included in Appendix G. Four Geoprobe temporary wells had SWLs ranging from 9 to 12 feet below the ground surface. It can also be concluded from these SWL measurements that the shallow ground water is in contact with the tailings. This is also confirmed by the numerous springs or seeps found along the perimeter of the site and Big River boundary. Several of these springs were sampled during the LSI.

Several artesian wells located approximately 800 to 1000 feet west of the southwest border of the site were sampled. The wells are actually unsealed exploratory borings. The surface contact of these wells is topographically 60 to 80 feet lower than the southwest side of

the site. Results from the samples collected indicated that contaminated shallow ground water from the site is influencing these artesian wells. Results from all of the ground water samples collected are discussed in Section 7.3.


The site is underlain by Precambrian-age felsites and granites, which are overlain by rock units of the Upper Cambrian series (Buckley 1908; MDGSWR 1961). Figure 5-1 depicts the general stratigraphy of the site vicinity.

The Upper Cambrian Series rock units consist of in ascending order the Lamotte Formation; the Bonneterre Formation; the Elvins Group, which contains the Davis and Derby-Doerun formations, and the Potosi and Eminence formations. The Elvins Group and the Potosi and Eminence formations will not be considered in this report because they are topographically higher than the Big River Mine Tailings site (Buckley 1908; MDGSWR 1961).

The Lamotte Formation is predominantly a quartzose sandstone that grades laterally in many places into arkose and conglomerate (MDGSWR 1961). The formation is approximately 300 feet thick in the study area (Buckley 1908). The Lamotte aquifer is a regional drinking water source (MDGSWR 1983).

The Bonneterre Formation is typically a light-gray, medium to fine-grained, medium-bedded dolomite, although it consists of relatively pure limestone in some areas (MDGSWR 1961). The formation is approximately 350 feet thick in the study area and the principal source for the lead mining in the area that occurred in the late 19th and early to mid 20th centuries. The Bonneterre aquifer is also a regional drinking water source (MDGSWR 1983).

The area ground water aquifers that are topographically lower than the site are the Bonneterre and Lamotte formations. The Flat River Water District serves the towns of Desloge, Elvins, Flat River, Leadington, River Mines, and Ester, Missouri. The approximate population served is 11,000. The Big River Mine Tailings site is adjacent to the town of Desloge and is within two miles of Flat River. The Flat River Water District's water supply comes from the Bonneterre Formation via a sealed, abandoned mine shaft, located approximately two miles south of the site in River Mines, Missouri; and from the Lamotte Formation, via a



WASTE SITE TRACKING NO.: MO0616 PREPARED BY: C. WILLIAMS

ECOLOGY & ENVIRONMENT FIT APRIL 1988 SOURCE: MDGSWR 1961 well located approximately 3,000 feet east in Desloge, Missouri, that is pumped from 410 feet.

The typical shallow ground water flow around the site is assumed to be toward the river. Several springs around the site area flow into the Big River.

An unknown number of private drinking water wells are used in the area. The nearest drinking water well is located on site at the landfill office. This well is reported to be 216 feet deep. Sample results (sample 307) indicate that water from this well is also being influenced by the site (Section 7.3).

Other municipalities that use ground water for drinking and are within a four-mile radius of the site include Leadwood, Bonne Terre, and Terre DuLac. Table 5-2 lists information on municipal wells in the area.

Table 5-2
Municipal Ground Water Usage
in Four-Mile Radius
Big River Mine Tailings site
Desloge, Missouri

Water District	Munici- palities Served	Popu- lation Served	Well Identific- ation	Total Depth (feet)	Formation	Distance From Site
Flat River	Flat River Desloge Elvins Leadington Ester River Mines	4,443 3,581 1,548 238 1,038 414	#1 Sealed mine shaft #2	432 410	Bonneterre Lamotte	~ 2 miles 3000 ft.
Lead- wood	Leadwood Gumbo	1,371 ~ 90	#1 #2	700 790	Unknown Unknown	~ 2.5 miles ~ 2.5 miles
Bonne Terre	Bonne Terre E Bonneterre	3,797	#1 #2	746 720	Lamotte Lamotte	~ 1.5 miles ~ 1.5 miles
Terre DuLac	Terre DuLac	~2,000	#1 #2 #3	1,030.5	Unknown Unknown Unknown	~ 3.5 miles ~ 3.5 miles ~ 3.5 miles

Sources: Tille 1988; Hedgeworth 1988; Warren 1988; Johnson 1987a; Degonia 1988.

### SECTION 6: FIELD ACTIVITIES

The Big River Mine Tailings LSI field work was conducted August 21 through 29, 1990. Sample series #CSXCR was assigned to all samples. The E & E/FIT members and their field assignments were: Bob Overfelt, team leader and sampler; Chris Williams, Site Safety Officer and sampler; Sharon Martin, sampler; Curt Enos, sampler and HRS information; Annette Sackmann, air sampling trainer; Otavio Silva, air sampler; Patty Roberts, air sampler; and Wes McCall, air sampler.

The field activities varied slightly from the work plan; the number of samples collected was increased substantially. Because of the size of the site and the other tailings piles in the surrounding area, it was necessary to increase the number of samples in order to fully characterize the site and help establish attribution.

Additional soil and tailings samples were added in order to characterize the soil at each Hi-vol air sampler location and to more accurately establish average background concentrations.

Sediment and surface water samples were added to help establish attribution. Therefore, several more samples were collected upgradient and downgradient of the site. Also, any major tributary that could contribute significantly to the water quality of Big River was sampled.

Additional ground water samples were taken to better characterize the shallow ground water on site and in the vicinity. The Geoprobe was used to install four temporary wells along the north perimeter of the site. Numerous springs were found and sampled along the river bank at the site. Some private wells adjacent to the site were also sampled.

The number of air samples was increased because one additional Hi-vol was used and the sampling period was extended from five to six days.

Additional Quality Assurance/Quality Control (QA/QC) samples were also submitted in order to meet the necessary requirements. All sampling was conducted in accordance with the Region VII E & E/FIT Quality Assurance Project Plan. All samples were submitted for total metals analyses. Water samples were also submitted for dissolved metals analyses. All samples were delivered to EPA Region VII Laboratory on July 30, 1990.

### 6.1 SOIL AND TAILINGS SAMPLING

Thirty samples were collected on site and in the surrounding area. Samples are summarized in Table 6-1, and locations are depicted on Plates 1 and 3. Fourteen tailings samples, including one duplicate, were collected on site. A soil sample was collected at each of the four off-site Hi-vol locations. Five background soil samples, including a duplicate, were collected from three locations several miles west of the site. Four soil samples were collected from three private residences and a day care center, all of which are within 1,500 feet of the southern site border. Four soil samples were collected at intermediate distances (one to two miles) around the site.

The majority of the samples (001 through 026 and 030) were composite samples consisting of five aliquots, one collected every 3 feet over a 15-foot linear distance. All of these samples were collected with a stainless steel spoon at a depth of 0 to 6 inches.

Samples 027, 028, and 029 were collected from a boring at surface sample location 009 at depths of 5 to 6 feet, 10 to 11 feet, and 15 to 16 feet, respectively. These samples were collected using the Geoprobe and the Probe-drive soil sampler.

### 6.2 SEDIMENT AND SURFACE WATER SAMPLING

Because sediment and surface water samples were collected concurrently at the same sampling location, they will be discussed together. Surface water samples were collected first to avoid introducing disturbed sediment into the water. There were 21 sampling locations, including one duplicate sample location; 22 surface water and 22 sediment samples were collected. Sediment samples are summarized in Table 6-2, and surface water samples are summarized in Table 6-3. Plates 2 and 3 illustrate the sampling locations. Two background locations on the Big River were sampled several miles upstream of the site: one on the tributary that drains the Leadwood tailings pile and one downgradient of the Leadwood tributary and upgradient of the site. Two locations were sampled on Owl Creek. Eight locations, including a duplicate, were sampled on Big River where the site borders the river. Five locations downgradient of the site on Big River were also sampled. A location was sampled on Flat River, Terre Bleue Creek, and Turkey

# Table 6-1 Soil and Tailings Sample Summary Big River Mine Tailings Site Desloge, Missouri E & E/FIT; July 1990 Sample Series CSXCR

ample #	Location	Property Owner
001	From residence ~750 ft S of SW edge of site	Kennedy
+002	On site hear center of river meander area	County
*003	On site in SW section of river meander area	County
*004	On site in W central section of river meander area	County
*005	On site in N central section of river meander area	County
*006	On site in NE section of river meander area at hi-vol 3 location	County
*007	On site in E central section of river meander section	County
*008	Duplicate of sample 007	County
*009	On site in SE section of river meander area	County
*010	On site in SE section of site	County
*011	On site S central section at hi-vol 4, near landfill office	County
012	Background ~4 miles W of site at hi-vol 7 location	Glore
013	~1 mile W/SW of site at hi-vol 6 location	Pratte
014	~1.25 miles E of site at hi-vol 5 location	Callahan
015	~1,500 ft E of site at hi-vol 1 and 2 locations	Wood
016	"2 miles W of site at SE corner of Leadwood Cemetery	Banks
017	Background ~6 miles NW of site and 0.25 mile S of Hwy. 47	Stoffel
018	Background ~4.5 miles NW of site in Terre Du Lac Development	Whitehead
019	Duplicate of sample 018	Whitehead
020	Background ~6 miles W of site ~1,000 ft NW of Huff Cemetery	Valley
*021	On site at leachate seep area at S edge of property near well DG-3	County
022	~100 ft S of site near landfill office	Ky1•
023	~2 miles E of site and ~0.5 mile E of Big River/Flat River confluence	Bullock
024	~0.75 mile N of site and ~1 mile S of Bonne Terre	McDowell
025	~2,000 ft W of site near Murrill Cemetary	Weible
026	From Day Care Center playground ~1,500 ft S of site	Forrester
*027	On-site boring ~150 ft E of met station, 5 to 6 ft depth	County
*028	On-site boring ~150 ft E of met station, 10 to 11 ft depth	County
*029	On-site boring ~150 ft E of met station, 15 to 16 ft depth	County
030	~1,000 ft SE of site at SW corner of Oak and 8th streets	Goff

<sup>\*</sup> Tailings Sample

Note: All samples were composite samples consisting of five aliquots and were collected from a depth of 0 to 6 inches except samples 027, 028, and 029. These samples were collected with the Geoprobe from an on-site boring at varying depths. All samples were requested to be analyzed for total metals. See Plates 1 and 3 for sample locations. See Appendix C for addresses of property owners.

# Table 6-2 Sediment Sample Summary Big River Mine Tailings Site Desloge, Missouri E & E/FIT; July 1990

Sample Series CSXCR

Sample #	Location				
100	Background from Big River at Hwy. U bridge "0.5 mile W of Irondale				
101	Background from Big River ~1 mile downstream of the Hwy. 8 and Big River intersection				
102	From tributary to Big River that drains Leadwood tailings pile, taken N of Leadwood 7800 ft				
	upgradient of Big River confluence (stainless steel spoon)				
103	From Big River ~1 mile downstream of Leadwood river access				
104	From Big River on W side of site at W bend in river ~600 ft downstream of W Desloge river access				
105	From Big River on W side of site ~0.5 mile downstream of W Desloge river access				
106	From Big River on NW side of site at swimming area				
107	From Big River on NE side of site ~0.9 mile downstream of swimming area (collected with shovel)				
108	From Big River on E side of site ~0.5 mile upstream of major collapse area				
109	From Big River on E side of site where major collapse occurred in 1977				
110	From Owl Creek on N side of abandoned RR spur (collected with spoon)				
111	From Owl Creek ~30 ft upgradient of Big River confluence (collected with spoon)				
112	From Big River ~3,500 ft downstream of major collapse area (collected with shovel)				
112D	Duplicate of sample 112				
113	From Big River ~1,500 ft upstream of the N Desloge river access (collected with shovel)				
114	From Big River ~0.75 mile upstream of the Hwy. 67 bridge over Big River (collected with shovel)				
115	From Flat River ~300 ft upgradient of the Big River confluence (collected with spoon)				
116	From Big River ~5 miles downgradient of the site and ~2.75 miles downstream of Flat River				
	confluence				
117	From Turkey Creek ~1,500 ft upgradient of the Big River confluence (collected with spoon)				
118	from Terre Bleue Creek "750 ft upgradient of the Big River confluence (collected with spoon)				
119	From Big River ~10 miles downstream of the site and ~2.5 miles downstream of the Hwy. K bridge				
120	From Big River ~15 miles downstream of the site and ~0.5 mile upstream of the Hwy. E bridge				

Note: All samples were composite samples consisting of three aliquots and collected from a depth of 0 to 6 inches. Samples were collected with an Eckman Dredge unless otherwise noted. All samples were requested to be analyzed for total metals. All samples were collected on the waterway or from public access points. A corresponding 200-series surface water sample was collected at every sediment location (Table 6-3). See Plates 2 and 3 for sample locations.

# Table 6-3 Surface Water Sample Summary Big River Mine Tailings Site Desloge, Missouri E & E/FIT; July 1990 Sample Series CSXCR

Sample	Cond		Temp	
#	(µmhos)	рН	(°C)	Location
200	170	6.96	24	Background from Big River at Hwy. U bridge ~0.5 mile W of Irondale
201	170	7.23	27	Background from Big River ~1 mile downstream of the Hwy. 8 bridge and Big River intersection
202	550	7.20	26	From tributary to Big River that drains Leadwood tailings pile, taken N of Leadwood ~800 ft upgradient of Big River confluence
203	200	7.48	25	From Big River ~1 mile downstream of Leadwood river access
204	290	7.27	23	From Big River on W side of site at W bend in river ~600 ft downstream of W Desloge River access
205	280	7.63	23	From Big River on W side of site ~0.5 miles downstream of W Desloge River access
206	260	7.42	25	From Big River on NW side of site at swimming area
207	380	7.33	28	From Big River on NE side of site $^{-}0.9$ mile downstream of swimming area
208	360	7.44	29	From Big River on E side of site ~0.5 mile upstream of major collapse area
209	370	7.45	29	From Big River on E side of site where major collapse occurred in 1977
210	550	7.33	18.5	From Owl Creek on N side of abandoned RR spur
211	245	7.60	26	From Owl Creek ~30 ft upgradient of Big River confluence
212	290	7.29	25	From Big River ~3,500 ft downstream of major collapse area
212D	290	7.29	25	Duplicate of sample 212
213	290	7.55	26	From Big River ~1,500 ft upstream of the N Desloge river access
214	350	7.31	23	From Big River $^{\sim}0.75$ mile upstream of Hwy. 67 bridge over Big River
215	550	8.0	23	From Flat River $^{-}300$ ft upgradient of the Big River confluence
216	340	7.26	27	From Big River $\sim 5$ miles downgradient of the site and $\sim 2.75$ miles downstream of Flat River confluence
217	650	7.58	23	From Turkey Creek ~1,500 ft upgradient of the Big River confluence

Table 6-3 (Continued)

Surface Water Sample Summary

Big River Mine Tailings Site

Desloge, Missouri

E & E/FIT; July 1990

Sample Series CSXCR

2020228		*******		
Sample	Cond		Temp	
#	(µmhos)	pН	(°C)	Location
218	205	7.34	27	From Terre Bleue Creek 750 ft upgradient of the Big River
				confluence
219	315	7.46	25	From Big River ~10 miles downstream of the site and ~2.5
				miles downstream of Hwy. K bridge
220	310	7.4	26	From Big River ~15 miles downstream of the site and ~0.5
				mile upstream of the Hwy. E bridge
CERCERS				

Note: All samples are requested to be analyzed for total and dissolved metals. A corresponding 100-series sediment sample was collected at every surface water sample location (Table 6-2). All samples were collected on the waterway or from public access points. See Plates 2 and 3 for sample locations.

Creek, which are major Big River tributaries. For Hazard Ranking System (HRS) scoring purposes, the farthest downstream location was 15 miles from the site.

The sediment and surface water samples were either collected at public access points on the stream or from a johnboat.

The sediment samples were composite samples consisting of three aliquots, one collected every 5 feet over a 15-foot linear distance. Samples were collected using either an Eckman Dredge, a shovel, or a stainless steel spoon. Table 6-2 indicates if a tool other than the Eckman Dredge was used. A shovel was used when gravel on the river bottom prevented dredge use. A stainless steel spoon was used for some tributary samples.

After collection of surface water samples, specific conductivity, pH, and temperature were recorded in the field. The surface water samples were also preserved in the field to a pH <2 with 1:1 nitric acid, and then were placed in a cooler and iced to 4°C.

### 6.3 GROUND WATER SAMPLING

Ground water samples were collected from monitoring wells, springs, Geoprobe temporary wells, artesian wells, and private wells on site and in the vicinity. Twenty-one ground water samples were collected. Six quality assurance samples were also collected. Table 6-4 summarizes the ground water samples collected, and locations are depicted on Plates 2 and 3. Five springs, including one background spring, were sampled around the site perimeter. The background spring was located across the river from the site. Four samples were collected from Geoprobe temporary wells that were installed along the north perimeter of the meander area.

Two artesian wells located just west of the site near Owl Creek were sampled. According to AuBuchon, the artesian wells are former exploratory borings installed many years ago by St. Joe Minerals. Apparently the borings were never properly plugged after installation. Several of these pipes are present in the vicinity.

Two drinking water wells were sampled. A sample was collected from the on-site well located at the landfill office. A sample was collected from a private well at a residence located approximately 750 feet south Table 6-4

## Ground Water Sample Summary Big River Mine Tailings Site

### Desloge, Missouri

E & E/FIT; July 1990 Sample Series CSXCR

Sample Well		Cond	ond	Temp	Location	
*	Depth	(µmhos)	рН	(°C)		
300		600	7.38	22	From spring on W boundary of site at W bend in river ~600 f	
					downstream of W Desloge River access	
301	un-	550	7.16	17	From artesian well ~25 ft E of W bank of Owl Creek and ~50	
	known				N of abandoned RR spur	
302		600	7.25	28	From spring on NE boundary of site 70.75 mile upstream of	
					major collapse area	
303		1,100	7.07	28	From spring on E boundary of site at major collapse area	
304		600	7.57	25	From spring on E arm boundary of site ~0.75 mile downstream	
					of major collapse area	
305		2,100	10.62	21	From tributary to Big River carrying effluent from RESCO	
					products, taken ~500 ft downstream of N Desloge River acces	
306		1,400	7.39	25	From leachate seep area at S central boundary of site near	
					well DG+3	
307	216	550	6.92	17	From landfill office well, SWL 763 ft	
308	200-	680	6.97	18	From private well at Kennedy residence ~750 5 of SW edge of	
	300				site	
309	10.75	1,400	6.56	18	From on-site MW DG-5 at E bend in river, SWL was 4.25 ft	
309D	10.75	1,400	6.56	18	Duplicate of sample #309	
310	37.5	900	6.78	15	From on-site MW UG-1 N of landfill in S central river means	
					area, SWL was 26 ft	
311	45.75	1,100	6.56	17	From on-site MW DG-3 at S border of site, SWL was 44.5 ft	
312	30.5	700	6.45	16	From on-site MW DG-2, E of landfill SWL was 25.5	
314	9	470	7.15	25	From on-site Geoprobe-TW on W side of meander area near pon	
					SWL was 7 ft	
315	12	420	7.05	25	From on-site Geoprobe-TW on NW side of meander area, SWL wa	
					9 ft	
316	12	600	6.93	20	From on-site Geoprobe-TW on N side of meander area, SWL was	
					ft	
317	12	700	7.11	20	From on-site Geoprobe-TW on NE side of meander area, SWL wa	
					9 ft	
318		550	7.04	17	From background spring on opposite river bank from site at	
					the W bend in river	
319		650	7.54	19	From NW end of drainage tunnel ~300 ft SE of W Desloge Rive	
					access	
320F					Trip Blank (total metals only)	
321F					Field Blank	
322F					Field Blank	
323F					Rinsate of disposable Teflon bailers	
324	un-	700	7.10	15	From artesian well ~20 ft E of Owl Creek and 100 ft S of Ow	
	known				Creek and Big River confluence	
324F					Rinsate of Geoprobe pipe	
325F					Acid Blank (total metals only)	

MW = monitoring well;

Note: All samples are requested to be analyzed for total and dissolved metals except for samples 320F and 325F, which were submitted for total metals only. All samples were collected on site or from the river waterway, except for sample 308 which was taken from the Kennedy residence. Sample 313 was not used. Sample 305 was believed to be a small spring when sampled, but it was later discovered to be a small tributary. See Plates 2 and 3 for sample locations.

TW = temporary well;

SWL = Static Water Level (measured from top of protective steel casing of MW).

of the site.

While on site, it was discovered that a drainage tunnel exists beneath the site. The tunnel extends from an opening located approximately 300 feet southeast of the landfill office and trends southeast/northwest to an exit opening near the west Desloge River access. The tunnel is approximately 1,500 feet long. The E & E/FIT learned from AuBuchon that the tunnel was built by St. Joe Minerals and was used to divert surface water drainage from a tributary to Big River. The E & E/FIT sampled a leachate seep that drains into the southeast entrance of the tunnel and also collected a sample from where water exits at the northwest end of the tunnel before it enters Big River.

Ground water sample 305 initially appeared to be a spring when it was sampled; however, it was determined later to be a small tributary to Big River. The tributary drains part of the RESCO Products property. The water appeared very turbid and white in color and had a pH of 10.62. This tributary is apparently being influenced by operations at the RESCO Products property. It is known that a large quarry exists on the RESCO property.

Five ground water samples, including one duplicate, were collected from four of the six monitoring wells. Two of the monitoring wells were dry. The following table lists information regarding the monitoring well sampling.

Monitoring Well Information

Well	Total	Depth to	Water	Volume	Sample
#	Depth	Static Water Level (ft)	Height (ft)	Purged (gal)	#
UG-1	37.5	26	11.5	3.5	310
DG-1	Dry				
DG-2	30.5	25.5	5	1.5	312
DG-3	47.75	44.5	1.25	0.3	311
DG-4	Dry				
DG-5	10.75	4.25	6.5	4.5	309, 309

The monitoring wells were purged using disposable polyethylene bailers. The wells were purged of three volumes or until dry. After purging, the wells were allowed to recharge for approximately 24 hours before sampling. The bailers were rinsed with deionized water before sampling.

Immediately after collection of ground water samples, specific conductivity, pH, and temperature were recorded (Table 6-4). The ground water samples were preserved to a pH <2 with 1:1 nitric acid, and then were placed in a cooler and iced to 4°C.

Six QA/QC samples were submitted: two field blanks, a trip blank, an acid blank, a rinsate sample of a bailer, and a rinsate sample of Geoprobe pipe.

### 6.4 AIR SAMPLING

The E & E/FIT performed a general reconnaissance of the site and surrounding area on July 21, 1990, and determined placement of the Hi-vol air samplers. Six locations were chosen. On July 22, 1990, seven Hi-vol samplers were set up (Plate 1). One location had co-located Hi-vols in order to collect a replicate sample. Six of the Hi-vols were powered by 3,500 watt, gasoline-powered generators, and one Hi-vol, located just north of the landfill office, was plugged into an electrical outlet. Two Hi-vols were placed on site, and five were placed off site. One Hi-vol was set up on the north end of the site, and one was set up at the landfill office area where daily traffic can be heavy. Three Hi-vols, in two locations, were set up to the east in a downwind direction. The predominant wind direction transporting tailings in the area was determined to be from the west to the east with some southwest and northwest influence. One Hi-vol was set up to the west in between the Leadwood tailings pile and the site. One remote background Hi-vol was set up to the west of the site and to the northwest of the Leadwood tailings pile. The locations of the Hi-vols are as follows:

- o Hi-vol 1 and 2 Across Big River approximately 1,500 feet east of the site.
- o Hi-vol 3 On site in the northeast section of the river meander area.

- o Hi-vol 4 On site in southwest section approximately 150 feet north of landfill office.
- o Hi-vol 5 Approximately 1.25 miles east of the site, near Hwy. 67 and Big River intersection.
- o Hi-vol 6 Approximately 1 mile west-southwest of the site, between Leadwood pile and the site.
- o Hi-vol 7 Approximately 4 miles west of the site.

All Hi-vol locations are illustrated on Plates 1 and 3. The Hi-vol samplers were placed on stands, making them 6 feet above the ground surface in order to characterize the air quality in the breathing zone.

A Campbell Scientific Portable Meteorological Station was placed on site in the south section of the meander area (Plates 1 and 3). The station continuously collected wind speed, wind direction, temperature, relative humidity, and barometric pressure.

The Hi-vol samplers were operated for approximately 12 hours each day for six consecutive days. The samplers were run for the 12-hour period of noon to midnight to accommodate diurnal changes.

Forty-seven air samples, including a field blank for each day, were collected from six locations over a six-day sampling period (Table 6-5). Sampling began on July 23, 1990, and ended on July 28, 1990. A sample was not collected from Hi-vol 5 on July 23, 1990, because the Hi-vol was not functioning properly. Sample 406 was submitted for analysis; however, it cannot be used as comparable data because the sampler ran for 24 hours due to a timer malfunction. All air samples were submitted for total metals analyses.

### Table 6-5

## Air Sample Summary

### Big River Mine Tailings

### Desloge, Missouri

E & E/FIT; July 1990
Sample Series CSXCR

ample #	Location	Date_Collected	Property Owner
400	Hi-vol #1	7-23-90	Wood
402	Hi-vol #2	7-23-90	Wood
403	Hi-vol #3	7-23-90	County
404	Hi-vol #4	7-23-90	County
*405	Hi-vol #5 (not submitted)	7-23-90	
*406	Hi-vol #6	7-23-90	Pratte
407	Hi-vol #7	7-23-90	Glore
408	Field Blank	7-23-90	
409	Hi-vol #1	7-24-90	Wood
410	Hi-vol #2	7-24-90	Wood
411	Hi-vol #3	7-24-90	County
412	Hi-vol #4	7-24-90	County
413	Hi-vol #5	7-24-90	Callahan
414	Hi-vol #6	7-24-90	Pratte
415	Hi-vol #7	7-24-90	Glore
416	Field Blank	7-24-90	
417	Hi-vol #1	7-25-90	Wood
418	Hi-vol #2	7-25-90	Wood
419	Hi-vol #3	7-25-90	County
420	Hi-vol #4	7-25-90	County
421	Hi-vol #5	7-25-90	Callahan
422	Hi-vol #6	7-25-90	Pratte
423	Hi-vol #7	7-25-90	Glore
424	Field Blank	7-25-90	
425	Hi-vol #1	7-26-90	Wood
426	Hi-vol #2	7-26-90	Wood
427	Hi-vol #3	7-26-90	County
428	Hi-vol #4	7-26-90	County
429	Hi-vol #5	7-26-90	Callahan
430	Hi-vol #6	7-26-90	Pratte
431	Hi-vol #7	7-26-90	Glor●
432	Field Blank	7-26-90	
433	Hi-vol #1	7-27-90	Wood
434	Hi-vol #2	7-27-90	Wood
435	Hi-vol #3	7-27-90	County
436	Hi-vol #4	7-27-90	County
437	Hi-vol #5	7-27-90	Callahan
438	Hi-vol #6	7-27-90	Pratte
439	Hi-vol #7	7-27-90	Glore
440	Field Blank	7-27-90	
441	Hi-vol #1	7-28-90	Wood
442	Hi-vol #2	7-28-90	Wood
443	Hi-vol #3	7-28-90	County
444	Hi-vol #4	7-28-90	County
445	Hi-vol #5	7-28-90	Callahan
446	Hi-vol #6	7-28-90	Pratte
448	Hi-vol #7	7-28-90	Glore
449	Field Blank	7-28-90	21014

<sup>\*</sup> Because of Hi-vol malfunctions, these samples will not be used.

Note: All samples were requested to be analyzed for total metals. The high volume samplers were run for a 12-hour sample period from 1200 hours to 2400 hours for each sample. Sample numbers 401 and 447 were not used. See Plates 1 and 3 for sample locations.

### SECTION 7: ANALYTICAL RESULTS

In general, the analytical data results from the Big River Mine Tailings site were acceptable. However, some data were coded.

### Data Qualification Code

- U = The material was analyzed for but was less than the measurement detection limit. The associated number is the detection limit.
- J = The data are reported but are not valid by approved QC procedures. The numerical value is an estimated quantity.
- I = The sample data are invalid. No value is reported.

The complete explanation for coded data is included in Appendix D with the data transmittal.

### 7.1 SOIL AND TAILINGS

The metals of primary concern in the soil and tailing samples are arsenic, cadmium, cobalt, lead, nickel, and zinc. The presence and concentrations of these metals will be discussed in this section; the analytical results are summarized in Table 7-1. The complete data transmittal is included in Appendixes D and E.

Because the site is located in the Old Lead Belt, it is difficult to establish background concentrations for natural soils. It is known that in this area, tailings have been used for agricultural lime on fields, mixed in asphalt for paving roads, spread on gravel roads, and used for fill material. These practices all are mechanisms for the dispersal of contaminants. Aeolian influences also spread contamination as metals-laden dust and tailings are deposited on downgradient soils via wind erosion. Howard Wood, property owner of the farm adjacent to the east side of the site, stated during the LSI that he has never had to lime his fields because of the tailings material that has been deposited on his property via wind erosion. Another reason that background concentrations may be difficult to establish is that the Bonneterre Formation underlying the site contains heavy metal

Table 7-1 Selected Metals in Soil and Tailings Samples

Selected Metals in Soil and Tailings

Big River Mine Tailings Site

Desloge, Missouri

E & E/FIT; July 1990

Sample Series CSXCR

Sample	Arsenic	Cadmium	Cobalt	Lead	Nickel	Zinc
(mg/kg)				130 J & : ÷	(T) (1) 0 400	
7.001	6.3	1.20	14			65
*002	14	21	13	1000 J	18 J	950
*003	7.7	14	11	1100 J	15 J	570
*004	8.1	20	110	1400 J	8.5 U	840
*005	8.6	8.4	14	930 J	15 J	370
*006	9.6	19	27	1500 J	20 J	870
*007	9.4	28	15	1700 J	12 J	1200
*008	2.1U	30	13	1600 J	14 J	1300
*009	9.7	13	12	1300 J	16 J	610
*010	14	79	42	13000 J	37 J	4300
*011	6.5	24	10 U	970 J	9.0 J	1200
b-012	9.3	1.3 U	16	65 J	10 U	35
<b>√</b> 013	6.9	1.2 U	15	450 J	9.6 U	42
<i>-</i> 7∵ 014	6.2	1.3 U	16	85 J	17 J	57
J.015	8.2	3.2	16	370 J	11 J	180
<sup>1</sup> 016 — .	13	6.0	13 U	940 J / < 2.	de-c-10 U	490
½ b-017	9.5	1.2 U	14	64 J	9.5 U	66
b-018	7.2	4.8	16	1500 J ;	12 Ј	370
b-019	6.8	5.3	18	1600 J	12 J	390
-b-020	6.2	1.2 ປ	12 U	76 J	9.4 U	67
*021	2.3 U	16	19	1500	20	760
022 —	2.2 U	270	16	650	8.8 U	13000
<u>023</u>	2.1 U	2.1	12	190	15	140
024 پلا	2.3 U	1.2 U	12 U	99	9.2 U	98
025	3.1 U	1.6	18	130	12 U	53
026	2.3 U	25	13	1300 -	∕s + € 9.6	1100
*027	2.4 U	11	38	2500	36	630
*028	2.1 U	10	10 U	1600	9.5	510
*029	7.0 J	11	11 U	910	9.1 U	510
030	7.6 J	7.9	23	2200 No		430

b = Background Sample

Note: See Table 1 and Plates 1 and 3 for sample locations and the data transmittal in Appendix D for complete analytical results.

<sup>\* =</sup> Tailings Sample

J = Data reported but not valid by approved QA/QC procedures

U = Less than measurement detection limit, the associated number is the detection limit.

mineralization (lead ore) outcrops. Some surface soils in the area were formed from weathered Bonneterre and may naturally contain elevated concentration of metals. These factors were all taken into account when off-site sampling was conducted. An attempt was made to sample only soil that visually appeared to be indigenous and not influenced by road construction, fill activities, or other artificial interferences.

Five background samples, including a duplicate, were collected from several miles west of the site in areas where influence from wind erosion and deposition from the site or the Leadwood tailings pile would be minimal. Three of these samples (012, 017, and 020) were collected from pastureland, and two samples (018 and 019), including the duplicate, were collected from a residence in the Terre Du Lac subdivision. The three samples collected from pastureland had mean concentrations of 8.3 mg/kg arsenic, 10 mg/kg cobalt, 68.3J mg/kg lead, and 56 mg/kg zinc. Nickel and cadmium were undetected. (Note: A J code will only be associated with the mean value if a significant amount {>25%} of the data used to calculate the mean are J-coded.) However, the samples collected at the Terre Du Lac residence (018 and 109) had elevated concentrations of most metals with means of 7.0 mg/kg arsenic. 5.05 mg/kg cadmium, 17 mg/kg cobalt, 1,550 J mg/kg lead, 12 J mg/kg nickel, and 380 mg/kg zinc. Because the location where samples 018 and 019 were collected is not undisturbed soil, they are not comparable to the pastureland samples; therefore, the samples will not be considered representative of background conditions.

Fourteen tailings samples, including a duplicate, were collected from ten locations on site to characterize the level of metals concentrations in the surface (0-6") of the pile. However, three subsurface tailings samples (027, 028, and 029) were collected at one location (surface sample 009 location) in order to characterize the subsurface. The ranges and mean concentrations of metals in the tailings samples on site are arsenic ranging from undetected to 14 mg/kg; 7.6 mg/kg mean; cadmium ranging 8.4 to 79 mg/kg, 21.7 mg/kg mean; cobalt ranging undetected to 42 mg/kg, 15.4 mg/kg mean; lead ranging 910 to 13,000 J mg/kg, 2,215 J mg/kg mean; nickel ranging undetected to 37 J mg/kg, 15.8 J mg/kg mean; zinc ranging 370 to 4,300 mg/kg, 1,044 J mg/kg mean. It should be noted that sample 010 collected from the east area

of the site, contained the highest concentrations of metals and significantly raised the mean concentrations. In a study performed by UMR, in which 74 surface tailings samples were collected over the entire tailings site, the mean lead concentration was 2,077 mg/kg, the mean cadmium concentration was 26 mg/kg, and the mean zinc concentration was 1,226 mg/kg (Wixon 1983). Therefore, the mean values established from the LSI sampling are similar to the UMR study. When comparing the background concentrations of cadmium, lead, nickel, and zinc in soil to the tailings, it is obvious that the tailings contain extremely elevated concentrations of these metals. The arsenic and cobalt concentrations do not appear to be significantly elevated in the tailings when compared to background concentrations. Arsenic and cobalt concentrations are discussed herein because ground water samples collected on site exhibited elevated levels of these metals.

The four subsurface tailings samples (009, 027, 028 and 029) were collected at 0 to 6 inches, 5 to 6 feet, 10 to 11 feet, and 15 to 16 feet, respectively. Concentrations of cobalt, lead, and nickel increased significantly from the 0 to 6 inches to the 5- to 6-foot interval. The following concentrations were reported:

Sample #	Depth (feet)	Cobalt (mg/kg)	Lead (mg/kg)	Nickel (mg/kg)
009	05	12	1,300 J	16 J
027	5-6	38	2,500	36
028	10-11	10 ປ	1,600	9.5
029	15-16	11 U	910	9 U

At the 10- to 11- and 15- to 16-foot intervals, metal concentrations appear to return to values similar to or less than the concentrations reported in surface sample depths. This could indicate that these metals have migrated down from the upper five feet, resulting in even higher concentrations at this depth. However, much more sampling and characterization of the subsurface is needed to draw any definitive conclusions. Arsenic and zinc concentrations did not vary significantly with depth.

Soil or tailings samples were collected at each Hi-vol air sampler location in order to establish metals concentrations at those locations and to verify a zone of influence in which the deposition of tailings

via wind erosion occurs. Additional samples were also collected from each direction surrounding the site to aid in the determination of this zone of influence.

Hi-vol sampler location 3 (sample 006) and Hi-vol sampler 4 (sample 011), both located on the tailings have been considered in the tailings results discussion. Also, Hi-vol sampler location 7 (sample 012) has been discussed as a background.

Based on the limited sampling conducted, the most significant area of influence from the site appears to be toward the east and southeast. The nearest resident is approximately 100 feet south of the site on the southwest edge where sample 022 was collected. Results from sample 022 indicated 270 mg/kg cadmium, 16 mg/kg cobalt, 650 mg/kg lead, and 13,000 J mg/kg zinc. These are the highest cadmium and zinc concentrations of any soil or tailings sample collected. Arsenic and nickel were reported as undetected. Results from a sample (026) collected from a day care center playground located approximately 1,500 feet south of the site detected cadmium at 25 mg/kg, cobalt at 13 mg/kg, lead at 1,300 mg/kg, nickel at 9.6 mg/kg, and zinc at 1,100J mg/kg. Arsenic was undetected. Sample 030 was collected approximately 1,000 feet south of the site at a private residence and results indicate 7.6 J mg/kg arsenic, 7.9 mg/kg cadmium, 23 mg/kg cobalt, 2,200 mg/kg lead, 21 mg/kg nickel, and 430 J mg/kg zinc. The two residential samples and the day care center sample have very high concentrations of lead, cadmium, and zinc that are comparable to concentrations found in tailings samples. Therefore, it can be concluded that this area south of the site has been and is currently being influenced by the site.

Sample 015 was collected approximately 1,500 feet east of the site at the co-located Hi-vol sampler locations 1 and 2. Results from sample 015 found arsenic at 8.2 mg/kg, cadmium at 3.2 mg/kg, cobalt at 16 mg/kg, lead at 370 J mg/kg, nickel at 11 J mg/kg, and zinc at 180 mg/kg. The elevated levels of lead, cadmium, and zinc at this location also indicate that this area east of the site is being influenced by the site. Sample 014 was collected at Hi-vol sampler location 5, approximately 1.25 miles east of the site, and sample 023 was collected approximately two miles east of the site to determine if the soils in these areas have been influenced by the site. Lead concentrations in

samples 014 and 023 were 85 J mg/kg and 190 mg/kg, respectively. These lead concentrations are relatively low in comparison to the tailings samples. Other metals of concern were also found at relatively low concentrations. Results of samples 014 and 023 indicate that the soils are not significantly influenced at these locations.

Soil samples 001, 025, and 024 were collected approximately 750 feet southwest of the site, approximately 2,000 feet west of the site and approximately 0.75 miles north of the site, respectively. The concentrations of metals of concern in these three samples are not significantly above background. Therefore, it appears that the soils on the west and north sides have not been influenced at the sampling locations. Perhaps if more soil sampling was performed within a few hundred feet of the site, an area of influence could be established; however, much more sampling would be required to accurately define the entire zone of influence.

Two samples (016 and 013) were collected at locations between the Leadwood tailings pile and the site. These samples were reported to contain lead at 450 J mg/kg in 013, and at 940 J mg/kg in 016. Other metals of concern were also significantly elevated. This could be the result of natural conditions or tailings deposition via wind erosion from the Leadwood pile. However, it is most likely attributable to transport of tailings to that location for fill or construction purposes. Sample 016 was collected at a cemetery where tailings may have been used for fill. Sample 013 was taken in a pasture adjacent to a newly constructed residence where tailings were used as base for part of the drive.

A total of 30 soil or tailing samples were collected to establish background concentrations, determine concentrations present in the on-site tailings, and characterize an area or zone of influence where tailings have migrated off site via wind erosion and elevated the concentrations of metals in the soils. Establishing natural background concentrations in this area of regional mining activity and widespread varied usage of tailings is difficult. However, three samples from apparently undisturbed soil in pastures west of the mining area contained consistently low levels of lead and other heavy metals. The 14 tailing samples collected on site confirmed the presence of elevated

levels of lead (up to 13,000 J mg/kg). Samples of soil collected from around the site indicate that the soils to the south and east at distances of at least 1,500 feet from the site are being influenced most significantly. Off-site areas exhibiting elevated levels of metals include lawns of private residences and a playground of a day care center.

### 7.2 SEDIMENT AND SURFACE WATER

It should be emphasized that the heavy metals contamination associated with the area near the site is a regional problem. Consequently, a limited regional sampling plan of surface water and sediment was implemented in order to assess the relative impact of the Big River Mine Tailings site on the Big River. The sampling plan was designed to establish attribution of heavy metals contamination from the major tributaries that drain tailing-contaminated basins into Big River. To achieve this objective, background sampling began approximately 16.5 miles upstream of the site location and continued to approximately 15 miles downstream of the site. The discussion of the sample results will begin at the furthest upstream location and consider the impact of the regional mining wastes as the Big River progresses downstream.

Sediment and surface water samples were collected concurrently at the same location; therefore, data results of both media will be discussed together. Metals of concern in the sediment include arsenic, cadmium, cobalt, lead, nickel, and zinc. Cadmium, lead, and zinc are the primary and most widespread contaminants in the sediment while arsenic, cobalt, and nickel were found generally at much lower concentrations but occur at elevated concentrations sporadically. These metals will only be discussed when elevated levels are found. Lead and zinc were the only metals of concern found at elevated levels in the surface water. Tables 7-2 and 7-3 list the selected heavy metal results found in the sediment and surface water, respectively. Sediment samples have 100-series numbers, and surface water samples are assigned the corresponding 200-series number. A total of 21 locations, including a duplicate, were sampled for sediment and surface water.

Two background sample locations (100, 200 and 101, 201) upgradient of any mining wastes were collected from Big River. Refer to Plates 2

Table 7-2
Selected Metals in Sediment Samples
Big River Mine Tailings Site
Desloge, Missouri
E & E/FIT; July 1990
Sample Series CSXCR

	=========	==========		=======================================		
Sample						
(mg/kg)	Arsenic	Cadmium	Cobalt _	Lead	Nickel	Zinc
*100	4.4 J	1.1 U	11 U	1.1 U	9.0 U	21 J
*101	5.5 J	1.1 U	11 U	1.4	9.1 U	53 J
102	2.5 U	140	12 U	10,000	9.8 U	6,500 J
103	30 J	46	13 U	720	10 U	1,900 J
104	2.2 U	130	11 U	5,500_	8.9 U	6,600 J
105	6.2 J	21	11 U	1,700	10	840 J
106	8.3 J	42	12 U	1,600	9.3 U	2,200 J
107	9.0 J	88	12 U	3,600	12	4,500 J
108	2.2 U	59	11 U	1,300	9.6	2,600 J
109	6.4 J	24	12 U	1,300	13	1,100 J
110	5.5	32	52	540	59	1,900
111	6.7	6.3	10 U	350	13	400
112	11	63	13 U	3,100	12	3,300
112D	6.4	120	12 U	3,400	9.8 U	6,700
113	18	16	12 U	2,500	12	810
114	7.9	28	12 U	3,800	11	1,800
115	21	18	16	3,500	18	970
116	7.1	14	12	1,200	13	1,000
117	11	37	44	8,700	58	1,500
*118	2.2 U	1.0 U	10 U	4.4	5.8	7.7 <sub>U</sub>
119	5.5 J	6.1	11 U	610	13	370
120	4.5 Ü	3.7 U	1.1 U	680	8.6 U	290

\* Background Sample

Note: See Plates 2 and 3 for sample locations and the data transmittal in Appendix D for complete analytical results. A corresponding 200-series surface water sample was collected at every sediment location (Table 7-3).

J - Data reported but not valid by approved QC procedures

U - Less than measurement detection limit, the associated number is the detection limit.

Table 7-3
Selected Metals in Surface Water Samples
Big River Mine Tailings Site
Desloge, Missouri
E & E/FIT; July 1990
Sample Series CSXCR

Sample	Lead	ì	Zinc		
(µg/l)	Total	Dissolved	Total	Dissolve	
<del>*</del> 200	3.0 U	3.0 U	20 U	20	
* 201	3.0 U	3.0 U	74	20	
202	61	23	1,300	1,200	
203	15	3.0 U	44	20	
204	37	3.3 U	81	44	
205	29	3.0 U	74	41	
206	32	3.0 U	84	56	
207	34	3.9 U	100	68	
208	33	4.0	98	<u> </u>	
209	31	4.5	98	86	
210	6.0	3.0 U	42	20	
211	26	3.0 U	62	34	
212	29	4.4	120	100	
212 D	28	4.8	130 U	99	
213	30	5.4	130	110	
214	27	5.7	150	130	
215	32	16	120	130	
216	49	9.5	130	100	
217	22	11	34 U	31	
<b>*</b> 218	3.0 U	3.0 U	20 U	20	
219	26 J	8.2 J	91	62	
220	49 J	11 J	70	39	

\* Background Samples

J - Data reported but not valid by approved QA/QC procedures

NOTE: See Plates 2 and 3 for sample locations and the data transmittal in Appendix D for complete analytical results. A corresponding 100-series sediment sample was collected at every surface water sample location (Table 7-2).

U - Less than measurement detection limit, the associated number is the detection limit.

and 3 for sample locations. Samples 100 and 200 were collected approximately 16.5 miles upstream of the site near Irondale, Missouri. Sediment sample 100 contained arsenic at 4.4 J mg/kg and zinc at 21 J mg/kg; cadmium, cobalt, lead, and nickel were undetected. No metals of concern were detected in surface water sample 200. Samples 101 and 201 were collected approximately 9.7 miles upstream of the site. Sample 101 contained arsenic at 5.5 J mg/kg, lead at 1.4 mg/kg and zinc at 53 J mg/kg with cadmium, cobalt, and nickel reported below detection limits. Only total zinc at 74 µg/l was found in surface water sample 201. These samples indicate the very low metals concentrations found in the Big River upgradient of the mining district.

The tributary that drains the Leadwood Tailings pile to Big River is the farthest major tributary upstream that contributes a significant amount of metals contamination to Big River (Plate 2). Samples 102 and 202 were collected from this tributary approximately 800 feet upgradient of its Big River confluence. Sediment sample 102 contained high concentrations of cadmium at 140 mg/kg, lead at 10,000 mg/kg, and zinc at 6,500 J mg/kg. Surface water sample 202 contained 61 µg/l total and 23 µg/l dissolved lead, as well as 1,300 µg/l total and 1,200 µg/l dissolved zinc. The next downstream location sampled on Big River (103,203) was located approximately halfway between the Leadwood tributary confluence and the Owl Creek confluence with Big River. Sediment results of sample 103 detected 30 J mg/kg arsenic, 46 mg/kg cadmium, 720 mg/kg lead, and 1,900 J mg/kg zinc. Surface water sample 203 contained 15 µg/l total lead and 44 µg/l total zinc with no detects in the dissolved metals analysis. The elevated metals in the sediment and the elevated total lead in the surface water at this location on Big River is directly attributable to the Leadwood tributary.

Owl Creek is the next tributary along the river that contributes some heavy metal contamination. Its confluence with Big River is approximately 500 feet upgradient of the Big River tunnel discharge confluence (See Plate 3). Owl Creek does not directly drain a tailings pile; however, it does contain tailings in its sediment. The source of these tailings appears to be an abandoned railroad spur which crosses Owl Creek just southwest of the site (See Plate 3). The railroad bed is constructed primarily of tailings, some of which have apparently eroded

and entered Owl Creek. Two locations were sampled along Owl Creek. Samples 110 and 210 were collected just north (downgradient) of the abandoned railroad spur. Sediment sample 110 contained arsenic at 5.5 mg/kg, cadmium at 32 mg/kg, cobalt at 52 mg/kg, lead at 540 mg/kg, nickel at 59 mg/kg, and zinc at 1,900 mg/kg. Surface water sample 210 contained 6.0 µg/l total lead and 42 µg/l total zinc. Samples 111 and 211 were collected on Owl Creek approximately 30 feet upgradient of the Big River confluence. Concentrations of metals in sediment sample 111 were much less than sample 110 with arsenic at 6.7 mg/kg, cadmium at 6.3 mg/kg, cobalt undetected, lead at 350 mg/kg, nickel at 13 mg/kg, and zinc at 400 mg/kg. Surface water sample 211 detected total lead at 26  $\mu g/l$  and total zinc at 62  $\mu g/l$ . The metals concentrations in sediment sample 110 are probably higher because it was taken adjacent to the railroad spur where tailings directly enter Owl Creek. The metals concentrations in the Owl Creek water are probably higher near the confluence of Big River due to the significant amount of ground water entering Owl Creek directly from the numerous artesian wells along its east bank. Water from these wells contains elevated concentrations of metals. Results of the artesian well samples are discussed in Section 7.3 and are listed in Table 7-4. Although Owl Creek does contribute heavy metals to Big River, a comparison of its sediment and surface water metal content suggests it is only a minor contributor.

The previously discussed tunnel that runs under the site and discharges near the West Desloge River Access is the next contributor of tailings, surface water, ground water, and landfill leachate to the Big River. The water, leachate, and sediment (tailings) at the entrance and at the exit opening were sampled and found to contain elevated levels of metals. Sample 021 was collected from the entrance of the tunnel and is discussed in Section 6.1. No sediment was available at the tunnel exit; therefore, no sample was collected. Leachate samples 306 and 319 collected at the entrance and exit openings of the tunnel, respectively, are discussed in Section 7.3.

In an interview with landfill manager Bryant Aubuchon, the E & E/FIT learned that this tunnel transports a significant amount of tailing and surface water into Big River during major storm events. Also landfill leachate constantly flows into the tunnel. It is also

assumed that some ground water is discharged through the tunnel. A thorough reconnaissance of this tunnel is needed to determine if any other significant seeps are present or whether any other tunnels drain into it. This tunnel is potentially one of the major sources of contaminants entering the river.

Samples 104 and 204 were collected on Big River approximately 400 feet downstream of the tunnel discharge confluence. These samples were also collected upgradient of any areas around the site where tailings are directly in contact with the river or are entering it via water erosion. Results of sediment sample 104 detected a significant increase of metals with 130 mg/kg cadmium, 5,500 mg/kg lead, and 6,600 J mg/kg zinc. Surface water sample 204 contained 37 µg/l total lead, undetected dis-solved lead, 81 µg/l total zinc, and 44 µg/l dissolved zinc. This sig-nificant increase in heavy metals in the Big River sediment and surface water directly downgradient of the tunnel discharge strongly suggests the tunnel as the source. Additionally, the extremely high concentrations of dissolved zinc found in the leachate seep at the tunnel entrance and in the water at the tunnel exit may be attributable to the first elevated dissolved zinc concentrations in Big River in sample 204.

A total of eight samples, including a duplicate, were sampled at seven locations on the river and around the tailings pile. It should be noted that during the sampling of the Big River numerous areas where tailings are in contact with the river and are easily transported into the river via water erosion were observed. The major areas that were observed are illustrated on Plate 3. Also, numerous ground water seeps or springs originating from the tailings were observed draining directly into Big River. Four of these seeps were sampled and found to contain elevated metals. The seep sample results are discussed in Section 7.3. The range and mean values of the metals of concern in the eight sediment samples (104, 105, 106, 107, 108, 109, 112, and 112D) collected on the Big River adjacent to the site are: arsenic, undetected to 11 mg/kg, 5.9 J mg/kg mean; cadmium, 21 mg/kg to 130 mg/kg, 68.4 mg/kg mean; lead, 1,300 mg/kg to 5,500 mg/kg, 2,687 mg/kg mean; nickel, undetected to 13 mg/kg, 7.1 mg/kg mean; zinc, 840 J mg/kg to 6,700 mg/kg, 3,480 J mg/kgmean. After comparing upstream sediment samples with the extremely

elevated concentrations in these samples, it is obvious that the Big River Mine Tailings site is affecting the benthic zone of the river by significantly increasing the heavy metals content and physically altering it with the introduction of thousands of cubic yards of tailings. Surface water samples at these seven locations were also elevated. The following is the range and mean for the eight surface water samples: total lead 28  $\mu$ g/l to 37  $\mu$ g/l, 31.6  $\mu$ g/l mean; total zinc 74  $\mu$ g/l to 120  $\mu$ g/l, 81.9  $\mu$ g/l mean; and dissolved zinc 41  $\mu$ g/l to 100  $\mu$ g/l, 70.2  $\mu$ g/l mean. Dissolved lead was undetected in these samples until sample 208. Samples 208, 209, 212, and 212D had dissolved lead ranging from 4.0 to 4.8  $\mu$ g/l and a mean concentration of 4.4.  $\mu$ g/l.

A clear pattern of increasing concentrations of lead and zinc in the surface water is evident at each of these locations in a downstream progression. The impact of the site on the surface water is particularly evident in the dissolved lead fraction, which increases from undetected to 4.8  $\mu$ g/l and in dissolved zinc which increases from 44  $\mu$ g/l to 100  $\mu$ g/l progressively downstream along the border of the site.

Samples were collected at approximately 0.75 miles (113, 213) and at approximately 1.5 miles (114, 214) downstream of the eastern edge of the site. The bottom of the river was observed to be lined with tailings along this section. Results of the metals in sediment samples 113 and 114 were very similar to the sediments around the site. Surface water samples 213 and 214 were found to contain increasing dissolved lead at 5.4  $\mu$ g/l and 5.7  $\mu$ g/l, respectively, as well as increases in dissolved zinc at 110  $\mu$ g/l in samples 213 and 130  $\mu$ g/l in sample 214.

The Flat River is the next major tributary downstream that drains tailings piles into Big River. The confluence of Flat River and Big River is approximately 2.75 miles downstream of the east edge of the site. Flat River drains the Federal tailings pile (the largest one in the Old Lead Belt) as well as the Elvins and National tailings piles (See Plate 2). Samples 115 and 215 were taken from Flat River approximately 300 feet upgradient of this confluence. Sediment sample 115 contained 21 mg/kg arsenic, 18 mg/kg cadmium, 16 mg/kg cobalt, 3,500 mg/kg lead, 18 mg/kg nickel, and 970 mg/kg zinc. Surface water sample 215 detected total lead at 32  $\mu$ g/l, dissolved lead at 16  $\mu$ g/l, total zinc at 120  $\mu$ g/l, and dissolved zinc at 130  $\mu$ g/l. These sample results

verify that Flat River is another major contributor of heavy metal contamination to Big River.

Samples 116 and 216 were collected on Big River approximately 5 miles downstream of the site and approximately 2.5 miles downstream of the Flat River confluence. Sediment sample 116 contained arsenic at 7.1 mg/kg, cadmium at 14 mg/kg, cobalt at 12 mg/kg, lead at 1,200 mg/kg, nickel at 13 mg/kg, and zinc at 1,000 mg/kg. Surface water sample 216 contained 49 µg/l total lead, 9.5 µg/l dissolved lead, 130 µg/l total zinc, and 100 µg/l dissolved zinc. It is evident that though the heavy metals in the sediment are still elevated at this location the concentrations have decreased substantially. This phenomenon is probably due to the river's ability to transport large quantity of tailings from the site. Most sediments are transported during high flow (high velocity) events. Therefore, as the flow and velocity decreases in the river, the majority of the sediments fall out of suspension and are deposited in the river bottom. Consequently, the highest concentrations of heavy metals (as well as the heaviest tailings deposition) are found within two to three miles downstream of the Big River Mine Tailings site. A statistical sampling is needed to verify this assumption. The surface water at the sample 216 location has apparently been elevated by the addition of the Flat River contaminants. Total lead increased from 27  $\mu$ g/l in 214 to 49  $\mu$ g/l in 216; dissolved lead increased from 5.7  $\mu$ g/l in 214 to 9.5  $\mu$ g/l in 216.

Samples 118 and 218 were collected from Terre Bleue Creek, approximately 750 feet upgradient of the Big River confluence. The confluence of Terre Bleue Creek and Big River is approximately 8.5 miles downstream of the site. A sample was collected at this location because Terre Blue is a major tributary to Big River, even though it has no tailings piles in its drainage basin. Therefore, it was considered a background location. Sediment sample 118 contained 4.4 mg/kg lead and 5.8 mg/kg nickel, while all other metals of concern were below detection limits. No metals of concern were detected in surface water sample 218. These results indicate that background conditions exist on Terre Bleue Creek.

Samples 119 and 219 were collected on Big River approximately 10 miles downstream of the site. Results of sediment sample 119 detected arsenic at 5.5 J mg/kg, cadmium at 6.1 mg/kg, lead at 610 mg/kg, nickel

at 13 mg/kg, and zinc at 370 mg/kg. Surface water sample 219 results indicated 26 J  $\mu$ g/l total lead, 8.2 J  $\mu$ g/l dissolved lead, 91  $\mu$ g/l total zinc, and 62  $\mu$ g/l dissolved zinc. These results indicate that heavy metal concentrations in sediment and surface water are decreasing downstream; however, they remain elevated.

Turkey Creek is the farthest downstream tributary to Big River that drains a tailings pile in the Old Lead Belt. It drains at least the west section of the Bonne Terre pile. An abandoned rail spur follows the creek north from the town of Bonne Terre. This spur is constructed of tailings that were observed to be in contact with Turkey Creek in several locations. It appears that tailings are easily eroded off of the spur and deposited into the creek. Samples 117 and 217 were collected from Turkey Creek approximately 1,500 upgradient of the Big River confluence. Sediment sample 117 contained 11 mg/kg arsenic, 37 mg/kg cadmium, 44 mg/kg cobalt, 8,700 mg/kg lead, 58 mg/kg nickel, and 1,500 mg/kg zinc. Surface water sample 217 detected total lead at 22 µg/l, dissolved lead at 11 µg/l, and zinc was undetected for total and dissolved; however, the detection limits are elevated to 34 U µg/l and 31 U  $\mu$ g/l, respectively. Therefore, it can be concluded Turkey Creek is also contributing significantly elevated sediment and surface water to Big River.

The farthest downstream samples (120 and 220) collected on Big River were taken approximately 15 miles downstream of the site and approximately 1.25 miles downstream of the Turkey Creek confluence. Results of sediment sample 120 indicate lead at 680 mg/kg and zinc at 290 mg/kg. All other metals of concern were undetected. Surface water sample 220 detected total lead at 49 J µg/l, dissolved lead at 11 J µg/l, total zinc at 70 µg/l, and dissolved zinc at 39 µg/l. It appears that the Big River sediment and surface water are influenced by Turkey Creek when a comparison is made of the data upgradient (119, 219) and downgradient (120, 220) of the Turkey Creek confluence.

An evaluation of the data collected along more than 30 miles of the Big River and its tributaries confirms the assumption that the heavy metal contamination is a regional problem. The data indicate that the major sources contributing to the contamination other than the site include the Leadwood pile tributary, Owl Creek, Flat River, and Turkey

Creek. However, the data also indicate that the Big River site is the major source of tailings that physically enter the river. This is substantiated by the extremely elevated levels of heavy metals found in the river sediments at the site and directly downstream. Other sources contribute heavy metal-laden tailings, but the data suggests that they do not contribute to nearly the same extent as the Big River Mine Tailings site.

The data also indicated that the tributaries draining other mining waste areas contain substantial amounts of lead and zinc in their surface water. Without an analysis of average annual streams flow for each tributary compared to Big River as well as a comparison of average contaminant levels in these tributaries and Big River, it is difficult to assess exactly what percentages each source releases to Big River. Although, for site assessment purposes, the data do establish relative elevated levels of heavy metals along Big River. Therefore, it is obvious that the Leadwood tributary, upgradient of the site, elevates the heavy metal content of the river water above background, but it is also apparent that the Big River Mine Tailings site elevates the heavy metal content in the river water even higher than the Leadwood tributary. For example, dissolved lead increases from undetected in sample 203, downstream of the Leadwood tributary and upstream of the site on Big River, to 4.8  $\mu$ g/l in sample 212D on the east side of the site. Dissolved zinc similarly in-creases from undetected in sample 203 to 99 µg/l in sample 212D. Similar increases of contaminants occur downstream of the Flat River and Turkey Creek confluences.

The LSI has successfully determined the major sources of contamination entering Big River throughout the site area. Although a much more extensive study of the impact of the entire Old Lead Belt on the Big River drainage basin may be necessary to fully characterize the severity and extent of the regional contamination.

### 7.3 GROUND WATER

The objectives of the ground water sampling were to characterize the shallow ground water in the tailings on site, as well as the drinking water well at the on-site landfill office and at a nearby residence. Characterization of the regional ground water would require the consideration of each mining waste source. The many miles of open mine shafts created during the mining activities are now filled with ground water. These conditions have certainly altered the natural movement and chemical characteristics of the region's ground water. The U.S. Geological Survey office in Rolla, Missouri is currently conducting a ground water study focusing on the site and regional conditions. Therefore, the focus of the E & E/FIT LSI was limited to the characterization of site-specific ground water conditions.

Because the tailings are a product of mainly carbonate rock and because the underlying Bonneterre Formation is dolomite, the pH of the local ground water is normally slightly alkaline. This condition generally restricts the mobility of metals. Theoretically, significant migration of metals in the ground water should be minimal. However, because landfill leachate characteristically produces organic chelating agents that can solubilize metals, the possibility of the on-site landfill producing leachate and mobilizing the metals in the tailings is a major concern (Novak and Hasselwander 1980). Consequently, sampling was conducted in an attempt to consider the influence of the landfill as well as the tailings to the on-site ground water.

Metals of concern detected in the ground water samples include arsenic, cadmium, cobalt, lead, nickel, and zinc. Concentrations of arsenic, cobalt, and nickel in the soil, tailings, and sediment samples have mainly been considered for comparison due to their elevated presence in some of the on-site ground water samples. Ground water sampling included five springs, four Geoprobe temporary wells, two artesian wells, two private drinking water wells, four monitoring wells, a tunnel, and a leachate seep. See Plates 2 and 3 and Table 6-4 for sample locations and Table 7-4 for sample results.

Four of the spring samples were collected from locations along the perimeter of the site bordering Big River. One background spring was sampled across Big River opposite the site. Shallow ground water is present in the large mound of tailings that lie directly on top of the Bonneterre Formation. Because the tailings are very porous and highly permeable, numerous springs or seeps are present along the edges of tailings bordering Big River. These springs drain directly into the river. The springs that were sampled were located and sampled during a

Table 7-4

# Selected Metals in Ground Water Samples

Big River Mine Tailings Site

Desloge, Missouri

E & E/FIT; July 1990 Sample Series CSXCR

	Arsenic		Cadmium		Cobalt		Lead		Nickel		Zinc	
(µg/l)	Tot.	Diss.	Tot.	Diss.	Tot.	Diss.	Tot.	Diss.	Tot.	Diss.	Tot.	Diss.
300	100	100	5.5	5.0U	50U	50U	250J	N/A I	40U	40U	3400	1900
301	10U	100	5.0U	5.0U	50U	50U	36J	33 J	53	60	180	190
302	10U	100	5.00	5.0U	50U	50U	86J	N/A I	40U	40U	98	27
303	21	100	190	5.0U	85	50U	1 <b>4</b> 000J	N/A I	92	40U	9100	65
304	10U	100	5.0U	5.0U	50U	50U	63J	20 J	40U	40U	200	160
305	100	100	5.0U	5.0U	50U	50U	5.13	N/A I	40U	40U	200	201
306	100	100	5.0U	5.0U	400	400	330J	29 J	310	320	8900	6400
307	100	100	5.0U	5.0U	50 <b>U</b>	50U	17J	14 J	40U	43	140	140
308	100	10U	5.00	5.0U	50 <b>u</b>	50บ	3.00	N/A I	40U	40U	26	31
309	59	37	6.9	5.0U	50U	50U	680J	4.1U	61	40U	850	520
309D	59	37	8.0	5.0U	50 <b>U</b>	50U	650J	3.3U	49	40U	830	550
310	25	17	5.00	5.0U	50 <b>ʊ</b>	50U	23J	3.00	40U	40U	94	290
311	64	34	11	5.0U	50 <b>U</b>	50U	5000J	3.00	64	40U	530	201
312	110	10U	37	27	350	360	9300J	60	680	620	26	23000
314	14	10U	5.00	5.0U	8.5	55	1700J	74	83	43	470	170
315	14	100	8.6	5.0U	56	50U	3800J	9.3	70	40U	560	201
316	46	10U	30	5.0U	170	50U	8200J	46	170	40U	2500	450
317	85	51	26	5.0U	53	50U	10000J	3.00	60	40U	1400	20
318	100	100	5.0U	5.0U	500	50v	63J	28	52	86	180	160
319	10U	100	5.0U	5.0U	50ช	50U	433	4 . 4U	40U	40U	170	450
320F	100		5.00		50U		N/A I		40U		200	
321F	100	100	5.0ช	5.0U	50U	50U	N/A I	3.00	40U	40U	20U	20
322F	100	100	5.0v	5.0U	50 <b>U</b>	50 <b>u</b>	3.2J	3.00	40U	40U	<b>20</b> U	20
323F	10U	100	5.0U	5.0U	50 <b>U</b>	50 <b>U</b>	N/A I	3.00	40U	40U	200	20
324	100	100	5.00	5.0U	50U	50 <b>U</b>	37J	28	51	88	160	170
324F	100	10U	5.0v	5.0U	500	50U	N/A I	3.00	40U	40U	27	20
					50U				40U			

Tot. = Total

Diss. = Dissolved

J - Data reported but not valid by approved QA procedures.

U - Less than measurement detection limit, the associated number is the detection limit.

I - Invalid sample data - value not reported/not available.

Note: See Plates 2 and 3 and Table 6-4 for sample locations and the data transmittal in Appendix D for complete analytical results. Samples 320F and 325F were submitted for total metals analyses only. Sample #313 was not used.

reconnaissance of the site perimeter conducted on the Big River in a johnboat. Samples 300, 302, 303, and 304 were collected from the on-site springs. Sample 300 was collected from a spring on the west side of the site near the landfill. Analyses of sample 300 found total lead at 250 J µg/l, dissolved lead was invalid (N/A I), total zinc at 3,400 µg/l, and dissolved zinc at 1,900 µg/l. Note that many of the ground water sample lead results have been invalidated due to the matrix spike recovery being out of control limits and that most other lead results are J coded due to the blank rule. The dissolved zinc concentration in sample 300 was 10 times greater than any of the other spring samples. All of the other springs were a significant distance from the landfill, which suggests that the landfill may be influencing the ground water at this location.

Sample 302, collected from a spring on the northeast edge of the site, contained 86 J µg/l total lead, invalid dissolved lead, 98 µg/l total zinc, and 27 µg/l dissolved zinc. Sample 303, taken near the major collapse area on the east side of the site, contained 21 μg/l total arsenic, undetected dissolved arsenic, 190 µg/l total cadmium, undetected dissolved cadmium, 85 µg/l total cobalt, undetected dissolved cobalt, 14,000 J µg/l total lead, invalid dissolved lead, 92 µg/l total nickel, undetected dissolved nickel, 9,100  $\mu$ g/l total zinc, and 65  $\mu$ g/l dissolved zinc. The presence of arsenic, cadmium, cobalt, and nickel only in the total analysis and not in the dissolved as well as the high total lead and zinc concentrations in sample 303 indicates this sample may have contained significant suspended sediment. Sample 304 was collected near the east edge of the site and contained 63 µg/l total lead, 20 J  $\mu$ g/l dissolved lead, 200  $\mu$ g/l total zinc, and 160  $\mu$ g/l dissolved zinc. It can be concluded from these sample results that the numerous springs or seeps flowing from the site into Big River transport significant quantities of total and dissolved lead and zinc, further elevating metals levels in the Big River water.

Sample 318 was collected from a spring on Big River across from the west side of the site and was assumed to be a background location. However, analytical results reported total lead at 63 J  $\mu$ g/l, dissolved lead at 28  $\mu$ g/l, total nickel at 52  $\mu$ g/l, dissolved nickel at 86  $\mu$ g/l, total zinc at 180  $\mu$ g/l, and dissolved zinc at 160  $\mu$ g/l. These high

concentrations could represent natural ground water conditions or that the site or past mining activities, has influenced the shallow ground water across Big River. The constituents and concentrations in sample 318 are comparable to the results on ground water samples collected from the artesian wells (samples 301 and 324). Lead, nickel, and zinc were the only metals detected in these three samples, and the concentrations are similar. All three samples were also collected in the same general area. Therefore, it is possible that the source of the contamination at these three locations is the same.

The two artesian wells (samples 301 and 324) are approximately 1,000 feet west of the southwest edge of the site along the east bank of Owl Creek. As previously discussed, these wells are actually abandoned exploration borings that were drilled by the mining company in order to vertically characterize zones of mineralization in the Bonneterre Formation. Therefore, it can be assumed that the borings extend into the Bonneterre; however, total depths are unknown. Topographically, these wells are at least 60 feet below the southwest portion of the site (USGS 1982). Refer to the topographic map of site in Appendix H. Therefore, shallow ground water from the elevated tailings may be influencing this area as it migrates from the site. Sample 301 contained total lead at 36 J µg/l, dissolved lead at 33 J µg/l; total nickel at 53  $\mu$ g/l, dissolved nickel at 60  $\mu$ g/l; total zinc at 180  $\mu$ g/l and dissolved zinc at 190 µg/l. Results from sample 324 were very similar with total lead at 37 J  $\mu$ g/l, dissolved lead at 28  $\mu$ g/l; total nickel at 51 µg/l, dissolved nickel at 88 µg/l; total zinc at 160 µg/l and dissolved zinc at 170 µg/l. Again, these concentrations are very similar to sample 318.

The four Geoprobe temporary wells (samples 314, 315, 316, and 317) were installed along the northwest, north, and northeast areas of the tailings. They were emplaced in the tailings in these areas in order to characterize the shallow ground water in an area that is probably not influenced by the landfill. The well locations are approximately 25 to 35 feet lower topographically than the thicker portions of the tailings pile immediately to the south. All of the metals of concern were detected in the total metals analysis; however, the results discussion will focus on the dissolved metals only. The concentrations of total metals

in the samples are extremely high and are more of a reflection of the inability of the Geoprobe well point (screen) to filter out a substantial amount of the suspended solids. Therefore, a significant amount of the finer grained tailings entered the screen and were collected in the total metals sample. Table 7-4 lists the total metals results: Dissolved metals detected in sample 314 include 55 µg/l cobalt, 74 µg/l lead, 43 µg/l nickel, and 170 µg/l zinc. Lead at 9.3 µg/l was the only dissolved metal detected in sample 315. Dissolved metals in sample 316 included 46 µg/l lead and 450 µg/l zinc. Arsenic at 51 µg/l was the only dissolved metal found in sample 317. The dissolved metals concentrations found in these samples, with the exception of the invalid dissolved lead samples, are similar to the concentrations found in the springs sampled (302, 303, and 304) on site, in areas not adjacent to the landfill.

A total of five samples, including a duplicate, were collected from four monitoring wells. There are six monitoring wells around the landfill; however, two were dry. The monitoring wells were installed in 1987, at MDNR request, in order to monitor the shallow ground water around the landfill. Samples 309, 309D, 310, 311, and 312 were sampled from monitoring wells on the north, east, and south edges of the landfill (See Plate 3). Total metals concentrations are extremely high and variable in the monitoring well samples, probably due to suspended solids, as with the Geoprobe temporary well samples. Therefore, only dissolved metals results will be discussed. Table 7-4 lists total metals results for comparison. Arsenic and zinc were the only dissolved metals detected in samples 309, 309D, 310, and 311. In these samples, dissolved arsenic ranged from 17  $\mu$ g/l to 37  $\mu$ g/l, with a mean of 31.2 µg/l, and dissolved zinc ranged from un-detected to 550 µg/l, with a mean of 340  $\mu$ g/l. However, in sample 312, located on the east edge of the landfill, dissolved metals detected include 27  $\mu g/l$  cadmium, 360  $\mu$ g/l cobalt, 60  $\mu$ g/l lead, 620  $\mu$ g/l nickel, and 23,000  $\mu$ g/l zinc. These extremely elevated dissolved metals concentrations are very similar to the concentrations found in the landfill leachate seep (sample 306). Consequently, it appears that the landfill is influencing the ground water at sample 312 (well DG-2). Because sample 311 (well DG-3) is within 100 feet of the landfill leachate seep sample 306, it would be

anticipated that the ground water in DG-3 would be similar to the leachate seep; however, results do not indicate this. This may be due to the fact that DG-3 was nearly dry, with only a 1.25 foot water column. Also, recharge to the well was very slow and did not exceed the 1.25 foot column. Hence, the water in DG-3 may not be representative of the ground water at that location.

The leachate seep sample 306 was collected at the entrance to the drainage tunnel into which it drains. The tunnel trends southwest/ northeast, is approximately 1,500 feet in length, and drains water from the south entrance to the north exit. Sample 319 was collected at the exit location. Water flow through the tunnel at the time of sampling was very slow but continuous. The leachate seep sample 306 contained 400 µg/l total cobalt, 400 µg/l dissolved cobalt, 330 J µg/l total lead, 29 J µg/l dissolved lead, 310 µg/l total nickel, 320 µg/l dissolved nickel, 8900 µg/l total zinc, and 6400 µg/l dissolved zinc. Cadmium was the only metal of concern that was not found at extremely elevated concentrations in sample 306, that was also found in sample 312 from monitoring well DG-2. The extremely high levels of dissolved cobalt, nickel, and zinc in samples 306 and 312 are indicative of landfill leachate mobilizing metals. Lead is also elevated in these samples, however, not as extremely. Results of sample 319, collected at the tunnel exit, indicate total lead at 43 J µg/l, undetected dissolved lead, total zinc at 170  $\mu$ g/l, and dissolved zinc at 450  $\mu$ g/l. Concentrations are much lower in sample 319, collected at the tunnel exit, probably due to dilution of the water as it is transported through the tunnel. Additional sampling of the leachate and the tunnel water is needed to fully characterize the tunnel water and determine the exact path of the leachate flow.

Two private drinking water wells were also sampled. Sample 307 was collected from the on-site landfill office well, and sample 308 was collected from the Kennedy residence, located approximately 750 feet south of the landfill office off site. Sample 307 contained 17 J  $\mu$ g/l total lead, 14 J  $\mu$ g/l dissolved lead, 43  $\mu$ g/l dissolved nickel, 140  $\mu$ g/l total zinc, and 140  $\mu$ g/l dissolved zinc. Sample 308 is considered background and contained only 26  $\mu$ g/l total zinc and 31  $\mu$ g/l dissolved zinc. No total lead was detected in 308 and dissolved lead was

invalidated. The landfill well is 216 feet deep, and the Kennedy well is between 200 and 300 feet deep; therefore, they are drawing from similar levels in the Bonneterre aquifer. The dissolved lead, nickel, and zinc found at elevated levels in the landfill well, but not in the Kennedy well, suggests that the site is influencing the deeper ground water on site. The proposed MCL for lead in drinking water is  $5 \, \mu g/l$ ; samples collected from the landfill well contained lead concentrations significantly above this level.

Sample 305 was taken from what was originally thought to be a spring but was later determined to be a tributary carring effluent from RESCO Products into Big River. RESCO operates a quarry at their facility. The only contaminant found in sample 305 was total lead at 5.1 J  $\mu$ g/l. However, the pH of the sample was 10.62. Further inquiry into RESCO operations is warranted. This sample was taken approximately 500 feet downstream of the North Desloge river access (Plate 3) and several miles downstream of the site. It was intended as a background location and, therefore, does not have any impact on the site study.

Six QA/QC samples were submitted. These included: two field blanks, a trip blank, an acid blank, a rinsate sample of a bailer, and a rinsate sample of Geoprobe pipe. All metals of concern were non-detected in these samples except for 3.2 J  $\mu$ g/l total lead in field blank sample 322F and 27  $\mu$ g/l total zinc in sample 324F from the rinsate of the Geoprobe pipe.

It is evident from the data results that the shallow ground water over the majority of the site contains elevated levels of dissolved lead and zinc. A significant amount of the shallow ground water flows out of springs or seeps along the perimeter of the site. Most of these springs transport the contaminated water directly into Big River. It is also apparent from the data that the landfill leachate is mobilizing metals of concern. This is particularly conclusive in leachate sample 306 taken on the south edge of the landfill and monitoring well sample 312 from the east edge of the landfill area. Both of these samples contained extremely high concentrations of cobalt, lead, nickel, and zinc. Sample 312 also contained elevated cadmium. None of the other ground water samples collected on site contained comparable dissolved metal concentrations. Although spring sample 300, collected on the west edge

of the landfill area, contained dissolved zinc at 1,900  $\mu$ g/l; dissolved lead was invalidated for the sample. This indicates that the landfill may also be influencing the shallow ground water on the southwest edge of the site.

Three ground water samples (301, 324, and 318) were collected from two artesian wells and a spring that are all located to the west of the landfill area just off site. All of these samples contained significant amounts of total and dissolved lead, nickel, and zinc. The proposed MCL of 5 µg/l for lead is exceeded in all of these samples. The MCL for nickel is 100 µg/l. Dissolved nickel was found at 60 µg/l in 301, 86 µg/l in 318, and 88 µg/l in 324. Therefore, concentrations of nickel are very close to the MCL in samples 318 and 324. The landfill drinking water well (sample 307) contained dissolved lead at 14 J µg/l, dissolved nickel at 43 µg/l, and dissolved zinc at 140 µg/l. The proposed MCL for lead is exceeded in this well. It should be noted that the landfill well is located in the same general area, near the landfill, as the artesian wells and spring sample 318, and it contains the same contaminants as these samples.

#### 7.4 AIR

The objectives of the air sampling effort were to determine if tailings are released to the ambient air on site and if they are migrating off site. On-site air quality is a concern as there are seven on-site workers (four landfill workers and three full-time workers at the Morgan and White facility). Additionally, many people use the site for all terrain vehicle recreation. The town of Desloge is adjacent to the site on the southeast side and many people reside to the south and east of the site. During a January 1988 site reconnaissance, the E & E/FIT observed a tailings plume migrating from the site to the east. Because the tailings consist of dust, silt, and sand-sized particles and no vegetation is present on a majority of the site, the tailings migrate readily via wind erosion in the same manner as sand dunes. There is an obvious west to east migration of the tailings due to wind erosion. The people potentially affected, the predominant wind direction, and the location of other tailings piles were the main factors considered in the placement of the Hi-vol samplers (Table 6-5).

Hi-vol samplers 1 and 2 were the co-located samplers and were set up approximately 800 feet east of the site. Refer to Plates 1 and 3 and Table 6-5 for Hi-vol locations. These samplers were set up directly downgradient of the major west to east movement of the tailings. Hi-vol 3 was set up on site in the northeast section. This sampler was set at this location to determine ambient air conditions on site and away from the heavy vehicle traffic area near the landfill. Hi-vol 4 was placed on site approximately 150 feet north of the landfill office. This location was chosen to determine on-site ambient air conditions in the vicinity of the landfill operations. Hi-vol 5 was located approximately 1.25 miles east of the site. This location was selected in order to monitor the ambient air in a downgradient direction at least one mile from the site. Hi-vol 6 was set up approximately one mile west-southwest of the site. This location was chosen to sample the ambient air between the Leadwood tailings pile and the site. Hi-vol 7 was placed approximately four miles west of the site. This location was chosen as a remote background location. All of the off-site Hi-vols were placed in relatively remote locations in pastures or grass-covered meadows in order to minimize the possibility of interference from adjacent areas.

A meteorological station was set up in an open area approximately in the middle of the site. Every 15 minutes, it recorded the wind direction, wind speed, temperature, barometric pressure, and relative humidity. The meteorological station collected data continuously from the start to the finish of the project.

The Hi-vol samplers were run from 1200 to 2400 hours each day for six consecutive days. It should be noted that wind speeds were very low for the majority of the sampling. Results would vary considerably in higher wind speed conditions.

The primary metals of concern detected were arsenic, cadmium, lead, and zinc. Table 7-5 summarizes the analytical results for the selected metals of concern. A complete list of metals detected is available in the data transmittal included as Appendix D. The analytical data results were reported in total micrograms ( $\mu$ g) per filter. Therefore, these values have been converted to micrograms per cubic meter ( $\mu$ g/m³) by division with the sample volume collected and were also adjusted to

Table 7-5
Selected Metals in Air Samples (µg/m³)
Big River Mine Tailings Site
E & E/FIT; July 1990
Sample Series CSXCR

Date and	Hi-Vol	Arsenic	Cadmium	Lead	Zinc
Sample #	Sampler				
7/23/90					
400	#1	0.001U	0.0010	0.008	0.014
402	#2	0.0010	0.0010	0.020	0.019
403	#3	0.001U	0.001U	0.015	0.011
404	#4	0.003	0.006	0.569	0.261
405	#5	NA	NA	NA	NA
406	#6	NA	NA	NA	NA
<b>*</b> 407	#7	0.001U	0.001U	0.008	0.015
408	Field Blank				
7/24/90					
409	#1	0.0010	0.001	0.030	0.024
410	#2	0.001U	0.000U	0.046	0.028
411	#3	0.001U	0.001	0.057	0.035
412	#4	0.001U	0.008	0.802	0.380
413	#5	0.001U	0.001	0.054	0.058
414	#6	0.001U	0.001	0.027	0.020
*415	#7	0.001U	0.0000	0.020	0.022
416	Field Blank				
7/25/90					
417	#1	0.001U	0.001	0.011	0.026
418	#2	0.001U	0.001	0.023	0.025
419	#3	0.0010	0.003	0.044	0.036
420	#4	NA	NA	NA	NA
421	#5	0.001U	0.0000	0.127	0.031
422	#6	0.001U	0.0000	0.020	0.020
<b>*</b> 423	#7	0.001U	0.0000	0.006	0.033
424	Field Blank				
7/26/90					
425	#1	0.001U	0.001	0.053	0.050
426	#2	0.001U	0.001	0.068	0.047
427	#3	0.0010	0.001	0.082	0.053
428	#4	0.001U	0.009	1.088	0.473
429	#5	0.001U	0.0000	0.100	0.043
430	#6	0.001U	0.001	0.036	0.024
*431	<b>#7</b>	0.001U	0.0000	0.013	0.027
432	Field Blank				

Table 7-5 (Continued)
Selected Metals in Air Samples (µg/m³)
Big River Mine Tailings Site
E & E/FIT; July 1990
Sample Series CSXCR

Date and	Hi-Vol	Arsenic	Cadmium	Lead	Zinc
Sample #	Sampler				
7/27/90					
433	#1	0.001U	0.001	0.027	0.040
434	#2	0.001U	0.001U	0.024	0.037
435	#3	0.002	0.004	0.294	0.171
436	#4	0.0010	0.004	0.429	0.232
437	#5	0.001U	0.000	0.050	0.482
438	#6	0.001U	0.0000	0.022	0.024
<b>*</b> 439	#7	0.001U	0.0000	0.016	0.028
440	Field Blank				
7/28/90					
441	#1	0.0010	0.001U	0.031	0.031
442	#2	0.0010	0.0010	0.016	0.024
443	#3	0.0010	0.0010	0.023	0.026
444	#4	0.001	0.0010	0.190	0.054
445	#5	0.001U	0.001	0.059	0.064
*446	#6	0.001U	0.001U	0.035	0.025
448	#7	0.002	0.008	0.066	0.069
449	Field Blank				

\* Background location for that day

N/A: No available data due to Hi-vol malfunction

Note: Locations 1 and 2 are duplicate samples. Concentrations of compounds detected in the field blanks were subtracted from the total sample weight prior to division of sample volume. Sample numbers 401 and 447 were not used. See Plates 1 and 3 and Table 6-5 for sample locations. See Appendix D for complete analytical results and Appendix J for calibration sheets, conversions of air data to µg/m³ and windroses for each day.

standard temperature and pressure. Appropriate Hi-vol calibration sheets, calculations of standard volumes of ambient air for each Hi-vol sample, original data (µg/filter) for all metals, and concentrations in air µg/m³ for all metals is available in Appendix J. A blank sample was also prepared each sampling period. If a metal was found above detection limits in the blank, then that amount was subtracted from the sample. If the metal was not detected in the sample blank, then one-half of the detection limit for that metal was subtracted from the sample.

The predominant wind for each sampling period was determined using the wind speed and wind direction data collected by the meteorological station. WROSE software by Bowman Environmental Engineering was used to construct a windrose which illustrates wind direction and wind speed for each day. Therefore, a background and a downwind direction can be determined for each day. A windrose for each day is included in Appendix J. Table 7-5 specifies a background Hi-vol location based on this data for each day.

It should be noted that after the Hi-vol samplers were set up and sampling had commenced, construction work using heavy equipment began approximately 500 to 750 feet south of Hi-vol 5, located approximately 1.25 miles east of the site. Several inconsistent results in samples from Hi-vol 5 are apparent in the data. Due to the noted interference from the construction work and the data results, sample results from Hi-vol 5 will be listed in Table 7-5, but will not be considered attributable to the site.

On July 23, 1990, the predominant wind direction was from southwest to northeast. Wind speed was between 3.3 to 5.4 meters per second (m/s) from this direction. Sample 407, collected at Hi-vol location 7 was chosen as the background sample. Sample 407 contained undetected arsenic and cadmium, 0.008  $\mu$ g/m³ lead, and 0.015  $\mu$ g/m³ zinc. Hi-vol 4 (sample 404) collected on site near the landfill office, was the only sample that contained metals at concentrations significantly over background. Sample 404 contained 0.003  $\mu$ g/m³ arsenic, 0.006  $\mu$ g/m³ cadmium, 0.569  $\mu$ g/m³ lead, and 0.261  $\mu$ g/m³ zinc. Samples from Hi-vol location 4 consistently had significant elevated metals results and in most cases were much higher than samples from Hi-vol 3, the other

on-site Hi-vol. This is due to the routine landfill traffic and heavy equipment operation in the vicinity of the landfill. Dust from the everyday operations at the landfill obviously increases the suspended tailings particulates on the landfill portion of the site. No results are available for samples 405 and 406 from the Hi-vols 5 and 6, respectively, due to Hi-vol malfunction during the sampling period.

The predominant wind direction on July 24, 1990, was determined to be south/southeast based on the windrose evaluation. The wind speed was between 1.8 to 3.3 m/s the majority of the time from the predominant direction. Sample 415 collected at Hi-vol location 7 was chosen as the background sample. Sample 415 results indicated undetected arsenic and cadmium, lead at  $0.020~\mu\text{g/m}^3$ , and zinc at  $0.022~\mu\text{g/m}^3$ . Again the highest concentrations found were in sample 412 from Hi-vol 4. Sample 412 results detected cadmium at  $0.008~\mu\text{g/m}^3$ , lead at  $0.802~\mu\text{g/m}^3$ , and zinc at  $0.380~\mu\text{g/m}^3$ . Concentrations of cadmium are also elevated to  $0.001~\mu\text{g/m}^3$  in Hi-vol 3 (sample 411) and Hi-vol 1 (sample 409). This data indicates that while wind speeds were relatively low, a sufficient amount of cadmium-laden particulates migrated off site and elevated sample 409 at Hi-vol location 1 which was approximately 800 feet east of the site.

The predominant wind direction on July 25, 1990, was from southeast to northwest. Predominant wind speeds were between 1.8 and 3.3 m/s about half of the sampling period and between 3.3 to 5.4 m/s the other half. Sample 423 collected at Hi-vol location 7 was chosen at background. Concentrations in sample 423 were undetected for arsenic and cadmium, 0.006 µg/m³ lead, and 0.033 µg/m³ zinc. Samples 417, 418, and 419 from Hi-vols 1, 2, and 3, respectively, had cadmium and lead concentrations elevated above background. Cadmium was found at 0.001 µg/m³ in 417, at 0.001 µg/m³ in 418, and at 0.003 µg/m³ in 419. Lead was detected at 0.011 µg/m³ in 417, at 0.023 µg/m³ in 418, and 0.044 µg/m³ in 419. No sample results from Hi-vol 4 were calculated due to Hi-vol malfunction. Considering wind direction, cadmium and lead appear to be migrating from the southeast area of the site to Hi-vols 1, and 2 off site.

The predominant wind direction on July 26, 1990, was determined to be from the south/southwest to north/northeast. The highest wind speeds

were from the southwest between 3.3 to 5.4 m/s. Hi-vol location 7 (sample 431) was chosen as background. Results from sample 431 indicated undetected arsenic and cadmium, 0.013  $\mu$ g/m³ lead, and 0.027  $\mu$ g/m³ zinc. On-site Hi-vols 3 and 4 (samples 427 and 428) and downwind, off site, co-located Hi-vols 1 and 2 (samples 425 and 426) all contained elevated concentrations of cadmium, lead, and zinc during this sampling period. Sample 428 at Hi-vol 4 had the highest concentrations detected during the study with cadmium at 0.009  $\mu$ g/m³, lead at 1.088  $\mu$ g/m³, and zinc at 0.473  $\mu$ g/m³. Sample 426 collected at Hi-vol 2 contained 0.001  $\mu$ g/m³ cadmium, 0.068  $\mu$ g/m³ lead, and 0.047  $\mu$ g/m³ zinc. Sample 426 at Hi-vol 1 contained similar concentrations. The on-site and downwind results collected during this sampling period are conclusive evidence that a significant amount of heavy metal-laden particulates from the tailings are being released to the ambient air on site and are being transported at least 800 feet off site.

The predominant wind direction on July 27, 1990, was from west/southwest to east/northeast. The majority of the wind from this direction was in the range 3.3 to 5.4 m/s. Sample 439 at Hi-vol location 7 was used as the background for this sampling period. Results from sample 439 indicated undetected arsenic and cadmium, 0.016 µg/m³ lead, and 0.028 µg/m³ zinc. Both on-site Hi-vols 3 and 4 had elevated cadmium, lead, and zinc in their samples. Sample 435 (Hi-vol 3) contained 0.002 µg/m³ arsenic, 0.004 µg/m³ cadmium, 0.294 µg/m³ lead and 0.171 µg/m³ zinc. Sample 436 (Hi-vol 4) contained 0.004 µg/m³ cadmium, 0.429 µg/m³ lead, and 0.232 µg/m³ zinc. Off-site, co-located Hi-vol locations 1 and 2 also had slightly elevated concentrations of cadmium, lead, and zinc. Hi-vol 1 (sample 433) contained 0.001 µg/m³ cadmium, 0.027 µg/m³ lead, and 0.040 µg/m³ zinc; Hi-vol 2 (sample 434) contained similar concentrations. This data also concludes that tailings are being released into the ambient air on and off site.

On July 28, 1990, the wind direction varied from east to south to west. Therefore, a definite predominant wind direction is very difficult to determine. Refer to windrose 7-28-90 in Appendix J. It can be concluded that the wind was primarily from a southeast, south or southwest direction. Wind speed was mostly 1.8 to 3.3 m/s from the southeast and 3.3 to 5.4 m/s from the south and southwest. Hi-vol

location 6 (sample 446) was chosen as background. However, because of the low wind speeds and the lack of a definite predominant wind direction, most of the samples this sampling period did not contain elevated levels of metals of concern. Sample 446 contained undetected arsenic and cadmium, 0.035  $\mu g/m_3$  lead, and 0.025  $\mu g/m^3$  zinc. Due to the wind direction, sample 448 at Hi-vol location 7 was apparently influenced by the Leadwood tailings pile during this period. Sample 448 contained 0.002  $\mu$ g/m<sup>3</sup> arsenic, 0.008  $\mu$ g/m<sup>3</sup> cadmium, 0.066  $\mu$ g/m<sup>3</sup> lead, and 0.069 ug/m<sup>3</sup> zinc. These results reinforce the fact that this is a regional problem and not site specific. It should be noted that Hi-vol 4 (sample 444) located on the landfill area contained its lowest concentrations on this day. This is partly due to low wind speeds although the main factor was probably that July 28, 1990, was a The landfill closed at noon that Saturday which was when sampling began. Therefore, the effects of the landfill daily operations can be realized when previous results are compared to these results. Sample 444 contained 0.001 µg/m<sup>3</sup> arsenic, undetected cadmium, 0.190  $\mu g/m^3$  lead, and 0.054  $\mu g/m^3$  zinc.

The LSI air monitoring study was conducted for six consecutive days from July 23 to 28, 1990. Samples were collected for a 12-hour sampling period each day from 1200 to 2400 hours. Wind speeds were low during the entire study period. However, sample results have concluded that the ambient air on site and at least 800 feet off site is being influenced by the Big River Mine Tailings site. Results from July 25, 26, and 27, 1990, contained significantly elevated concentrations of cadmium, lead and zinc in on-site Hi-vols 3 and 4 and in off-site. co-located Hi-vols 1 and 2. The highest concentrations of lead detected was 1.088 μg/m<sup>3</sup> in Hi-vol 4 on July 26. This does not exceed the National Air Quality Standard of 1.5 µg/m<sup>3</sup> in a calendar quarter; however, it is very significant when the low wind speeds during the sampling period are considered. It is highly probable that the 1.5 ug/m<sup>3</sup> standard is exceeded on site and off site during periods of higher wind velocities. Consequently, the greatest potential for exposure is to on-site workers and to residential areas bordering the site to the south and east.

Results from Hi-vol 4 which was placed in the landfill area, indicate that daily landfill operations further increase the amount of suspended particulates in the ambient air at the landfill.

Concentrations of heavy metals were consistently higher at this location than any other. The sample (444) collected on the one day the landfill was closed contained the lowest concentrations for this location during the sampling period.

It should be noted that on the last day of sampling the winds were from a southerly direction and the remote, background, Hi-vol 7 sample contained elevated concentrations of metals of concern. This can be attributed to the Leadwood tailings pile that was located south/southeast of the Hi-vol. This emphasizes the fact that the air quality of the area is a regional problem. However, the Big River Mine Tailings site has characteristics that are unique and compound the problem. The site is the largest tailings pile in the area that was not deposited in valleys of dammed drainages. The Leadwood and Federal piles were deposited in this manner, resulting in their present day configuration. The Big River pile was placed on an area that was topographically similar or higher than the surrounding area. Consequently, after deposition of the tailings was complete at Big River, the site was significantly higher topographically than the adjacent area. As a result, particulates from the tailings are easily airborne even in low wind speed conditions. Other tailing piles are elevated or have portions that are above adjacent topography, but are not as large in surface area as the Big River tailings pile.

#### SECTION 8: SUMMARY AND CONCLUSIONS

The Big River Mine Tailings site is a 600 acre tailings disposal area. It was created during the operation of a lead mine/mill facility that operated between 1929 and 1958 in Desloge, Missouri. The Desloge facility was one of many that once operated in the area known as the Old Lead Belt. The Old Lead Belt encompasses an area of approximately 110 square miles, all of which is within St. Francois County. Numerous tailings piles that contain elevated levels of heavy metals exist throughout the Old Lead Belt. It is obvious that the heavy metals contamination of the surface water, ground water and air of the region has multiple sources. However, the Big River Mine Tailings site has several unique features that make it a major contributor of heavy metal contamination. The results of the LSI indicate that the site is releasing significant levels of heavy metals to the surface water, ground water, and air.

The site is a mounded pile of tailings that is bounded by the Big River on three sides. Because of its unusual location, adjacent to and elevated above Big River, tailings are constantly transported via wind and water erosion into the Big River. There are numerous areas along the perimeter of the site where the river is continuously in contact with the tailings. As a result of this physical setting, a castrophic release of tailings into Big River occurred in 1977. After a heavy rain, a portion of the tailings adjacent to the river on the east side became super saturated and released an estimated 50,000 cubic yards to the river. This was the largest of numerous documented releases.

Smaller releases continue daily as the river undercuts and erodes the tailings. Analytical results of sediment and surface water samples collected from Big River and its tributaries verify that the site is a major contributor to heavy metal contamination of Big River.

Another unique feature of the site is the operation of 60 acre municipal landfill on the southwest portion. Monitoring wells, private wells, abandoned wells, geoprobe temporary wells, springs along the site perimeter as well as leachate seeps, were sampled in order to characterize the ground water near the site. Results of the sampling indicate that elevated levels of heavy metals exist in the shallow

ground water over the majority of the site. However, it is also apparent that the landfill leachate is mobilizing metals of concern. The leachate sample and sample 312 taken from a monitoring well adjacent to the landfill contained extremely high concentrations of metals of concern. The drinking water well located on site at the landfill office contained dissolved lead at 14J µg/l which exceeds the proposed MCL for lead.

Because the site is topographically elevated above the adjacent area and tailings are easily air borne via wind erosion, releases of tailings to the ambient air are frequent. A direct release was photo documented during the Preliminary Assessment reconnaissance in January, 1988. At that time, a large plume of tailings extending from the site and moving southeast approximately one mile was visible. Hi vol air samplers were utilized during the LSI to document the air releases. While wind conditions were not optimum, releases of tailings to the ambient air on site and at least 1,500 feet off site were documented. It appears that the daily routine landfill operations on site significantly increase the amount of suspended particulates released to the ambient air. Therefore, the landfill workers and residences adjacent to the site are at the highest risk of exposure from an air release.

The LSI of the Big River Mine Tailings site confirmed that heavy metals contamination in the Old Lead Belt is a regional multi-source problem and identified the Big River Mine Tailings site as a major contributor. The data as well as visual observations have documented heavy metal laden tailings releases to the ground water, surface water, and air from the site.

#### SECTION 9: BIBLIOGRAPHY

- AuBuchon, Bryant, Manager, St. Francois County Landfill, December 1, 1987, personal communication with Robert C. Overfelt, E & E/FIT.
- Buckley, E.R., 1908, Geology of the Disseminated Lead Deposits of St. Francois and Washington Countries: Missouri's Bureau of Geology and Mines, 2nd Ser., Vol 8, PA. 1.
- Burns and McDonnel Engineers, February 1, 1987, Desloge Tailings Pile Management Plan Study Phase I Report.
- Burris, James, Director, MDNR Poplar Bluff Office, February 1, 1988, personal communication with Robert C. Overfelt, E & E/FIT.
- Code of Federal Regulations, July 1, 1987, Protection of Environment, 40 Parts 1 to 51.
- Czarneski, James, Missouri Department of Conservation, 1984, Accumulation of Lead in Fish from Missouri Streams Impacted by Lead Mining.
- Degonia, Danny, Asst. Manager, Bonne Terre Water District, May 12, 1988, telephone conversation with Robert Overfelt, E & E/FIT.
- Dickniete, Dan, Environmental Administrator, Missouri Department of Conservation, July 30, 1990, letter to Curt Enos, E & E/FIT.
- Emergency Action Plan for Lead Mine Tailing (EAP), 1981, <u>Draft</u>, Desloge, Missouri.
- Gale, Nord, et al, 1982, Historical Trends for Lead in Fish, Clams, and Sediments in the Big River of Southeastern Missouri, University of Missouri-Rolla.
- Gale, Nord, et al, Lead Concentrations in Edible Fish Fillets Collected from Missouri's Old Lead Belt.
- Hedgeworth, Jamera, Leadwood City Hall, May 11, 1988, telephone conversation with Robert C. Overfelt, E & E/FIT.
- Hershlach, Robert, April 13, 1987, Resource Conservation, Soil Conservation Service, personal communication with James Burris, MDNR, Poplar Bluff, Missouri.
- Howland, John, Missouri Department of Natural Resources, March 1, 1988, telephone conversation with Robert C. Overfelt, E & E/FIT.
- Hudwalker, Marvin, Professional Engineer, Hudwalker and Associates, Inc., Farmington, Missouri, February 2, 1988, personal communication with Robert C. Overfelt, E & E/FIT.

- Johnson, Dennis, Assistant Manager, Flat River Water and Sewer District, Missouri, December 2, 1987a, telephone conversation with Robert C. Overfelt. E & E/FIT.
- Johnson, Dennis, Assistant Manager, Flat River Water and Sewer District, Missouri, December 2, 1987b, personal communication with Robert C. Overfelt, E & E/FIT.
- Mattson, C., Project Manager, St. Joe Minerals Corporation, Irvine, California, November 13, 1987, personal communication with Robert C. Overfelt, E & E/FIT.
- Missouri Department of Natural Resources (MDNR), 1981, 1982, 1983, Air Quality Data at Flat River, Missouri.
- Missouri Division of Geological Survey and Water Resources (MDGSWR), 1961, The Stratigraphic Succession in Missouri.
- Missouri Division of Geological Survey and Water Resources (MDGSWR), 1983, Ground Water Maps of Missouri.
- National Cooperative Soil Survey, August 1981, Soil Survey of St. Francois County, Missouri.
- Novak, John, and Hasselwander, Gerard, January 1980, Control of Mine Tailing Discharges to Big River, University of Missouri-Columbia, Columbia, Missouri.
- Price, Bill, Section Chief, Technical Services and Training Division,
  Public Drinking Water Program, July 1, 1991, telephone conversation
  with Kevin Snowden, E & E/FIT.
- St. François County Tax Assessor, August 1, 1983, Aerial Photographic Map #74-07-7.
- Schmitt, C. and Finger S., 1982, The Dynamics of Metals from Past and Present Mining Activities in the Big and Black River Watersheds, Southeastern Missouri, National Fisheries Research Laboratory, Columbia, Missouri.
- Soil Conservation Service (SCS), August 1981, Soil Survey of St. Francois County, Missouri.
- Tilley, Joyce, June 2, 1988, Terre DuLac Utilities Corp., letter to Steve Vaughn, E & E/FIT.
- U.S. Census Bureau, June 26, 1991, telephone conversation with Carolyn Schneider, E & E/FIT.
- U.S. Department of Commerce (USDC), 1979, Climatic Atlas for the United States, Washington, D.C.

- U.S. Environmental Protection Agency (EPA), July 1976, Quality Criteria for Water, Washington, D.C.
- U.S. Environmental Protection Agency (EPA), March 1989, Graphical Exposure Modeling System, Washington, D.C.
- U.S. Environmental Protection Agency, Office of Water, April 1991, Drinking Water Regulations and Health Advisories, Washington, D.C.
- U.S. Geologic Survey, 1982, 7.5 Minute Topographic Series, Bonne Terre and Flat River Quadrangles, Missouri.
- U.S. Geological Survey, 1988, Assessment of Water Quality in Non-Coal Mining Areas of Missouri, Water Resources Investigation Report #87-4286.
- Warren, Ron, Superintendent, Flat River Water and Sewer District, November 12, 1988, telephone conversation with Robert C. Overfelt, E & E/FIT.
- Wixon, B.G., et al, University of Missouri-Rolla, December 1983, A Study of the Possible use of Chat and Tailings from the Old Lead Belt of Missouri for Agriculture Limestone.

#### Site Contacts and Property Owners

Marvin Hudwalker Engineer Hudwalker and Associates, Inc. 505 Potosi St. PO Box 676 Farmington, MO 63640

Carol Kennedy Rt. 33, Box 27 Flat River, MO 63601

Lee Glore Rt. 33, Box 160 Flat River, MO 63601

J.E. Pratte PO Box 1526 Desloge, MO 63601

David Callahan PO Box 1614 Desloge, MO 63601

Howard Wood RR 2, Box 612 Bonne Terre, MO 63628

Marie Banks Rt. 33, Box 59 Flat River, MO 63601

Harold Stoffel Rt. 4, Box 146 Boone Terre, MO 63628

Leonard Whitehead 1685 St. François Road Terre Du Lac, MO 63628

Carl and Trina Valley Rt. 2, Box 628B Mineral Point, MO 63660

Robert Kyle Rt. 33, Box 31 Flat River, MO 63601

Mary Bullock Rt. 2, Box 167 Bonne Terre, MO 63628 Bryant AuBuchon Landfill Manager St. Francois County Environmental Corporation Desloge, MO (314) 431-4768

C.G. Mattson
Project Manager
St. Joe Minerals Corporation
Irvine, CA
(714) 975-5269

Jim Burris Director-Poplar Bluff Regional Office Missouri Department of Natural Resources Poplar Bluff, MO (314) 785-0832

Greg Reesor Superfund contact U.S. EPA-Region VII Kansas City, KS (913) 551-7695

Paul McDowell Rt. 2, Box 77 Bonne Terre, MO 63628

Edwar Weible 558 Capri Drive Bonne Terre, MO 63628

Rebecca Forrester Rt. 33, Box 19 Flat River, MO 63601

Mr. Goff 107 N. 8th Desloge, MO 63601 THIS DOCUMENT IS CONTINUED IN THE NEXT VOLUME

# BIG RIVER MINE TAILINGS/ST JOE MINERALS

Desloge, Missouri

REMOVAL ADMINISTRATIVE RECORD

VOLUME III OF V

FEBRUARY 1994


U.S. ENVIRONMENTAL PROTECTION AGENCY REGION VII WASTE MANAGEMENT DIVISION

THIS DOCUMENT IS CONTINUED FROM THE PREVIOUS VOLUME

APPENDIX A

PLATES 1,2, AND 3

# APPENDIX B TECHNICAL DIRECTIVE DOCUMENT



1A. Cost Center:			8.0	AR 191991	2. TDD Number:
FT 1307		FIT ZONE II	CONTRACT		F -07-9004-001
1B. Account Number:	TECHNICAL DIRECTIVE DOCUMENT TOOLS (2A. Amendment:				
FMO0616XA					* Administrative Technical
3A. Priority: ∑ High ☐ Mediu	3B. Key EPA Contact	:			
Low	Name:Greg_I	Reesor	<del></del>	Phone	e:551-7695
4A. Estimate of Technical Hours:	4B. Subcontract:	4C. Estimate Subcont	of ract Cost:	5A. SSID Numbe	r: 5B. CERID Number:
* 1,516	None	N/A		Unassigned	MOD981126899
5C. EPA Site Name:			5D. City/Cou	nty/State:	
Big River Mine	<b>Tailings</b>		Desloge	/St. Francois	/Missouri
6. Desired Report Forma			7A. Activity	Start Date:	7B. Estimated Completion
	Standard Report Other	er (Specify):	4/2	5/90	<b>Date:</b> 8/1/91
		·	1 -,2		8B. FIT/SCAP Goal:
8A. Type of Activity:	. ☐ HRS Support ☐ E	nforcement Su	pport 🗍 T	raining	Will Deliverable Meet
□ SI □ RCRA-SI	☐ QA Support ☐ Pi	rogram Manage	ment	eneral Technical	a Unit of the Goal?
<u>(₹)</u> ESI	Special Studies	quipment Main	tenance A	ssistance	X Yes
9. General Task Descrip	tion: Conduct a list	ting site	inspection	at the Big R	iver Mine Tailings
site located in	n Desloge, Missour:	i, to elim	inate data	gaps from pre	vious work.
				<del></del>	<del></del>
10 Specific Floments:		<del></del>	·		11. Interim Deadlines:
	k plan (memo).	<del></del>			11. Interim Deadines.
	ld work after appro	oval of vo	rk plan hu	FDA	
3) Prepare tri	—	Svai oi wo	rk plan by	EPA.	}
	al report and updat	to EDA ST	form 2070	12 (6	4) 4/15/91
	·		101m /U/U-	TO (TOTMS)	
report for	final_report).		<del></del>		_ <del></del>
			Addition	al Scope Attached	
*	Additional 200 have				
12. Comments:	Additional 200 hou	irs needed	to comple	te final repo	rr.
	<del></del>				
	<del></del>	<u> </u>		<del></del>	
13. Authorizing:					14. Date:
13. Authorizing:			RPC		
111	alleron			•	3/18/9/
	(Signature)				
15. Received by:			Acc	epted	16. Date:
Ahr	in P. Marti			epted with eptions (Attached)	3/19/91
10	entractor FITOM Signatura	<del></del>	—— □Reid	•	2/17/7/

# APPENDIX C SITE CONTACTS AND PROPERTY OWNERS

APPENDIX D

EPA DATA TRANSMITTAL



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 7 25 FUNSTON ROAD KANSAS CITY, KANSAS 66115

DATE:	UCT 4 1990	
MEMORANDI	<u>n</u>	
SUBJECT:	Data Transmittal for Activity #: CSXCR Site Description: Bra River Mine Tailings	_
FROM:	Andrea Jirka Chief, Laboratory Branch, ENSV	_

TO: Robert Morby

Chief, Superfund Branch, WSTM

ATTN: Grea Recoot

Attached is the data transmittal for the above referenced site. These data have met all quality assurance requirements unless indicated otherwise in a data package. This should be considered a Partial or Complete data transmittal (completes transmittal of 9 4 and 9 12 90). If you have any questions or comments, please contact Dee Simmons at 236-3881.

#### Attachments

cc: Data Files

Ann Melia, E&E/FIT

NOTE: Please see Mary Gerken, SPFD-WSTM, if you want an electronic copy of the data.



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 7 25 FUNSTON ROAD KANSAS CITY KANSAS 66115

Date:	10 4 90
<u>MEMORANDUM</u>	
	Data Transmittal for Activity #: CSXCR, Site Description: Big River Mine Tailings
	Andrea Jirka K Chief, Laboratory Branch, ENSV
то:	Grea Rossion SPED-WSTM
Attach	ned is the data transmittal for the above referenced
site. Thes	se data have met all quality assurance requirements
unless ind:	icated otherwise in the data package. This is a Modi-
fied Data	Transmittal; these data are modified and differ from
data previo	ously transmitted. If you have any questions or com-
ments, plea	ase contact Dee Simmons at 236-3881.
Attachment	
cc: Data 1	Molia 1EBE FIT
MODIFIED D	ATA: Data were modified for the following reason(s):
LAST	
	·

#### U.S. ENVIRONMENTAL PROTECTION AGENCY

#### ENVIRONMENTAL SERVICES ASSISTANCE TEAM -- Zone II

ICF Technology Inc.

ESAT Region VII

NSI Technology Services

NSI Technology Services Corp. 25 Funston Road

Kansas City, KS 66115

(913) 236-3881

The Bionetics Corp.

TO:

Debra Morey

Data Review Task Monitor

THRU:

Harold Brown, Ph.D.

ESAT Deputy Project Officer, EPA

FROM:

Albert Iannacone

ESAT QA Coordinator

THRU:

Ronald Ross

ESAT Manager

DATE:

August 28, 1990

SUBJECT: Review of inorganic data for Big River Mine Tailings

TID# 07-9003-329 ASSIGNMENT# 572

ICF ACCT# 302-26-329-02

NSI S.O.# 4633-3292

ESAT DOC. # 65AT- VII- 329-08-1- 90-01

These data were reviewed according to the "Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses," and the Region VII Inorganic Data Review Training Manual as guidance. The following comments and attached data sheets are a result of the ESAT review of the above mentioned data from the contract laboratory.

SAS CASE NO.: 5558G LABORATORY: SILVER SITE: BIG RIVER MINE TAILINGS METHOD NO.: CS0788A REVIEWER: Al Iannacone EPA ACTIVITY NO.: CSXCR

MATRIX: Soil

SMO Sample No.	EPA Sample No.	SMO Sample No.	EPA Sample No.
5558G1	CSXCR001	555 MGG8G11	CSXCR011
5558G2	CSXCR002	1 MGG8G12	CSXCR012
5558G3	CSXCR003	MGG8G13	CSXCR013
5558G4	CSXCR004	M <del>GG</del> 8G14	CSXCR014
5558G5	CSXCR005	M <del>GG</del> 8G15	CSXCR015
5558G6	CSXCR006	MGG8G16	CSXCR016
5558G7	CSXCR007	M <del>GG</del> 8G17	CSXCR017
5558G8	CSXCR008	MGG8G18	CSXCR018
5558G9	CSXCR009	MGG8G19	CSXCR019
5558G10	CSXCR010	✓ MeG8G20	CSXCR020

And associated QC samples CSXCR914C, -914A, and -914L.

#### GENERAL

This data review assignment covers Twenty Soil samples analyzed for total metals. No field blank nor field duplicate, and three QC samples were included in this assignment. Chain-of-custody paperwork is complete, although sample tags were absent.

# 1. Holding Times and Preservation

Holding time requirements are not defined for soil samples, and preservatives are not added to them for metals analyses.

#### 2. Calibration

Calibration criteria were met for all samples, for both initial and continuing calibrations.

### 3. Method Blanks / Field Blanks

Matrix	Sample #	Analytes Detected	Samples Qualified as non-detect
Soil	Cont. Cal. Blank	Al,As,Ca,Fe, Mg,Mn,Se,Ag,Zn	Se in CSXCR002 Ag in CSXCR002,-3, -4, -6, -7, -8, -11
Soil	Prep.Blank	Cr, Cu	Cr in CSXCR010

# 4. Matrix Spike

Spike % recoveries were outside limits for Sb (low), Ba (high), and Pb (high). All detected values of these metals were "J" coded as a result. Affected samples were:

Antimony (Sb): CSXCR007 (others nondetect)

Barium (Ba): CSXCR001, -012 thru -020 (others nondetect)
(Pb): All samples

Lead

A potential for a high bias in the lead data is likely given the high percent recovery noted (170% versus control limits of 75% to 125%).

5. Interference Check Sample

Met applicable criteria.

6. <u>Laboratory Control Sample</u>

Met applicable criteria.

#### 7. Duplicates

A. Duplicates met applicable criteria, indicating acceptable precision was obtained during these analyses, except for high RPDs noted for the following metals, leading to "J" coding of detected values; affected samples are noted:

Barium (Ba): Samples -01, -12 thru -20 (others nondetect)

Calcium (Ca): All samples but -12 (-12 was nondetect)

Chromium (Cr): Samples -01, -12 thru -20 (others nondetect)

Manganese(Mn): All samples

Nickel (Ni): Samples -02, -03, -05 thru -11, -14, -15,

-18, and -19 (others nondetect)

## 8. ICP Serial Dilution

A. All applicable criteria were met.

#### 9. Furnace AA OC

A. Correlation coefficients for samples analyzed by method of standard additions were unacceptable for several samples for Se; "J" data qualification resulted for Se in these samples: CSXCR003, -04, -06, -13, -14, -15, -16, -20.

#### 10. Calculations Verification

- A. Soil data appear appropriately adjusted for % moisture.
- B. Per regional guidance, low level detected data below the Contract Required Detection Limit (CRDL) were reported as nondetect at the CRDL, including in blank samples.

#### Summary

This data package is acceptable in terms of requirements for overall accuracy, precision and completeness, although individual outliers resulted in qualification of data as nondetect or as "J" coded in some cases.

#### U.S. ENVIRONMENTAL PROTECTION AGENCY

#### ENVIRONMENTAL SERVICES ASSISTANCE TEAM -- Zone II

ICF Technology Inc.

ESAT Region VII

NSI Technology Services

25 Funston Road

Kansas City, KS 66115

NSI Technology Services Corp.

(913) 236-3881

The Bionetics Corp.

TO:

Debra Morey

Data Review Task Monitor

THRU:

Harold Brown, Ph.D.

ESAT Deputy Project Officer, EPA

FROM:

Kevin Ludwikoski A fack L ESAT Data Reviewer

THRU:

Ronald A. Ross

ESAT Team Manager

DATE: August 22, 1990

SUBJECT: Review of inorganic data for Big River Mine Tailings.

TID# 07-9003-329 ASSIGNMENT# 563 ICF ACCT# 26-329-02 NSI S.O.# 4633-3292

These data were reviewed according to the "Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses," July 1988 revision and the Region VII Inorganic Data Review Training Manual as guidance.

The following comments and attached data sheets are a result of the ESAT review of the above mentioned data from the contract laboratory.

CASE NO.: <u>5558G</u> SITE: Big River Mine Tailings REVIEWER: Kevin Ludwikoski

LABORATORY: SILVER METHOD NO.: CS0788A EPA ACTIVITY NO.: CSXCR

MATRIX: Solid

TOTAL	METALS	TOTAL M	ETALS
SMO Sample No.	EPA Sample No.	SMO Sample No.	EPA Sample No.
5558G21	OCVODA 1	5550631	CCVCD100
<del>-</del>	CSXCR021	5558G31	CSXCR100
5558G22	CSXCR022	5558G32	CSXCR101
5558G23	CSXCR023	5558G33	CSXCR102
5558G24	CSXCR024	5558G34	CSXCR103
5558G25	CSXCR025	5558G35	CSXCR104
5558G26	CSXCR026	5558G36	CSXCR105
5558G27	CSXCR027	5558G37	CSXCR106
5558G28	CSXCR028	5558 <b>G</b> 38	CSXCR107
5558G29	CSXCR029	5558G39	CSXCR108
5558G30	CSXCR030	5558G40	CSXCR109

#### **GENERAL**

This data review assignment covers twenty soil samples analyzed for TOTAL METALS for case number 5558G. All results are in mg/kg because of the method used for the analyses. There were no field blanks, field duplicates, or performance samples included with this assignment.

#### 1. Technical Holding Times / Preservation

Technical holding times were observed for all analytes.

#### 2. Initial and Continuing Calibration

All percent recoveries were within control limits.

#### 3. Blanks

Several analytes were detected in the blanks. Corresponding sample results were qualified according to the blank rule using <u>five times</u> the highest blank value. Sample results requiring modification are reported as non-detect on the attached data sheets.

TOTAL METALS

	10	1110 11011100
	5 x Highest	
<u>Analyte</u>	Blank (mg/kg)	Qualified Samples
2.7	<b>63. 4</b>	None munlified
Al	63.4	None qualified
Sb	31.0	CSXCR021-CSXCR030, CSXCR100- 109, CSXCR027L
Вe	1.0	CSXCR021,-022,-023,-024,-025,
	•	-026,-028,-029,-030, and 100-109 inclusive
Ca	88.8	None qualified.
Cr	7.1	CSXCR021,-027,-027L,-028,-029
		-102,-104,-105,-106,-107,-108
Со	8.5	CSXCR028,-029,-100, and 104-109 inclusive.
Cu	8.8	CSXCR025,-028,-029,-100,-101,-103 -104,-106,-107,-108
Fe	31.8	None qualified
Mg	86.7	None qualified
Tĺ	2.2	All samples except CSXCR027S and CSXCR919C
Zn	17.0	None qualified

# 4. ICP Interference Check

Recoveries of solution AB analytes from the interference check samples were within 20% of the true values.

# 5. Laboratory Control Standard (LCS)

LCS results for all analytes were within control limits.

### 6. <u>Duplicates</u>

A lab duplicate was performed and one analyte was outside the control limits. The associated results were "J" coded accordingly.

# TOTAL METALS (SOLIDS)

#### Analyte Samples qualified

As CSXCR029,-030,-100,-101,-103,-105,-106,-107,-109 -027S and -919C

The As results were also coded because of matrix spike recoveries.

#### 7. Matrix Spike Sample

As was out of range for matrix spike recovery. The samples that had data qualified are listed below.

# TOTAL METALS (SOLIDS)

<u>Analyte</u>	Sample No.	<u>Code</u>
As	CSXCR029,-030,-100,-101,-103,-105,-106,-107	J
	-109,-027L and -919C	

The As results were also coded because of duplicate precision.

#### 8. ICP Serial Dilutions

Results for Cu and Zn were outside control limits. The samples that were qualified are listed below.

<u>Analyte</u>	Sample No.	<u>Code</u>
Cu	CSXCR021,-022,-023,-024,-026,-027,-0275,-027L -028,-030,-102,-104,-105,-106,-109 and -919C.	J
Zn	All samples	J

## 9. Furnace Atomic Absorbtion

The correlation coefficient for furnace AA standard additions analysis of Se in sample CSXCR022 was below 0.995. The analyte result was non-detect and no action was taken.

#### 10. Summary

Some results were qualified by the blank rule. One analyte was qualified by matrix spike recoveries. One analyte was also qualified by duplicate precision. One analyte was qualified by the standard addition rule and three analytes were qualified by serial dilution rules.

#### ENVIRONMENTAL SERVICES ASSISTANCE TEAM -- Zone II

ICF Technology Inc.

ESAT Region VII

NSI Technology Services

25 Funston Road

Kansas City, KS 66115

(913) 236-3881

The Bionetics Corp.

TO:

Debra Morey

NSI Technology Services Corp.

Data Review Task Monitor

THRU:

Harold Brown, Ph.D.

ESAT Deputy Project Officer, EPA

FROM:

Kevin Ludwikoski 🕰

ESAT Data Reviewer

THRU:

Ronald A. Ross

ESAT Team Manager

DATE: August 30, 1990

SUBJECT: Review of inorganic data for Big River Mine Tailings.

TID# 07-9003-329 ASSIGNMENT# 562 ICF ACCT# 26-329-02 NSI S.O.# 4633-3292

These data were reviewed according to the "Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses," July 1988 revision and the Region VII Inorganic Data Review Training Manual as guidance.

The following comments and attached data sheets are a result of the ESAT review of the above mentioned data from the contract laboratory.

CASE NO.: <u>5558G</u>

SITE: <u>Big River Mine Tailings</u>

REVIEWER: Kevin Ludwikoski

LABORATORY: SILVER METHOD NO.: CS0788A EPA ACTIVITY NO.: CSXCR

MATRIX: Solid

TOTAL METALS		TOTAL METALS		
	SMO Sample No.	EPA Sample No.	SMO Sample No.	EPA Sample No.
	555554			
	5558G41	CSXCR110	5558G49	CSXCR117
	5558G42	CSXCR111	5558G50	CSXCR118
	5558G43	CSXCR112	5558G51	CSXCR119
	5558G44	CSXCR112D	5558G52	CSXCR120
	5558G45	CSXCR113		
	5558G46	CSXCR114		
	5558G47	CSXCR115		
	5558G48	CSXCR116		

This data review assignment covers twelve soil samples analyzed for <u>TOTAL METALS</u> for case number <u>5558G</u>. All results are in mg/kg because of the method used for the analyses. There was one field duplicate included with this assignment. There were no field blank or performance samples included with this assignment.

## 1. Technical Holding Times / Preservation

5 v Wighort

Technical holding times were observed for all analytes.

## 2. Initial and Continuing Calibration

All percent recoveries were within control limits.

#### 3. Blanks

Several analytes were detected in the blanks. Corresponding sample results were qualified according to the blank rule using <u>five</u> <u>times</u> the highest blank value. Sample results requiring modification are reported as non-detect on the attached data sheets.

<u>Analyte</u>	Blank (mg/kg)	Qualified Samples
Al	74.9	None qualified
As	5.2	CSXCR118,-118L,-120
Be	1.3	CSXCR110,-111,-112,-112D,-113,
		-114,-116,-117,-118,-119,-120
Ca	80.1	None qualified.
Cđ	4.0	CSXCR118,-120
Cu	12.4	CSXCR110,-112,-112D,-113,-114
		-118,-119,-120
Fe	14.3	None qualified
Mg	91.2	None qualified
Ag	4.5	CSXCR111,-112,-113,-114,-116
		-118,-119,-120
V	5.4	None qualified
Zn	14.4	CSXCR118

#### 4. ICP Interference Check

Recoveries of solution AB analytes from the interference check samples were within \$20% of the true values.

## 5. Laboratory Control Standard (LCS)

LCS results for all analytes were within control limits.

#### 6. Duplicates

A lab duplicate was performed and two analytes were outside the control limits. The associated results were "J" coded accordingly.

# TOTAL METALS (SOLIDS)

# Analyte Samples qualified

Ba CSXCR110,-111,-115,-116,-117,-118

Mn All samples

The Ba results were also coded because of matrix spike recoveries.

#### 7. Matrix Spike Sample

Ba and Ag were out of range for matrix spike recovery. The samples that had data qualified are listed below.

# TOTAL METALS (SOLIDS)

<u>Analyte</u>	Sample No.	<u>Code</u>
Ba	CSXCR110,-111,-115,-118	J
Ag	CSXCR110,-112,-112D,-113,-114,-115,-116,-117	J

The Ba results were also coded because of duplicate precision.

#### 8. ICP Serial Dilutions

All serial dilution results were within control limits.

#### 9. Furnace Atomic Absorbtion

The correlation coefficient for furnace AA standard additions analysis of As in sample CSXCR119 was below 0.995. The analyte result was therefore "J" coded.

#### 10. Summary

Some results were qualified by the blank rule. Two analytes were qualified by matrix spike recoveries. Two analytes were also qualified by duplicate precision. One analyte was qualified by the standard addition rule.

#### ENVIRONMENTAL SERVICES ASSISTANCE TEAM -- Zone II

ICF Technology Inc.

ESAT Region VII

NSI Technology Services

25 Funston Road

Kansas City, KS 66115

(913) 236-3881

NSI Technology Services Corp.

The Bionetics Corp.

TO:

Debra Morey

Data Review Task Monitor

THRU:

Harold Brown, Ph.D.

ESAT Deputy Project Officer, EPA

FROM:

Albert Iannacone

ESAT OA Coordinator

THRU:

Ronald Ross ESAT Manager

DATE:

August 23, 1990

SUBJECT: Review of inorganic data for Big River Mine Tailings

TID# 07-9003-329 ASSIGNMENT# 571

ICF ACCT# 302-26-329-02

NSI S.O.# 4633-3292

ESAT DOC. # ESAT- VII- 329-08-23-90-01

These data were reviewed according to the "Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses," and the Region VII Inorganic Data Review Training Manual as guidance. The following comments and attached data sheets are a result of the ESAT review of the above mentioned data from the contract laboratory.

SAS CASE NO.: 5558G LABORATORY: SILVER SITE: BIG RIVER MINE TAILINGS METHOD NO.: CS0788A REVIEWER: Al Iannacone EPA ACTIVITY NO .: CSXCR

MATRIX: Water

SMO Sample No.	EPA Sample No.	SMO Sample No.	EPA Sample No.
5558G133	CSXCR208	MGG8G141	CSXCR216
5558G134	CSXCR209	MGG8G142	CSXCR217
5558G135	CSXCR210	MGG8G143	CSXCR218
5558 <b>G1</b> 36	CSXCR211	MGG8G144	CSXCR322F
5558G137	CSXCR212	MGG8G145	CSXCR323F
5558 <b>G1</b> 38	CSXCR213	MGG8G146	CSXCR324
5558 <b>G13</b> 9	CSXCR214	MGG8G147	CSXCR324F
5558G140	CSXCR215	MGG8G199	CSXCR212D

This data review assignment covers <u>Sixteen Water</u> samples analyzed for dissolved metals. Three field blanks and one field duplicate, and six associated QC samples were included in this assignment. Chain-of-custody paperwork is complete, although sample tags were absent.

## 1. Holding Times and Preservation

A. Holding time requirements and preservation requirements were met for these metals analyses.

#### 2. Calibration

A. Calibration criteria were met for all samples, for both initial and continuing calibrations.

#### 3. Method Blanks / Field Blanks

Matrix	Sample #	Analytes Detected	Samples Qualified as non-detect
Water	Laboratory Blanks	Al, Cr, Cu, Fe, Tl, V	Cr in CSXCR217
Water	CSXCR322F	Ca, Na	none
Water	CSXCR323F	Mg	none
Water	CSXCR324F	Zn	CSXCR211; -217

#### 4. Matrix Spike

A. Met applicable criteria except for low % recovery for Se; no data were affected due to this occurrence.

5. Interference Check Sample

Met applicable criteria.

6. <u>Laboratory Control Sample</u>

Met applicable criteria.

#### 7. <u>Duplicates</u>

A. Lab and field duplicates met applicable criteria, indicating acceptable precision was obtained during these analyses.

## 8. ICP Serial Dilution

A. All applicable criteria were met.

#### 9. Furnace AA OC

A. Acceptance criteria were met; Pb was successfully analyzed by the method of standard additions for sample CSXCR324.

## 10. Calculations Verification

- A. Due to the requested level of review, no detailed examination of calculations was performed.
- B. Per regional guidance, low level detected data below the Contract Required Detection Limit (CRDL) were reported as nondetect at the CRDL, including in blank samples.

#### Summary

This data package is acceptable in terms of requirements for overall accuracy, precision and completeness.

#### ENVIRONMENTAL SERVICES ASSISTANCE TEAM -- Zone II

ICF Technology Inc.

ESAT Region VII

NSI Technology Services

NSI Technology Services Corp. 25 Funston Road

Kansas City, KS 66115

(913) 236-3881

The Bionetics Corp.

TO:

Debra Morey

Data Review Task Monitor

THRU:

Harold Brown, Ph.D.

ESAT Deputy Project Officer, EPA

FROM:

Albert Iannacone and

ESAT OA Coordinator

THRU:

Ronald Ross ESAT Manager

DATE: August 22, 1990

SUBJECT: Review of inorganic data for Big River Mine Tailings

TID# 07-9003-329 ASSIGNMENT# 570

ICF ACCT# 302-26-329-02

NSI S.O.# 4633-3292

ESAT DOC. # ESAT-V11-329-08-23-90-02

These data were reviewed according to the "Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses," and the Region VII Inorganic Data Review Training Manual as guidance. The following comments and attached data sheets are a result of the ESAT review of the above mentioned data from the contract laboratory.

SAS CASE NO.: 5558G LABORATORY: SILVER SITE: BIG RIVER MINE TAILINGS METHOD NO.: CS0788A REVIEWER: Al Iannacone EPA ACTIVITY NO.: CSXCR

MATRIX: Water

SMO Sample No.	EPA Sample No.	SMO Sample No.	EPA Sample No.
5558G73	CSXCR219	MGG8G83	CSXCR308
5558G74	CSXCR220	MGG8G84	CSXCR309
5558G75	CSXCR300	MGG8G85	CSXCR309D
5558G76	CSXCR301	MGG8G86	CSXCR310
5558G7 <i>7</i>	CSXCR302	MGG8G87	CSXCR311
5558G78	CSXCR303	MGG8G88	CSXCR312
5558G79	CSXCR304	MGG8G89	CSXCR314
5558G80	CSXCR305	MGG8G90	CSXCR315
5558G81	CSXCR306	MGG8G91	CSXCR316
5558G82	CSXCR307	MGG8G92	CSXCR317

This data review assignment covers <u>Twenty Water</u> samples analyzed for total metals. No field blank and one field duplicate, and 13 associated QC samples were included in this assignment. Chain-of-custody paperwork is complete, although sample tags were absent.

## 1. Holding Times and Preservation

A. Holding time requirements and preservation requirements were met for these metals analyses.

#### 2. Calibration

A. Calibration criteria were met for all samples, for both initial and continuing calibrations.

## 3. Method Blanks / Field Blanks

Matrix	Sample #	Analytes Detected	Samples Qualified as non-detect
Water	Laboratory Blanks	Sb, As, Ca, Cr, Cu, Fe, Tl	Sb in CSXCR316 Cu in CSXCR312, -314, and -317.

4. Matrix Spike

Met applicable criteria.

5. Interference Check Sample

Met applicable criteria.

6. <u>Laboratory Control Sample</u>

Met applicable criteria.

## 7. <u>Duplicates</u>

- A. Lab duplicates met applicable criteria, indicating acceptable precision was obtained during these analyses, except for high RPD noted for Lead in CSXCR220L, leading to "J" coding of detected values; the only affected sample is CSXCR308; others are all nondetect for Pb.
- B. Field duplicates CSXCR009 / -009D generally exhibited good agreement, except for Ni; however, the lack of agreement was not sufficient to result in "J" data coding of Ni data.

## 8. ICP Serial Dilution

A. All applicable criteria were met.

#### 9. Furnace AA OC

A. Correlation coefficients for samples analyzed by method of standard additions were unacceptable for As and Pb in several samples; "J" data qualification resulted only for Pb in CSXCR305, however, as the other affected samples were nondetect. Post-digestion spike outliers did not result in any data coding as affected results were nondetect.

## 10. Calculations Verification

- A. Due to the requested level of review, no detailed examination of calculations was performed.
- B. Per regional guidance, low level detected data below the Contract Required Detection Limit (CRDL) were reported as nondetect at the CRDL, including in blank samples.

#### Summary

This data package is acceptable in terms of requirements for overall accuracy, precision and completeness, although individual outliers resulted in qualification of data as nondetect or as "J" coded in some cases.

#### ENVIRONMENTAL SERVICES ASSISTANCE TEAM -- Zone II

ICF Technology, Inc.

ESAT Region VII

NSI Technology Services

NSI Technology Services Corp. 25 Funston Road

Kansas City, KS 66115

(913) 236-3881

The Bionetics Corp.

TO: Debra Morey

Data Review Task Monitor

Harold Brown, Ph.D.

ESAT Deputy Project Officer, EPA

FROM:

D. Eric Woodland

ESAT Data Reviewer

Ronald A. Ross THRU:

ESAT Team Manager

DATE:

August 21, 1990

Review of inorganic data for Big River Mine Tailings.

TID# <u>07-9003-329</u> ASSIGNMENT# 567 ICF ACCT# 26-329-02 NSI S.O.# 4633-3292

ESAT Document # ESAT- VII - 329-08-23-90-08

These data were reviewed primarily according to the "Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses," July 1988 revision with changes given in the Region VII Inorganic Data Review Training Manual and EPA memorandums.

The following comments and attached data sheets are a result of the ESAT review, according to EPA policies, of the following data from the contract laboratory.

CASE NO.: 5558G SITE: Big River Mine Tailings METHOD NO.: CS0788A REVIEWER: D. Eric Woodland

LABORATORY: SILVER EPA ACTIVITY NO.: CSXCR

MATRIX: WATER

TOTAL METALS		TOTAL METALS	
SMO Sample No.	EPA Sample No.	SMO Sample No.	EPA Sample No.
5558 <b>G</b> 53	CSXCR200	5558G63	CSXCR210
5558G54	CSXCR201	5558G64	CSXCR211
55 <b>58G</b> 55	CSXCR202	5558G65	CSXCR212
5558G56	CSXCR203	5558G66	CSXCR213
5558G57	CSXCR204	5558G67	CSXCR214
5558G58	CSXCR205	5558G68	CSXCR215
5558G59	CSXCR206	5558G69	CSXCR216
5558G60	CSXCR207	5558G70	CSXCR217
5558G61	CSXCR208	5558G71	CSXCR218
5558G62	CSXCR209	5558G72	CSXCR219

This data review assignment covers <u>TWENTY WATER</u> samples analyzed for <u>TOTAL METALS</u> for case number <u>5558G</u>. There were no field blanks, duplicates or performance samples included with this assignment.

## 1. Technical Holding Times / Preservation

Technical holding times were within established control limits.

#### 2. Initial and Continuing Calibration

All percent recoveries were within control limits.

## 3. Blanks

Several analytes were detected in the blanks. Corresponding sample results were qualified according to the blank rule using five times the highest blank value. Sample results requiring modification are reported as non-detect on the attached data sheets.

TOTAL	<b>METALS</b>
-------	---------------

	5 x Highest	. <del>-</del>
<u>Analyte</u>	Blank (ug/l)	<b>Qualified Samples</b>
Al	440	CSXCR201,-203 to -206,-208 to -210, -214,-217 and -219
Sb	160	None qualified
Be	7.0	None qualified
Cd	22	CSXCR202
Cr	29	CSXCR218
Cu	44	None qualified
Fe	120	None qualified
Ni	140	None qualified
Zn	38	CSXCR218
As	10	None qualified
Ca	340	None qualified
Mg	320	None qualified

#### 4. ICP Interference Check

Recoveries of solution AB analytes were within control limits.

## 5. Laboratory Control Standard (LCS)

LCS results were within established control limits.

#### 6. <u>Duplicates</u>

The RPDs for all analytes were within control limits.

# 7. Matrix Spike Sample

Matrix spike recoveries were within established control limits.

# 8. ICP Serial Dilution

All results were within established control limits.

## 9. Summary

Several results were qualified by the blank rule. No other qualifications were made.

#### ENVIRONMENTAL SERVICES ASSISTANCE TEAM -- Zone II

ICF Technology, Inc.

ESAT Region VII

NSI Technology Services Corp.

NSI Technology Services

25 Funston Road

Kansas City, KS 66115

(913) 236-3881

The Bionetics Corp.

Debra Morey TO:

Data Review Task Monitor

THRU:

Harold Brown, Ph.D.

ESAT Deputy Project Officer, EPA

FROM:

D. Eric Woodland 50

ESAT Data Reviewer

THRU:

Ronald A. Ross

ESAT Team Manager

DATE:

August 21, 1990

SUBJECT: Review of inorganic data for Big River Mine Tailings.

TID# 07-9003-329 ASSIGNMENT# 569 ICF ACCT# 26-329-02

NSI S.O.# 4633-3292

ESAT Document # ESAT-VII - \$321-08-23-90-09

These data were reviewed primarily according to the "Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses," July 1988 revision with changes given in the Region VII Inorganic Data Review Training Manual and EPA memorandums.

The following comments and attached data sheets are a result of the ESAT review, according to EPA policies, of the following data from the contract laboratory.

CASE NO.: 5558G

LABORATORY: SILVER

SITE: Big River Mine Tailings METHOD NO.: CS0788A REVIEWER: D. Eric Woodland

EPA ACTIVITY NO.: CSXCR

MATRIX: WATER

DISSOLVED METALS		TOTAL METALS	
SMO Sample No.	EPA Sample No.	SMO Sample No.	EPA Sample No.
5558G102	CSXCR219	5558G93	CSXCR318
5558G103	CSXCR220	5558G94	CSXCR319
5558G104	CSXCR300	5558G95	CSXCR320F
5558G105	CSXCR301	5558G96	CSXCR321F
5558G106	CSXCR302	5558G97	CSXCR322F
5558G107	CSXCR303	5558G98	CSXCR323F
5558G108	CSXCR304	5558G99	CSXCR324
5558G109	CSXCR305	5558G100	CSXCR324F
5558G110	CSXCR306	5558G101	CSXCR325F
5558G111	CSXCR307		
55586112	CSYCD308		

This data review assignment covers <u>ELEVEN WATER</u> samples analyzed for <u>DISSOLVED METALS</u> and <u>NINE WATER</u> samples analyzed for <u>TOTAL METALS</u> for case number <u>5558G</u>. There were six field blanks for TOTAL METALS and no field duplicates or performance samples included with this assignment.

## 1. Technical Holding Times / Preservation

Technical holding times were within established control limits.

#### 2. Initial and Continuing Calibration

All percent recoveries were within control limits.

#### 3. Blanks

Several analytes were detected in the blanks. Corresponding sample results were qualified according to the blank rule using five times the highest blank value. Sample results requiring modification are reported as non-detect on the attached data sheets.

## DISSOLVED METALS

Analyte	5 x Highest <u>Blank (ug/l)</u>	<b>Qualified Samples</b>
Cu Fe	41 110	None qualified None qualified
Pb	8.0	CSXCR300,-302 and -303
Zn Al	24 200	None qualified None qualified
Co	44	None qualified

#### TOTAL METALS

<u>Analyte</u>	5 x Highest Blank (ug/l)	Qualified Samples
Cu	41	None qualified
Fe	400	CSXCR318 and -319
Pb	16	None qualified
Al	200	None qualified
Co	44	None qualified
Ca	3300	None qualified
Mg	1000	None qualified
Na	3400	None qualified
Tl	11	None qualified
Zn	130	None qualified
Mn	16	None qualified

## 4. ICP Interference Check

Recoveries of solution AB analytes were within control limits.

## 5. Laboratory Control Standard (LCS)

LCS results were within established control limits.

## 6. <u>Duplicates</u>

The RPDs for all analytes were within control limits.

## 7. Matrix Spike Sample

The matrix spike results were applied to the total and dissolved sample results. Pb, Se and Tl were out of control limits for matrix spike recovery. All Se and Tl results were non-detect, so no coding was performed for these analytes. CSXCR318,-319,-322F and 324 were coded J for TOTAL PB and CSXCR219,-220,-301,-304,-306 and -307 were J coded for DISSOLVED PB. All other TOTAL and DISSOLVED PB results were invalidated.

#### 8. ICP Serial Dilution

All results were within established control limits.

# 9. Furnace Criteria

CSXCR318 was J coded for a MSA correlation coefficient outlier. This results was also coded by matrix spike recovery.

## 10. Summary

All Pb results were either J coded or invalidated by the matrix spike recovery. Two results for TOTAL Fe were qualified by the blank rule. Several DISSOLVED Pb results were qualified by the blank rule and later invalidated by matrix spike recovery. CSXCR318 was also coded by MSA correlation coefficient.

#### ENVIRONMENTAL SERVICES ASSISTANCE TEAM -- Zone II

ICF Technology, Inc.

ESAT Region VII

NSI Technology Services

NSI Technology Services Corp.

25 Funston Road

Kansas City, KS 66115

(913) 236-3881

The Bionetics Corp.

TO:

Debra Morey

Data Review Task Monitor

THRU:

Harold Brown, Ph.D.

ESAT Deputy Project Officer, EPA

FROM:

D. Eric Woodland

ESAT Data Reviewer

THRU:

Ronald A. Ross ESAT Team Manager

DATE:

August 21, 1990

SUBJECT: Review of inorganic data for Big River Mine Tailings.

TID# 07-9003-329 ASSIGNMENT# 568 ICF ACCT# 26-329-02 NSI S.O.# 4633-3292

ESAT Document # ESAT - VII - 379 - 08-23-30-10

These data were reviewed primarily according to the "Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses," July 1988 revision with changes given in the Region VII Inorganic Data Review Training Manual and EPA memorandums.

The following comments and attached data sheets are a result of the ESAT review, according to EPA policies, of the following data from the contract laboratory.

CASE NO.: 5558G

SITE: Big River Mine Tailings METHOD NO.: CS0788A

REVIEWER: D. Eric Woodland

LABORATORY: SILVER

EPA ACTIVITY NO.: CSXCR MATRIX: WATER

DISSOLVED	METALS	DISSOLVE	D METALS
SMO Sample No.	EPA Sample No.	SMO Sample No.	EPA Sample No.
5558G113	CSXCR309	5558G123	CSXCR319
5558G114	CSXCR309D	5558G124	CSXCR321F
5558G115	CSXCR310	5558G125	CSXCR200
5558G116	CSXCR311	5558G126	CSXCR201
5558G117	CSXCR312	5558G127	CSXCR202
5558G118	CSXCR314	5558G128	CSXCR203
5558G119	CSXCR315	5558G129	CSXCR204
5558G120	CSXCR316	5558G130	CSXCR205
5558G121	CSXCR317	5558G131	CSXCR206
5558G122	CSXCR318	5558G132	CSXCR207

This data review assignment covers <u>TWENTY WATER</u> samples analyzed for <u>DISSOLVED METALS</u> for case number <u>5558G</u>. There was one field duplicate and no field blanks or performance samples included with this assignment.

## 1. Technical Holding Times / Preservation

Technical holding times were within established control limits.

## 2. Initial and Continuing Calibration

All percent recoveries were within control limits.

## 3. Blanks

Several analytes were detected in the blanks. Corresponding sample results were qualified according to the blank rule using five times the highest blank value. Sample results requiring modification are reported as non-detect on the attached data sheets.

#### DISSOLVED METALS

<u>Analyte</u>	5 x Highest Blank (ug/l)	Qualified Samples
Ca	2600	None qualified
Cr	22	None qualified
Cu	41	None qualified
Tl	12	None qualified
Ag	10	None qualified
Pb	7.0	CSXCR207,-204,-309,-309D and 319
Mg	700	None qualified
Na	2100	None qualified

#### 4. ICP Interference Check

Recoveries of solution AB analytes were within control limits.

#### 5. Laboratory Control Standard (LCS)

LCS results were within established control limits.

## 6. Duplicates

The RPDs for all analytes were within control limits.

#### 7. Matrix Spike Sample

Se was out of control limits for matrix spike recovery. All results for Se were non-detect, so no coding was performed.

# 8. ICP Serial Dilution

All results were within established control limits.

# 9. Summary

Several Pb results were qualified by the blank rule. No other qualifications were made.

## ENVIRONMENTAL SERVICES ASSISTANCE TEAM -- Zone II

ICF Technology, Inc.

ESAT Region VII

NSI Technology Services

NSI Technology Services Corp.

25 Funston Road

Kansas City, KS 66115

(913) 236-3881

The Bionetics Corp.

TO: Debra Morey

Data Review Task Monitor

THRU:

Harold Brown, Ph.D.

ESAT Deputy Project Officer, EPA

FROM:

D. Eric Woodland

ESAT Data Reviewer

THRU:

Ronald A. Ross

ESAT Team Manager

DATE:

August 21, 1990

SUBJECT:

Review of inorganic data for Big River Mine Tailings.

TID# 07-9003-329 ASSIGNMENT# 566 ICF ACCT# 26-329-02 NSI S.O.# 4633-3292

ESAT Document # 63AT-VII-329-08-23-90-04

These data were reviewed primarily according to "Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses," July 1988 revision with changes given in the Inorganic Data Review Training Manual and EPA Region VII memorandums.

The following comments and attached data sheets are a result of the ESAT review, according to EPA policies, of the following data from the contract laboratory.

CASE NO.: 5558G

LABORATORY:

SILVER

SITE: Big River Mine Tailings METHOD NO.: CS0788A

REVIEWER: D. Eric Woodland

EPA ACTIVITY NO.: CSXCR

MATRIX: AIR

#### TOTAL METALS

EPA Sample No.
CSXCR400
CSXCR402
CSXCR403
CSXCR404
CSXCR406
CSXCR407
CSXCR408

This data review assignment covers <u>SEVEN AIR</u> samples analyzed for <u>TOTAL METALS</u> for case number <u>5558G</u>. There were no field blanks, duplicates or performance samples included with this assignment.

## 1. Technical Holding Times / Preservation

Technical holding times have not been established for this matrix.

# 2. Initial and Continuing Calibration

All percent recoveries were within control limits.

#### 3. Blanks

Several analytes were detected in the blanks. Corresponding sample results were qualified according to the blank rule using five times the highest blank value. Sample results requiring modification are reported as non-detect on the attached data sheets.

#### TOTAL METALS

<u>Analyte</u>	5 x Highest Blank (ug/sample)	Qualified Samples
Al	74	CSXCR407
As	4.2	None qualified
Ca	80	None qualified
Cr	5.2	CSXCR406,-404 and -403
Cu	13	None qualified
Fe	18	None qualified
Mg	97	None qualified
Tl	3.0	None qualified
Pb	1.0	CSXCR408

## 4. ICP Interference Check

Recoveries of solution AB analytes were within control limits.

## 5. Laboratory Control Standard (LCS)

LCS results were within established control limits.

#### 6. <u>Duplicates</u>

The RPDs for all analytes were within control limits.

## 7. Matrix Spike Sample

Because of the matrix, matrix spikes of the samples are not possible. A spike was performed on a blank. These results were within regular CLP control limits.

# 8. ICP Serial Dilution

Copper was outside control limits. All results were J coded except for CSXCR408, which was non-detect.

## 9. Furnace Atomic Absorption

CSXCR406 for Se was outside control limits for MSA correlation coefficient. This result was J coded.

#### 10. Summary

One result was coded for MSA correlation coefficient outlier. Most of the Cu results were J coded for a serial dilution outlier.

#### ENVIRONMENTAL SERVICES ASSISTANCE TEAM -- Zone II

ICF Technology, Inc.

ESAT Region VII

NSI Technology Services

NSI Technology Services Corp.

25 Funston Road

Kansas City, KS 66115

(913) 236-3881

The Bionetics Corp.

TO:

Debra Morey

Data Review Task Monitor

THRU:

Harold Brown, Ph.D.

ESAT Deputy Project Officer, EPA

FROM:

D. Eric Woodland

ESAT Data Reviewer

THRU:

Ronald A. Ross

ESAT Team Manager

DATE:

August 21, 1990

SUBJECT:

Review of inorganic data for Big River Mine Tailings.

TID# 07-9003-329 ASSIGNMENT# 564

ICF ACCT# 26-329-02 NSI S.O.# 4633-3292

ESAT Document # ESAT-VII-329-08-23-90-06

These data were reviewed primarily according to the "Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses," July 1988 revision with changes given in the Region VII Inorganic Data Review Training Manual and memorandums.

The following comments and attached data sheets are a result of the ESAT review, according to EPA policies, of the following data from the contract laboratory.

CASE NO.: 5558G

LABORATORY: SILVER

SITE: Big River Mine Tailings METHOD NO.:

REVIEWER: D. Eric Woodland

CS0788A

EPA ACTIVITY NO.: CSXCR

MATRIX: AIR

TOTAL METALS			TOTAL	TOTAL METALS				
SMO Samp	ole No.	EPA Sample No	. SMO Sample No.	EPA Sample No.				
5558G	148	CSXCR433	5558G158	CSXCR443				
5558G	149	CSXCR434	5558G159	CSXCR444				
5558G	150	CSXCR435	5558G160	CSXCR445				
5558G	151	CSXCR436	5558G161	CSXCR446				
5558G	152	CSXCR437	5558G162	CSXCR448				
5558G	153	CSXCR438	5558G163	CSXCR449				
5558G	154	CSXCR439	5558G168	CSXCR417				
5558G	155	CSXCR440	5558G169	CSXCR418				
5558G	156	CSXCR441	5558G170	CSXCR419				
5558G	157	CSXCR442	5558G171	CSXCR420				

This data review assignment covers <u>TWENTY AIR</u> samples analyzed for <u>TOTAL METALS</u> for case number <u>5558G</u>. There were no field blanks, duplicates or performance samples included with this assignment.

#### 1. Technical Holding Times / Preservation

Technical holding times have not been established for this matrix.

## 2. Initial and Continuing Calibration

All percent recoveries were within control limits.

#### 3. Blanks

Several analytes were detected in the blanks. Corresponding sample results were qualified according to the blank rule using five times the highest blank value. Sample results requiring modification are reported as non-detect on the attached data sheets.

#### TOTAL METALS

	5 x Highest	
<u>Analyte</u>	Blank (ug/sample)	<b>Qualified Samples</b>
Al	48	None qualified
Sb	28	None qualified
Be	1.6	None qualified
Ca	70	None qualified
Cu	7.3	None qualified
Fe	21	None qualified
Mg	65	None qualified
тi	4.3	None qualified
V	5.5	None qualified

#### 4. ICP Interference Check

Recoveries of solution AB analytes were within control limits.

#### 5. Laboratory Control Standard (LCS)

LCS results were within established control limits.

## 6. <u>Duplicates</u>

The RPDs for all analytes were within control limits.

## 7. Matrix Spike Sample

Because of the matrix, matrix spikes of the samples are not possible. A spike was performed on a blank. These results were within regular CLP control limits.

## 8. ICP Serial Dilution

All results were within limits.

## 9. Furnace Atomic Absorption

CSXCR420 for As and CSXCR434,-435 and -436 for Se were outside control limits for MSA correlation coefficient. These results were J coded.

## 10. Summary

Some results were coded for MSA correlation coefficient outliers. No other QC outliers were found.

## ENVIRONMENTAL SERVICES ASSISTANCE TEAM -- Zone II

ICF Technology, Inc.

ESAT Region VII

NSI Technology Services

NSI Technology Services Corp.

25 Funston Road Kansas City, KS 66115

(913) 236-3881

The Bionetics Corp.

TO:

Debra Morey

Data Review Task Monitor

THRU:

Harold Brown, Ph.D.

ESAT Deputy Project Officer, EPA

FROM:

D. Eric Woodland

ESAT Data Reviewer

THRU:

Ronald A. Ross

ESAT Team Manager

2340

DATE:

August 21, 1990

SUBJECT:

Review of inorganic data for Big River Mine Tailings.

TID# 07-9003-329 ASSIGNMENT# 565

ICF ACCT# <u>26-329-02</u> NSI S.O.# <u>4633-3292</u>

ESAT Document # ESAT-VII-329-08-23-90-05

These data were reviewed primarily according to the "Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses," July 1988 revision with changes given in the Region VII Inorganic Data Review Training Manual and EPA memorandums.

The following comments and attached data sheets are a result of the ESAT review, according to EPA policies, of the following data from the contract laboratory.

CASE NO.: 5558G

<u>8G</u> LABORATORY:

SITE: <u>Big River Mine Tailings</u>
REVIEWER: <u>D. Eric Woodland</u>

METHOD NO.: CS0788A EPA ACTIVITY NO.: CSXCR

SILVER

MATRIX: AIR

TOTAL	METALS	TOTAL	METALS
SMO Sample No.	EPA Sample No.	SMO Sample No.	EPA Sample No.
5558G172	CSXCR421	5558G182	CSXCR431
5558G173	CSXCR422	5558G183	CSXCR432
5558G174	CSXCR423	5558G184	CSXCR409
5558G175	CSXCR424	5558G185	CSXCR410
5558G176	CSXCR425	5558G186	CSXCR411
5558G177	CSXCR426	5558G187	CSXCR412
5558G178	CSXCR427	5558G188	CSXCR413
5558G179	CSXCR428	5558G189	CSXCR414
5558G180	CSXCR429	5558G190	CSXCR415
5558G181	CSXCR430	5558G191	CSXCR416

This data review assignment covers  $\underline{\text{TWENTY AIR}}$  samples analyzed for  $\underline{\text{TOTAL METALS}}$  for case number  $\underline{5558G}$ . There were no field blanks, duplicates or performance samples included with this assignment.

## 1. Technical Holding Times / Preservation

Technical holding times have not been established for this matrix.

## 2. Initial and Continuing Calibration

All percent recoveries were within control limits.

#### 3. Blanks

Several analytes were detected in the blanks. Corresponding sample results were qualified according to the blank rule using five times the highest blank value. Sample results requiring modification are reported as non-detect on the attached data sheets.

#### TOTAL METALS

Analyte	5 x Highest Blank (ug/sample)	Qualified Samples
Al	63	None qualified
Ca	57	None qualified
Cr	5.8	CSXCR428,-409 and -412
Cu	14	None qualified
Fe	29	CSXCR432
Zn	4.1	None qualified

#### 4. ICP Interference Check

Recoveries of solution AB analytes were within control limits.

#### 5. Laboratory Control Standard (LCS)

LCS results were within established control limits.

#### 6. <u>Duplicates</u>

The RPDs for all analytes were within control limits.

## 7. Matrix Spike Sample

Because of the matrix, matrix spikes of the samples are not possible. A spike was performed on a blank. These results were within regular CLP control limits.

# JP Serial Dilution

Copper was outside control limits. All results were J coded xcept for CSXCR424,-432 and -416, which were non-detect.

# 9. Furnace Atomic Absorption

CSXCR425 for Se was outside control limits for MSA correlation coefficient. This result was J coded.

## 10. Summary

One result was coded for MSA correlation coefficient outliers. Most of the Cu results were J coded for a serial dilution outlier.

#### TABLE OF CODES

```
SAMP. NO.
             ⇒ SAMPLE IDENTIFICATION NUMBER
                = QUALITY CONTROL SAMPLE/AUDIT CODE
= MEDIA OF SAMPLE (A=AIR, T=TISSUE, H=HAZARDOUS
QCC
MATERIAL, S=SEDIMENT/SOIL, W=WATER)
STORET/SAROAD LOC. NO. = A SAMPLING SITE LOCATION
IDENTIFICATION NUMBER
BEG. DATE = THE DATE SAMPLING WAS STARTED
BEG. TIME = THE TIME SAMPLING WAS STARTED
END. DATE = THE DATE SAMPLING WAS ENDED
END. TIME = THE TIME SAMPLING WAS STOPPED
A = RESERVED
B = RESERVED
PES = PESTICIDES BY CONTRACT
     = DIOXINS/FURANS BY EPA
E = EXPLOSIVES BY CONTRACT
FLD = FIELD MEASUREMENTS BY EPA
G = MINERALS & DISSOLVED MATERIALS BY EPA
HER = HERBICIDES BY EPA
I = ION CHROMATOGRAPHY ANALYSES BY EPA
MC = METALS BY CONTRACT
BNC = BASE NEUTRALS BY CONTRACT
    = FISH PHYSICAL DATA BY EPA
MET = METALS BY EPA
N = FISH TISSUE PARAMETERS BY EPA
VC = VOLATILES BY CONTRACT
P = PESTICIDES BY EPA
    = FLASH POINT ANALYSES BY EPA
    = RESERVED
BN = SEMIVOLATILE BY EPA
    = CYANIDE PHENOL BY EPA
    = DECEDUED
VOA = VOLATILE ORGANICS BY EPA
HC = HERBICIDES BY CONTRACT
    = RESERVED
Y = RESERVED
TRK = ACTIVITY TRACKING PARAMETERS BY EPA
STORET DETECTION IDENTIFIERS
BLANK = NO REMARKS
J = DATA REPORTED BUT NOT VALID BY APPROVED OF PROCEDURES
I = INVALID SAMPLE/DATA - VALUE NOT REPORTED
U = LESS THAN (MEASUREMENT DETECTION LIMIT)
M = DETECTED BUT BELOW THE LEVEL FOR ACCURATE QUANTIFICATION O = PARAMETER NOT ANALYZED
CONTRACTOR/ IN HOUSE / FIELD MEDIA GROUPS
FIELD = * * * = AF.HF.SF.TF.WF.ZZ
CÔNTRACTOR = • • = HA.HC.HJ.HK.HO.SC.SJ.SK.SO.SW.TC.TJ.
TK.TQ.TW.WA.WC.WE.WJ.WK.WO.WW
IN HOUSE = * = ALL OTHERS
```

```
QUALITY CONTROL AUDIT CODES
A = TRUE VALUE FOR CALIBRATION STANDARD
B = CONCENTRATION RESULTING FROM DUPLICATE LAB SPIKE
C = MEASURED VALUE FOR CALIBRATION STANDARD
D = MEASURED VALUE FOR FIELD DUPLICATE
F = MEASURED VALUE FOR FIELD BLANK
G = MEASURED VALUE FOR METHOD STANDARD
H = TRUE VALUE FOR METHOD STANDARD
K = CONCENTRATION RESULTING FROM DUPLICATE FIELD SPIKE
L = MEASURED VALUE FOR LAB DUPLICATE
M = MEASURED VALUE FOR LAB BLANK
N = MEASURED VALUE FOR DUPLICATE FIELD SPIKE
P = MEASURED VALUE FOR PERFORMANCE STANDARD
R = CONCENTRATION RESULTING FROM LAB SPIRE
S = MEASURED VALUE FOR LAB SPIKE
T = TRUE VALUE OF PERFORMANCE STANDARD
W = MEASURED VALUE FOR DUPLICATE LAB SPIKE
Y = MEASURED VALUE FOR FIELD SPIKE
Z = CONCENTRATION RESULTING FROM FIELD SPIKE
MEDIA CODES
A = AIR
T = BIOLOGICAL (PLANT & ANIMAL) TISSUE
H = HAZARDOUS MATERIALS/MAN MADE PRODUCTS
S = SEDIMENT, SLUDGE & SOIL
W = WATER
UNITS
    = NOT APPLICABLE
     = PICOGRAMS (1 X 10-12 GRAMS)
     = NANOGRAMS (1 X 10-9 GRAMS)
= MICROGRAMS (1 X 10-6 GRAMS)
= MILLIGRAMS (1 X 10-3 GRAMS)
      - METER CUBEU
MPH = MILES PER HOUR
     = STANDARD (1 ATM, 25 C) CUBIC METER
トし
      = KILUGRAM
       1.1758
      = CENTIGRADE DEGREES
     = STANDARD (PH) UNITS
      = NUMBER
     = POUNDS
IN
     = INCHES
M/F = MALE/FEMALE
     = SQUARE METER
I.D. = SPECIES IDENTIFICATION
GPM = GALLONS PER MINUTE
CFS = CUBIC FEET PER SECOND
MGD = MILLION GALLONS PER DAY
1000G= FLOW, 1000 GALLONS PER COMPOSITE
UMHOS= CONDUCTIVITY UNITS (1/OHMS)
NTU = TURBIDITY UNITS
PC/L = PICO (1 X 10-12) CURRIES PER LITER
MV = MILLIVOLT
SO FT= SQUARE FEET
P/CM2= PICOGRAMS PER SQ. CENTIMETER
U/CM2= MICROGRAMS PER SQ. CENTIMETER
```

	SEGUEST	CHOOL FMC.	T DEDODT
ANALYSIS	REQUEST	SUPPLEMENT	REPURI

ACTIVITY: O-CSXCR

DATE: 09/26/90

СОМРО	T I NU DNU	ıs	216	217		218	219		219L		219R
WFO1 WATER TEMP	·c	يو.		22		27	25		:	:-	
WFO5 PH, FIELD	SU	7.2	.0	7 50		-34	7.46			:_	
WF10 CONDUCTIVITY (FIELD)	: UMHC	5 -40		650		-	315				
WMO1 SILVER BY IC	AP UG/L	. 10		1)		þ	) 10	U	NA	1	1 <b>2</b>
WMO2 ALUMINUM BY IC	AP (II)/L	220		: 500		60	200	U	ΝΔ	١	1 4 (
WMO3 ARSENIC BY IC	AP .UG/L	. : 15		10	: 1	b	10	U :	1	: 4	1
WMO4 BARIUM BY IC	AP UG/L	200		200	: 2	00	200	U :	NA	۱.	I A
WMO5 BERYLLIUM BY IC	AP UG/L	5 0		5 0	: 5	0	5.0	U	N.A		Α (
WMO6 CADMIUM BY IC	AP UG/L	5 0		5 0	: 5	0	5.0	U	N A	N	Α (
WMO7 (OBALT BY IC	AP UG/L	55	:	έÞ	: 5	)	50	U	N A	: N	Δ
WMO8 CHROMIUM BY ICA	4P (16/L	10		1		,	1 . 10	υ	N A	N	4 1
WMO9 COPPER BY ICA	AP UG/L	: 25		26	2	,	25	U :	N/A	N	Α (
WM10 IRON BY ICA	AP UG/L	200	·	770	4	٥.	160	:	N/A	. N	Α
WM11 MANGAMESE - BY TO	AP IIG/I	6.5		1	7		61		NE'A	14	Δ (
WM12 MOLYBOCHUM By It.	4F 1167E	, ivi A		IS A	1.	À	N/A	Ū.	14 A	N	A
WM13 NICEFI BY ICA	AP IIG/I	40		40	4	)	40	U	N/A	N	Δ (
WM14 LEAD BY ICA	AP .UG/L	- 44	<u>-</u> -:	4	: 3	0	: 26	J	25	: 2	·
WM15 ANTIMONY BY ICA	AP UG/L	:60		€.0	: E	,	60	U	ι. 'A	. N	Α
WM16 SELENIUM BY 1CA	AP UG/L	5 0		5 0	- ; - Ę.	0	5.0	U .	5.0	1	
WM17 TITANIUM BY ICA	10. T	. N A		NA	. 1	Α	N/A	0	N/A	N	Α
WM18 THALLIUM BY ICA	AP IIG/L	10		10	1,		: 10	Ü :	10	ć	<b>.</b>
WM19 VANADIUM BY ICA	4P UG/L	Ę,		4	Ę	,	:50	U	N/A	. N	Α
WM20 ZINC BY ICA	AP .UG/L	1.0		3	. 2	)	:91		N 'A	: N	Α (
WM21 CALCIUM TOTAL BY ICA	۸b Wi?/۲	- : 50 : 50		1	3		:51	;	Ν/A	. N	Δ
WM22 MAGNESTUM TOTAL BY I	CAP MG/L	2		4	1		:28		Ν/Δ	N	Δ
WM23 SODIUM TOTAL BY ICAR	MG/L	5 3		***************************************	Ļ	0	5 8	:	N/A	N	Δ (

COMPOUND   UNITS   216   217   218   219   219L   219R		ANA	LYSIS REQU	ACTIVITY	: O-CSXCR	DATE	: 09/26/90		
WM35 SILVER.DISSOLVED	COMP	DOUND	UNITS	216	217	218	219	219L	219R
WM36 ALUMINUM.DISSOLVED	WM24 POTASSIUM, TOTAL BY	ICAP	MG/L :5	o	1	50	5.0	U : 4/4	- 1/4
WM37 ARSENIC.DISSOLVED BY ICAP	WM35 SILVER, DISSOLVED	BY ICAP	UG/L 1		1	1 1 1 1	<b>1</b> 110	1	-:
WM38 BARTUM DISSOLVED BY ICAP	WM36 ALUMINUM.DISSOLVED	BY ICAP	UG/L 2	0	200	200	200	•	-
WM39 BERYLLIUM. DISSOLVED BY ICAP	WM37 ARSENIC DISSOLVED	BY ICAP	UG/L 1		1	15	10		
WM40 CADMIUM, DISSOLVED BY ICAP	WM38 BARIUM DISSOLVED	BY ICAP	UG/L 2	0	200	200	4 200		
WM41 COBALT, DISSOLVED BY ICAP	WM39 BERYLLIUM.DISSOLVED	BY ICAP	UG/L 5	0	5 0	£ 0	4 5 0		
WM42 CHROMIUM.DISSOLVED BY ICAP UG/L 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	WM40 CADMIUM.DISSOLVED	BY ICAP	UG/L 5	0	5 0	5 0	90		:
WM43 COPPER.DISSOLVED BY ICAP UG/L 12 2 2 2 2 0 2 0 2 0 0 0 0 0 0 0 0 0 0	WM41 COBALT DISSOLVED	BY ICAP	UG/L 5		:50	:50	<b>4 9</b>		· ; •
WM44 IRON DISSOLVED BY ICAP	WM42 CHROMIUM.DISSOLVED	BY ICAP	UG/L 1		1	: 10	10	:	
WM45 MANGANESE DISSOLVED BY ICAP	WM43 COPPER.DISSOLVED	BY ICAP	UG/L 2		25	: 25	<b>4 2</b>	:	:
WM46 MOLVBDENUM_DISSOLVED BY ICAP	WM44 IRON.DISSOLVED	BY ICAP	UG/L 1	0	.100	100	100		- , <del></del>
WM47 NICKEL DISSOLVED	WM45 MANGANESE . DISSOLVED	BY ICAP	UG/L 4		15	3.	3		:
WM48 LEAD DISSOLVED       BY ICAP       UG/L       9       5       1       3       0       C       6       2         WM49 ANTIMONY DISSOLVED       BY ICAP       UG/L       6       6       0       6       0       C       0         WM50 SELENJUM.DISSOLVED       BY ICAP       UG/L       5       0       5       0       5       0       9       0         WM51 TITANIUM.DISSOLVED       BY ICAP       UG/L       N       A       A       A       A       A<	WM46 MOLYBDENUM DISSOLVE	BY ICAP	UG/L N	Α	NA	: N A	d IVA	1	·
WM49 ANTIMONY DISSOLVED BY ICAP	WM47 NICKEL DISSOLVED	RY ICAP	0671 4		40	4	4		- ·
WM50 SELENIUM.DISSOLVED BY ICAP	WM48 LEAD DISSOLVED	BY ICAP	Uu/L 9	5	1	:30	¢ :8 2		
WM51 TITANIUM.DISSOLVED BY ICAP UG/L N A Q	WM49 ANTIMONY DISSOLVED	BY TOAP	11671 - 6	}	-60	.60	<b>↓</b> : <b>6</b> D	:	
WM52 THALLIUM.DISSOLVED       BY ICAP       UG/L       10	WM50 SELENIUM. DISSOLVED	BY ICAP	:UG/L .5	0	:50	:5:0	:9.0	:	
WM53 VANADIUM.DISSOLVED       BY ICAP       :UG/L :50       :50	WM51 TITANIUM, DISSOLVED	BY ICAP	UG/L N	Α	N/A	N A	d N/A	b :	
WM54 ZINC.DISSOLVED BY ICAP UG/L 100 3 20 62  WM55 CALCIUM.DISSOLVED BY ICAP MG/L 5 7 3 53  WM56 MAGNESIUM.DISSOLVED BY ICAP MG/L 3 48 10 29  WM57 SODIUM.DISSOLVED BY ICAP MG/L 5 9 70 5 0 0 6 1  WM58 POTASSIUM DISSOLVED BY ICAP MG/L 5 0 10 5 0 9 0	WM52 THALLIUM.DISSOLVED	BY ICAP	UG/L 1	)	10	1	<b>1</b>		:
WM55 CALCIUM.DISSOLVED       BY ICAP       MG/L       5       7       3       93         WM56 MAGNESIUM.DISSOLVED       BY ICAP       MG/L       3       48       1       29         WM57 SODIUM.DISSOLVED       BY ICAP       MG/L       5       9       75       5       0       6       1         WM58 POTASSIUM DISSOLVED       BY ICAP       MG/L       5       0       9       0       9       0	WM53 VANADIUM.DISSOLVED	BY ICAP	UG/L :5	)	:50	:50	50	:	
WM56 MAGNESIUM.DISSOLVED BY ICAP	WM54 ZINC DISSOLVED	BY ICAP	UG/L : 1	0	: 3	: 20	- <del> </del>	:	
WM57 SQDIUM_DISSOLVED BY ICAP MG/L 5 9 75 5 0 0 6 1 WM58 POTASSIUM DISSOLVED BY ICAP MG/L 5 0 1 5 0 5 0	WM55 CALCIUM.DISSOLVED	BY ICAP	MG/L 5		: 7	3	<b>1</b> : <b>3</b>	]	
WM58 POTASSIUM DISSOLVED BY ICAP MG/L 5 0 L 15 5 0 9 0	WM56 MAGNESTUM DISSOLVED	BY ICAP	MG/L 3		48	1	4		,
	WM57 SODIUM, DISSOLVED	BY ICAP	MG/L :5	9	7	.50	1	:	
ZZO1 SAMPLE NUMBER NA 26 27 28 219 29 219	WM58 POTASSIUM DISSOLVED	BY ICAP	.MG/L :5	0 (	: 16	5 0	<b>9</b> 0		: "
	ZZO1 SAMPLE NUMBER		NA 2	6	2 7	2 8	219	219	219

#### ANALYSIS REQUEST REPORT

FOR ACTIVITY: CSXCR

SPED

10/04/90 15:39:22

. LABO APPROVED

FY: 90 ACTIVITY: CSXCR

DESCRIPTION: BIG RIVER MINE TAILINGS LOCATION: DESLOGE

MISSOURI

STATUS: ACTIVE

TYPE: SAMPLING - IN HOUSE ANALYSIS

PROJECT: A33

LABO DUE DATE IS 8/13/90. REPORT DUE DATE IS 9/19/90.

INSPECTION DATE: 7/30/90 ALL DATA APPROVED BY LABO DATE: 10/04/90 FINAL REPORT TRANSMITTED DATE: 00/00/00

EXPECTED LABO TURNAROUND TIME IS 14 DAYS

EXPECTED REPORT TURNAROUND TIME IS 51 DAYS

ACTUAL LABO TURNAROUND TIME IS 66 DAYS

ACTUAL REPORT TURNAROUND TIME IS O DAYS

SAMP. NO.	QCC	М	DESCRIPTION	SAMPLE STATUS		CITY	STATE	STORET/ SAROAD LOC NO	BEG. DATE	BEG TIME	END. DATE	END. TIME
001 001 001 0001 0002 0003 0007 0008 0009 0111 0112 0113 0114 0115 0120 0212 0223 0224	LRS	$\overline{a}$	BIG RIVER MINE TAILINGS SITE(SOIL  BIG RIVER MINE TAILINGS (SOIL)  BIG RIVER MINE TAILINGS (SOIL)	0000	1 DESLOCE 0 0 0 1 DESLOCE	<u>កាកាកាកាកាកាកាកាកាកាកាកាកាកាកាកាកាកាកា</u>	MISSOURI ALL ALL ALL MISSOURI		07/23/90 / / 07/24/90 07/24/90 07/24/90 07/24/90 07/24/90 07/24/90 07/24/90 07/25/90 07/25/90 07/25/90 07/25/90 07/25/90 07/25/90 07/26/90 07/26/90 07/26/90 07/26/90 07/26/90 07/26/90 07/27/90 07/27/90	15 10 15 50 16 25 16 40 17 30 16 25 16 40 17 30 14 35 15 50 16 50 16 50 16 50 16 25 17 15 16 25 17 15 16 25 16 40 17 30 17 45 17 45 17 45		

SAMP. NO.	QCC	м	DESCRIPTION	SAMPLE # STATUS CONT. CITY	STORET/ SAROAD BEG. STATE LOC NO DATE	BEG. TIME	END. DATE	END. TIME
025 026 027 027 027	L R	SSSSS	BIG RIVER MINE TAILINGS(SOIL) BIG RIVER MINE TAILINGS(SOIL) BIG RIVER MINE TAILINGS(SOIL)	O O DESLOGE 1 1 DESLOGE 1 1 DESLOGE O O O O	MISSOURI 07/28/9 MISSOURI 07/27/9 MISSOURI 07/27/9 ALL //	0 09:55	/ / / / / / / / / / / / / / / / / / /	: : : : : : : : : : : : : : : : : : : :
027 028 029 030 100	S	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	BIG RIVER MINE TAILINGS(SOIL) BIG RIVER MINE TAILINGS(SOIL) BIG RIVER MINE TAILINGS(SOIL) BIG RIVER MINE TAILINGS SITE(SE	0 0 1 1 DESLOGE 1 1 DESLOGE 1 1 DESLOGE DIMENT) 1 1 DESLOGE	ALL // / MISSOURI 07/27/9 MISSOURI 07/27/9 MISSOURI 07/27/9 MISSOURI 07/23/9 MISSOURI 07/23/9	00 10:30 00 18:00 00 10:00	//////	
102 103 104 105 106		าดเกดเดดเดด	BIG RIVER MINE TAILINGS SITE(SE BIG RIVER MINE TAILINGS SITE(SE	DIMENT) 1 DESLOGE DIMENT) 1 1 DESLOGE	MISSOURI 07/23/9 MISSOURI 07/23/9 MISSOURI 07/24/9 MISSOURI 07/24/9 MISSOURI 07/24/9	90 15:45 90 16:20 90 09:00 90 10:00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	: : :
107 108 109 110 111		55555	BIG RIVER MINE TAILINGS SITE(SEI BIG RIVER MINE TAILINGS SITE(SEI BIG RIVER MINE TAILINGS SITE(SEI	DIMENT) 1 1 DESLOGE DIMENT) 1 1 DESLOGE DIMENT) 1 1 DESLOGE	MISSOURI 07/24/9	00 14:00 00 14:45 00 13:15 00 14:15	//////	:
112 113 114 115 116	D	355555	BIG RIVER MINE TAILINGS SITE(SE BIG RIVER MINE TAILINGS SITE(SE BIG RIVER MINE TAILINGS SITE(SE BIG RIVER MINE TAILINGS SITE(SE BIG RIVER MINE TAILINGS(SEDIMEN	DIMENT) 1 1 DESLOGE DIMENT) 1 1 DESLOGE DIMENT) 1 1 DESLOGE DIMENT) 1 1 DESLOGE T) 1 1 DESLOGE	MISSOURI 07/24/9 MISSOURI 07/24/9 MISSOURI 07/25/9 MISSOURI 07/25/9 MISSOURI 07/25/9	90 15:30 90 16:30 90 09:15 90 10:00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	:
117 118 118 118 118	l R S	550 5500	BIG RIVER MINE TAILINGS (SEDIMEN BIG RIVER MINE TAILINGS (SEDIMEN	T) 1 1 DESLOGE O 0 O 0 O 0	MISSOURI 07/24/9 MISSOURI 07/25/9 ALL // ALL // ALL // MISSOURI 07/25/9	00 14:30	/ / / / / / / / / / / / / / / / / / / /	:
120 200 201 202 203		)	BIG RIVER MINE TAILINGS SEDIMEN BIG RIVER MINE TAILINGS SEDIMEN BIG RIVER MINE TAILINGS SURFACE BIG RIVER MINE TAILINGS SURFACE BIG RIVER MINE TAILINGS SURFACE BIG RIVER MINE TAILINGS SURFACE	WATER) 1 5 DESLOGE WATER) 1 5 DESLOGE WATER) 1 5 DESLOGE WATER) 1 5 DESLOGE	MISSOURI 07/25/S MISSOURI 07/23/S MISSOURI 07/23/S MISSOURI 07/23/S MISSOURI 07/23/S	00 15 15 00 10:00 00 13:15 00 15:45 00 16:20		:
204 205 206 207 208		33333	BIG RIVER MINE TAILINGS(SURFACE BIG RIVER MINE TAILINGS(SURFACE BIG RIVER MINE TAILINGS(SURFACE BIG RIVER MINE TAILINGS(SURFACE BIG RIVER MINE TAILINGS(SURFACE	WATER) 1 5 DESLOGE	MISSOURI 07/24/9 MISSOURI 07/24/9 MISSOURI 07/24/9 MISSOURI 07/24/9 MISSOURI 07/24/9	00 09:00 00 10:00 00 10:30 00 13:15		:
208 208 208 209 210 211	R S	****	BIG RIVER MINE TAILINGS(SURFACE BIG RIVER MINE TAILINGS(SURFACE BIG RIVER MINE TAILINGS(SURFACE	WATER) 1 5 DESLOGE WATER) 1 5 DESLOGE	ALL / / ALL / / ALL / / MISSOURI 07/24/9 MISSOURI 07/24/9 MISSOURI 07/24/9	0 13:15	///////////////////////////////////////	:
212 212 213 214 215	D	% % % % % % % % % % % % % % % % % % %	BIG RIVER MINE TAILINGS(SURFACE BIG RIVER MINE TAILINGS(SURFACE	WATER) 1 5 DESLOGE WATER) 1 2 DESLOGE WATER) 1 5 DESLOGE WATER) 1 5 DESLOGE	MISSOURI 07/24/9 MISSOURI 07/24/9 MISSOURI 07/24/9 MISSOURI 07/25/9 MISSOURI 07/25/9	0 15:30 0 15:30 0 16:30 0 09:15	·/ / / / / / / / / / / / / / / / / / /	: : : : : : : : : : : : : : : : : : : :

	MP. O. QC	С М	DESCRIPTION	SAMPLE STATUS		STORET SAROAD STATE LOC NO	/ BEG. DATE	BEG. TIME	END. DATE	END. TIME
2 2 2 2 2 2 2 2	15 L 15 R 15 S 16 17 18 19 L 19 R	***	BIG RIVER MINE TAILINGS(SURFACE BIG RIVER MINE TAILINGS(SURFACE BIG RIVER MINE TAILINGS(SURFACE BIG RIVER MINE TAILINGS(SURFACE	WATER) 1 WATER) 1 WATER) 1 WATER) 1	O O O DESLOGE DESLOGE DESLOGE DESLOGE DESLOGE O O	ALL ALL ALL MISSOURI MISSOURI MISSOURI ALL ALL	/ / / / 07/25/90 07/25/90 07/25/90 07/25/90	11:30 14:30 14:30 15:30		:
2	19 R 19 S 20 L 20 R	₩ ₩	BIG RIVER MINE TAILINGS (SURFACE	· ŏ	O DESLOGE	ALL MISSOURI ALL ALL	07/25/90 /	18:15		
2 3 3 3	20 S 00 01 01 L	W W W	BIG RIVER MINE TAILINGS(GROUND W BIG RIVER MINE TAILINGS(GROUND W		O DESLOGE S DESLOGE O O	ALL MISSOURI MISSOURI ALL ALL	07/24/90 07/24/90 07/24/90	09 00 12 50	, , , , , ,	
333333333333333333333333333333333333333	01 S 02 03 04 05 06 07 08 09 09 D	3333333333333	BIG RIVER MINE TAILINGS(GROUND WERE BIG RIVER BIG RIVER MINE TAILINGS(GROUND WERE BIG RIVER BIG	ATER) 1	DESLOGE	ALL MISSOURI	7/90 07/24/90 07/24/90 07/25/90 07/25/90 07/26/90 07/26/90 07/27/90 07/27/90	14:15 15:15 16:00 08:45 14:15 16:00 16:40 08:15 08:15		
33 *** ? 3 33 33 3	09 S 10 11 12 14 15 16 17 18 L 18 R	ENERE EREE E	BIG RIVER MINE TAILINGS (GROUND WEBS RIVER MINE TAILING METAILING METAIL	ATER) 1 ATER) 1 ATER) 1 ATER) 1 ATER) 1 ATER) 1	O DESLOGE 5 DESLOGE 6 DESLOGE 6 O	ALL ALL MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI	07/2//90 07/27/90 07/27/90 07/27/90 07/26/90 07/27/90 07/27/90 07/27/90 07/27/90 07/27/90	08.45 09:35 09:00 16:30 11:50 15:00 16:45 15:20	/ / / / / / / / / / / / / / / / / / /	:
3 3 - 3	18 S 19 19 L 19 R	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	BIG RIVER MINE TAILINGS(GROUND W	ŏ	O DESLOGE	ALL ALL MISSOURI ALL ALL	07/27/90 07/27/90 07/27/90 07/27/90 07/27/90	15:45		:
3 3 3 3 3 3 3	19 S 20 F 21 F 22 F 22 F 23 F 24 F 25 F	D & & & & & & & & & & & & & & & & & & &	BIG RIVER MINE TAILINGS - TRIP BE BIG RIVER MINE TAILINGS - FIELD BE BIG RIVER MINE TAILINGS - FIELD BE BIG RIVER MINE TAILINGS - RINSATE BIG RIVER MINE TAILINGS - RINSATE BIG RIVER MINE TAILINGS - ACID BE BIG RIVER MINE TAILINGS - ACID BE BIG RIVER MINE TAILINGS	Ö LANK 1 BLANK 1 BLANK 1	1 DESLOGE 2 DESLOGE 2 DESLOGE 2 DESLOGE 4 DESLOGE 2 DESLOGE 0 DESLOGE 1 DESLOGE	ALL MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI	07/27/90 07/27/90 07/27/90 07/27/90 07/27/90 07/27/90 07/27/90 07/27/90 07/23/90	14:00 14:05 14:10 14:15 07:30 14:30 15:30 12:47	/ / / / / / / / / / / / 07/24/90	01:00

SAMP.	occ	м	DESCRIPTION	SAMPLE # STATUS CONT. CITY	STATE	STORET/ SAROAD LOC NO	BEG. DATE	BEG. TIME	END. DATE	END. TIME
402 403		A	BIG RIVER MINE TAILINGS BIG RIVER MINE TAILINGS	1 1 DESLOGE 1 1 DESLOGE	MISSOURI MISSOURI		07/23/90 07/23/90	12:47 12:00	07/24/90 07/23/90	01:00 23:40
403 404 406 407 408	L	44444	BIG RIVER MINE TAILINGS BIG RIVER MINE TAILINGS BIG RIVER MINE TAILINGS BIG RIVER MINE TAILINGS	0 0 0 0 DESLOGE 1 1 DESLOGE 1 1 DESLOGE 1 1 DESLOGE	ALL MISSOURI MISSOURI MISSOURI		07/23/90 07/23/90 07/23/90 07/23/90	12:00 11:50 12:00 12:00	07/23/90 07/24/90 07/23/90 07/23/90	24:00 11:50 24:00 24:00
408 409 410 411 413 414 415 417 418 419 420 422 422		<b>AAAAAAAAA</b>	BIG RIVER MINE TAILINGS	SAMPLE # STATUS CONT. CITY  1 DESLOGE	MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI		07/24/90 07/24/90 07/24/90 07/24/90 07/24/90 07/24/90 07/24/90 07/25/90 07/25/90 07/25/90 07/25/90 07/25/90 07/25/90	12:00 12:00 12:00 12:00 12:05 12:05 12:00 12:00 12:00 12:00 11:30 12:00	7/24/90 07/24/90 07/24/90 07/25/90 07/25/90 07/24/90 07/24/90 07/25/90 07/25/90 07/25/90 07/25/90 07/25/90 07/25/90	24:00 23:50 23:30 00:15 00:30 23:45 23:50 24:00 24:00 24:00 24:00 24:00 24:00 24:00 24:00
422 423 424	L	A A A	BIG RIVER MINE TAILINGS	0 0 1 1 DESLOGE	ALL MISSOURI ALL		07/25/90	12:00	07/26/90	00:15
423 424 424 425 426 427 429 430 431 432	F	A A A A A A A A A A	BIG RIVER MINE TAILINGS	1 1 DESLOGE	MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI		07/25/90 07/26/90 07/26/90 07/26/90 07/26/90 07/26/90 07/26/90	12 00 11 30 11 30 12 00 12 00 12 00 12 00 12 00	07/25/90 07/27/90 07/27/90 07/26/90 07/26/90 07/26/90 07/27/90 07/26/90	24 00 00 50 00 06 23 21 24 00 23 15 00 26 23 55
432 433	F	A	BIG RIVER MINE TAILINGS BIG RIVER MINE TAILINGS	1 1 DESLOGE 1 1 DESLOGE	MISSOURI MISSOURI		07/26/90 07/27/90	12:00 12:00	07/26/90 07/27/90	24:00 23:59
433 434 435 436 437 438 439 440	Ł	A A A A A A A	BIG RIVER MINE TAILINGS BIG RIVER MINE TAILINGS	O O 1 1 DESLOGE	ALL MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI		07/27/90 07/27/90 07/27/90 07/27/90 07/27/90 07/27/90	12:00 12:00 12:00 11:45 12:00 12:00	07/27/90 07/27/90 07/28/90 07/28/90 07/28/90 07/28/90	23:41 23:42 00:11 01:00 00:24 00:27
440 441 442 443 444 445 446 448 449 900	F M		BIG RIVER MINE TAILINGS	1 1 DESLOGE 1 1 DESLOGE 0 0	MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI		07/27/90 07/28/90 07/28/90 07/28/90 07/28/90 07/28/90 07/28/90 07/28/90 07/28/90	12 00 12 00 12 00 13 55 12 00 11 39 11 45 12 00	07/27/90 07/28/90 07/28/90 07/28/90 07/28/90 07/29/90 07/28/90 07/28/90 07/28/90	24 00 23 56 23 39 03 00 23 47 00 30 21 15 23 30 24 00

SAMP. NO.	QCC	М	DESCRIPTION STATU	E ,	# CONT.	CITY	STATE	STORET/ SAROAD LOC NO	BEG. DATE	BEG. TIME	EN DA	D. TE	END. TIME
NO 90112299044599099999999999999999999999999999	C RSACMRSACMACMACMACMACMACMACMMACMMACA	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	000000000000000000000000000000000000000		000000000000000000000000000000000000000	CITY	AALLLULLULLULLULLULLULLULLULLULLULLULLUL	LOC NO	DATE	TIME : : : : : : : : : : : : : : : : : : :	DA !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	TE ////////////////////////////////////	TIME : : : : : : : : : : : : : : : : : : :
919 920	й	S	0		0		ALL ALL		1/	:	/	1	:

	COMPOUND	UNITS	001	001L	001R	0015	002	003
SMO1 SILVER	BY ICAP	MG/KG	2.3	) : 2.3	1 : 12	14	:3.0 U	2.6 U
SMO2 ALUMINUM	BY ICAP	:MG/KG:	11000	10000	:N/A (	) :N/A 0	630	600
SMO3 ARSENIC	BY ICAP	MG/KG	6.3	:5.6	9.3	:15	: 14	7.7
SMO4 BARIUM	BY ICAP	MG/KG	150	260	470	930	42 U	41 U .
SMOS BERYLLIUM	BY ICAP	MG/KG	1.2 L	1 :1.2 U	1 12	12	1 1 U	1.0
SMO6 CADMIUM	BY ICAP	MG/KG	1.2 L	1 1.2 U	1 12	:13	21	14
SMO7 COBALT	BY ICAP	:MG/KG	14	23	: 120	140	13	11
SMO8 CHROMIUM	BY ICAP	MG/KG	13	1 18	47	57	2.1 U	2.0 U
SMO9 COPPER	BY ICAP	:MG/KG	14	11	58	67	71	60
SM10 IRON	BY ICAP	MG/KG	13000	15000	N/A C	N/A O	30000	32000
SM11 MANGANESE	BY ICAP	:MG/KG	2000	3500	120	: 5400	4200 J	4400 J
SM12 MOLYBDENUM	BY ICAP	MG/KG	N/A (	N/A C	N/A C	N/A O	:N/A 0	N/A O
SM13 NICKEL	BY ICAP	MG/FG	9.4	9 4	120	130	:18 J	15 J
SM14 LEAD	BY ICAP	MG/KG	130	1 : 130	120	320	1000 J	1100 J
SM15 ANTIMONY	BY ICAP	MG/FG	14 L	) 14 U	:120	:66	13 U	12 ປ
SMIG SELEMIUM	BY ICAD	MG/KG.	i ž i	i : i . ż	:2 3	:2.3	:20 U	4.8 J
SM17 TITANIUM	BY ICAP	: MG/KG:	N/A C	) .N/A C	):N/A (	) : N/A O	N/A O	N/A O
SM18 THALLIUM	BY ICAP	MG/KG	2.3 t	1 :2 :3 U	9.4	9.6	2 1 U	2.0 U
SM19 VANADIUM	BY ICAP	:MG/KG	27	31	120	: 140	:11 U	10 U
SM20 ZINC	BY ICAP	MG/KG	65	:66	120	190	950	570
SM21 CALCIUM	BY ICAP	MG/KG:	3300	3900	N/A C	N/A O	180000	180000
SM22 MAGNESIUM	BY ICAP	:MG/KG	2200	: 2200	N/A C	):N/A O	97000	100000
SM23 SODIUM	BY ICAP	MG/KG.	1200 L	1200 U	N/A C	N/A O	1100 U	1000 U
SM24 POTASSIUM	BY ICAP	:MG/KG:	1300	1200 U	N/A C	) N/A O	1100 U	1000 U
ZZO1 SAMPLE NUMBER		NA .	001	001	:001	:001	002	:003
ZZO2 ACTIVITY CODE		. NΔ	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR

	COMPOUND	UNITS	004	005		006		007		008		009	
SMO1 SILVER	BY ICAP	MG/KG: 2.9	) l	2.2	U	2.6	U	3.2	U	:3.2	 U	: : 2 . 2	U :
SMO2 ALUMINUM	BY ICAP	MG/KG: 700	)	640		1000		670		640		580	
SMO3 ARSENIC	BY ICAP	:MG/KG:8.1		8 6		9.6		9 4		2.1	υ	9.7	
SMO4 BARIUM	BY ICAP	MG/KG: 42		43	υ	: 47	U	42	U	: 42	U	44	U
SMO5 BERYLLIUM	BY ICAP	MG/KG: 1.2	?	:1.1	U	1 2	U	1.0	U	:1.1	υ	:1.1	U
SMOG CADMIUM	BY ICAP	MG/KG:20		:8.4		19		: 28		30		:13	
SMO7 COBALT	BY ICAP	MG/KG:11		14		27		: 15		13		:12	
SMO8 CHROMIUM	BY ICAP	MG/KG: 2.1		2.2	U	2.4	U	2.1	υ	2.1	υ	2.2	U
SMO9 COPPER	BY ICAP	MG/KG:67		:65		60		120		:88		.58	
SM10 IRON	BY ICAP	MG/KG:310	000	29000		32000		31000		31000		31000	
SM11 MANGANESE	BY ICAP	MG/KG: 430	00 .	4100	J	1400	J	4300	J	4200	j	4200	J
SM12 MOLYBDENUM	BY ICAP	MG/KG:N/A		:N/A	0	N/A	0	N/A	0	:N/A	0	N/A	0
SM13 NICKEL	BY ICAP	MG/KG:8.5	; l	: 15	J	20	j	12	J	:14	J	: 16	J
SM14 LEAD	BY ICAP	MG/KG: 140	00	930	J	1500	J	1700		1600	J	1300	J
SM15 ANTIMONY	BY ICAP	:MG/kG 13	Ü	: 13	<u>-</u> -	14	υ	15	J	.13	U	: 13	U
SMIG SELENJUM	BY ICAP	. MG/KG. 3. 9	; J	i.i	U	:4.9	J	1.0	U	1.1	U	1.4	
SMI7 TITANIUM	BY ICAP	.MG/KG:N/A		.N/A	0	: N/A	0	: N/A	0	N/A	0	N/A	0
SM18 THALLIUM	BY ICAP	:MG/KG:2.1		2.2	υ	2 4	υ	2.1	υ	2.1	v	2.2	U
SM19 VANADIUM	BY ICAP	:MG/KG:11	ί	:11	<u>-</u> -	12	U	10	U	11	U	:11	U
SM20 ZINC	BY ICAP	MG/KG:840	)	:370		870		1200		1300		610	
SM21 CALCIUM	BY ICAP	MG/KG 170	0000	170000		: 180000		180000		180000		180000	
SM22 MAGNESIUM	BY ICAP	MG/KG:940	000	93000		98000		99000		97000		99000	
SM23 SODIUM	BY ICAP	.MG/KG.110	10 U	1100	U	1200	υ	1000	U	1100	U	1100	U
SM24 POTASSIUM	BY ICAP	MG/KG:110	00 0	:1100	U	1200	U	1000	U	1100	U	1100	υ
2201 SAMPLE NUMBER	}	NA 004		005		006		:007		:008		009	
ZZO2 ACTIVITY CODE	<b></b>	NA CSX	CR	CSXCR		CSXCR		CSXCR		CSXCR		CSXCR	

	COMPOUND	UNITS	010		011		012		013		014		015	
SMO1 SILVER	BY ICAP	MG/KG	7.7		2.6	υ	:2.6	U	2.4	U	2.6	 U	2.4	: U
SMO2 ALUMINUM	BY ICAP	:MG/KG	2900		: 550		7300		9100		8800		11000	
SMO3 ARSENIC	BY ICAP	MG/KG	14		6.5		9.3		6.9		6.2		8 2	:
SMO4 BARIUM	BY ICAP	MG/KG	48	U	41	U	290	J	:120	J	300	J	: 150	J
SMO5 BERYLLIUM	BY ICAP	MG/KG	2.7		1.0	U	1 3	U	1.2	U	:1.3	U	1.2	U
SMOG CADMIUM	BY ICAP	:MG/KG	79		24		1.3	Ū	:1.2	υ	1.3	U	3 2	
SMO7 COBALT	BY ICAP	MG/KG	42		10	U	16		15		16		:16	:
SMO8 CHROMIUM	BY ICAP	MG/KG	4.0	U	2.1	U	13	J	14	J	12	J	13	
SMO9 COPPER	BY ICAP	MG/KG	15		60		:6.5	Ū	8 8		11		: 15	
SM10 IRON	BY ICAP	MG/K.G	24000		30000		18000		16000		17000		: 20000	
SM11 MANGANESE	BY ICAP	MG/K.G	2900	J	4300	J	2700	J	1600	J	3500	J	2300	J .
SM12 MOLYBDENUM	BY ICAP	MG/KG	N/A	0	N/A	0	N/A	0	N/A	0	N/A	Q	N/A	0
SM13 NICKEL	BY ICAP	MG/KG	37	J	9.0	J	10	U	9.6	U	17	J	11	J
SM14 LEAD	BY ICAP	MG/KG:	13000	J	970	J	:65	J	450	J	:85	J	370	J
SM15 ANTIMONY	BY ICAP	: MG/FG	14	ŧi	12	U	16	U	14	U	: 15	U	. 15	U
SM16 SELENIUM	BY ICAP	,MG/KG	1 2	Ü	1.0	U	1.3	U	1.8	J	2 6	J	: 2.5	J
SM17 TITANIUM	BY ICAP	:MG/kG	N/A	0	N/A	0	:N/A	0	N/A	0	:N/A	0	N/A	0
SM18 THALLIUM	BY ICAP	MG/KG	2 4	U	2.1	U	2.6	U	2.4	U	:2.6	U	: 2 . 4	U
SM19 VANADIUM	BY ICAP	MG/KG	12	U	10	U	:34		26		26		34	:
SM20 ZINC	BY ICAP	MG/KG	4300		1200		35		42		57		180	
SM21 CALCIUM	BY ICAP	:MG/KG	140000		180000		1300	υ	2000		2100		: 22000	
SM22 MAGNESIUM	BY ICAP	:MG/KG	76000		100000		:1300	U	1500		1300	U	12000	
SM23 SODIUM	BY ICAP	:MG/KG	1200	U	1000	U	1300	U	1200	U	: 1300	U	: 1200	U
SM24 POTASSIUM	BY ICAP	MG/KG:	2300		1000	U	1300	Ü	1200	U	1300	U	1200	υ
2201 SAMPLE NUMBER	\ \	NA :	010		011		012		:013		014		:015	
ZZO2 ACTIVITY CODE	·	: NA :	CSXCR		CSXCR		CSXCR		CSXCR		CSXCR		CSXCR	:

	COMPOUND	UNITS	016		017		018		019		020		021	
SMO1 SILVER	BY ICAP	: :MG/KG	: : 2 . 6	- <b>-</b>	2.4	υ υ	:2.3	<b>-</b>	2.3	U	2.4	U	2.3	: U
SMO2 ALUMINUM	BY ICAP	:MG/KG	8200		8200		8900		9000		:9400		:960	: :
SMO3 ARSENIC	BY ICAP	:MG/KG	: 13		:9.5		7.2		6.8		:6.2		:2.3	U .
SMO4 BARIUM	BY ICAP	:MG/KG	240	j	530	J	:140	J	140	J	: 180	J	. 46	υ:
SMO5 BERYLLIUM	BY ICAP	:MG/KG	1.3	บ	1.2	U	:1 2	U	1.1	U	1.2	U	1.2	U
SMOG CADMIUM	BY ICAP	:MG/KG	6.0		1.2	U	:4.8		5.3		1.2	U	:16	:
SMO7 COBALT	BY ICAP	MG/KG	13	U	14		16		:18		: 12	υ	19	:
SMO8 CHROMIUM	BY ICAP	MG/KG	23	J	15	J	13	J	13	J	: 14	J	4.1	U
SMO9 COPPER	BY ICAP	MG/KG	29		8 7		30		31		8.8		95	J
SM10 IRON	BY ICAP	:MG/KG	22000		16000		16000		17000		: 15000		32000	:
SM11 MANGANESE	BY ICAP	:MG/KG	: 590	J	970	J	1200	J	1200	J	970	J	4400	
SM12 MOLYBDENUM	BY ICAP	MG/KG	: N/A	0	:N/A	0	N/A	0	: N/A	0	N/A	0	N/A	0 :
SM13 NICKEL	BY ICAP	MG/KG	. 10	U	9.5	U	12	J	12	J	9.4	U	20	:
SM14 LEAD	BY ICAP	MG/KG	940	J	64	J	:1500	J	1600	J	76	J	1500	:
SM15 ANTIMONY	BY ICAP	·MG/KG	16	U	14	U	14	U	14	υ	14	U	. 17	U :
SM16 SELENIUM	BY ICAN	.MG/KG	. 2 . 0	ـــــــــــــــــــــــــــــــــــــ	1.2	U	:1 2	U	:1.1	U	2.1	J	1.2	U :
SMI7 TITANIUM	BY ICAP	:MG/KG	. N/A	0	N/A	0	N/A	0	:N/A	0	:N/A	0	N/A	0
SM18 THALLIUM	BY ICAP	MG/KG	2.6	U	2.4	U	2.3	U	2.3	บ	2.4	υ	2.3	υ :
SM19 VANADIUM	BY ICAP	MG/KG	22		31		25		25		26		12	U
SM20 ZINC	BY ICAP	MG/KG	490		:66		370		390		67		760	J
SM21 CALCIUM	BY 1CAP	MG/KG	13000		3300		14000		14000		2800		180000	
SM22 MAGNESIUM	BY ICAP	:MG/KG:	3900		2300		7400		: 7500		1700		95000	
SM23 SODIUM	BY ICAP	MG/KG	1300	U	1200	U	1200	U	1100	U	1200	U	1200	U :
SM24 POTASSIUM	BY ICAP	MG/KG	1300	U	1200	U	:1200	U	1100	U	1200	U	1200	U
ZZO1 SAMPLE NUMBER		: NA	016		017		018		:019		020		:021	:
ZZO2 ACTIVITY CODE		: NA	CSXCR		CSXCR		CSXCR		CSXCR		CSXCR		CSXCR	:

	COMPOUND	UNITS	022		023		024		025		026		027	
SMO1 SILVER	BY ICAP	MG/KG	19	<b></b>	2.1	Ū	2.3	<del>-</del> υ	3.1	υ	3.2		3.3	: :
SMO2 ALUMINUM	BY ICAP	MG/KG:	9200		9100		5500		7100		6000		860	::
SMO3 ARSENIC	BY ICAP	:MG/KG:	2.2	U	2.1	U	2.3	U	3.1	υ	2.3	U	2.4	U :
SMO4 BARIUM	BY ICAP	MG/KG:	94		170		140		180		99		: 48	U
SMO5 BERYLLIUM	BY ICAP	MG/KG	1.1	U	1.1	บ	1.2	U	1.5	U	1.1	υ	1.2	U
SMO6 CADMIUM	BY ICAP	MG/KG:	270		2.1		1.2	U	1.6		25		11	:
SMO7 COBALT	BY ICAP	MG/KG:	16		12		12	U	18		13		38	:
SMO8 CHROMIUM	BY ICAP	MG/KG:	15		13		9.6		16		8.7		3.2	U
SMO9 COPPER	BY ICAP	MG/KG	21	J	: 17	J	8.9	J	7.7	U	:12	J	550	J :
SM10 IRON	BY ICAP	MG/KG:	19000		16000		11000		14000		14000		45000	:
SM11 MANGANESE	BY ICAP	MG/KG	1400		1800		290		2100		1700		5400	
SM12 MOLYBDENUM	BY ICAP	MG/KG	N/A	0	: N/A	ō	N/A	0	N/A	0	N/A	0	:N/A	0
SM13 NICKEL	BY ICAP	MG/KG	8.8	U	: 15		9.2	U	:12	U	:9.6		36	:
SM14 LEAD	BY ICAP	MG/KG:	650		190		99		130		1300		2500	
SM15 ANTIMONY	BY ICAP	:MG/KG:	13	U	13	U	: 14	U	18	U	14	U	: 15	U
SM16 SELENTUM	BY ICAP	MG/r.G.	i. i	Ü	:1.1	U	:1.2	U	1.5	· U	1.1	Ū	:1.2	U
5M17 TITANIUM	By ICAP .	MG/KG:	N/A	o Î	:N/A	0	: N/A	0	:N/A	0	N/A	0	:N/A	0
SM18 THALLIUM	BY ICAP	MG/KG	2.2	U	2.1	U	2.3	U	3.1	U	2.3	U	2.4	U :
SM19 VANADIUM	BY ICAP	MG/KG:	26		25		18		30		20		12	U
SM20 ZINC	BY ICAP	MG/KG:	13000	J	140	J	98	J	53	J	1100	J	630	J
SM21 CALCIUM	BY ICAP	MG/KG:	29000		5600		4100		5300		: 34000		210000	
SM22 MAGNESIUM	BY ICAP	MG/KG:	15000		: 3000		2200		3200		18000		110000	
SM23 SODIUM	BY ICAP	MG/KG:	1100	U	: 1100	U	1200	U	1500	U	1100	U	1200	U
SM24 POTASSIUM	BY ICAP	MG/KG:	1100	U	: 1100		1200	U	1500	U	1100	U	1200	U :
ZZO1 SAMPLE NUMBER		NA .	022		:023		024		025		026	<b></b>	:027	·:
ZZO2 ACTIVITY CODE		: NA	CSXCR		: CSXCR		CSXCR	<b></b>	: CSXCR		: CSXCR		CSXCR	 :

	COMPOUND	UNITS 027L		027R		0275		028		029		030	
SMO1 SILVER	BY ICAP	:MG/KG:2.4	<u>-</u>	12		:16		2.1	<del>-</del> -	2 3		2.3	: U
SMO2 ALUMINUM	BY ICAP	MG/KG:910		N/A	0	N/A	0	590		750		9600	
SMO3 ARSENIC	BY ICAP	MG/KG:11		9.7		: 22	J	2.1	U	7.0	 J	7.6	J
SMO4 BARIUM	BY ICAP	MG/KG: 48	U	480		460	<b></b>	42	U	46	U	240	
SMO5 BERYLLIUM	BY ICAP	.MG/KG: 1.2	U	12		11		1.0	U	:1.1	U	1.1	บ
SMOG CADMIUM	BY ICAP	MG/KG:9.9		12		23		10		11		7.9	
SMO7 COBALT	BY ICAP	MG/KG:37		120		:140		10	U	:11	U	23	
SMO8 CHROMIUM	BY ICAP	MG/KG:2 4	U	49		44		2.7	U	3.5	U	14	
SMO9 COPPER	BY ICAP	MG/KG:530	J	61		420	J	8.1	J	5.7	U	28	J
SM10 IRON	BY ICAP	MG/KG: 44000		N/A	0	N/A	0	25000		26000		19000	
SM11 MANGANESE	BY ICAP	:MG/KG:5300		120		5400		3700		3700	- <b>-</b>	3100	
SM12 MOLYBDENUM	BY ICAP	:MG/KG:N/A	0	N/A	0	N/A	0	:N/A	0	N/A	0	N/A	0
SM13 NICKEL	BY ICAP	MG/KG:39		120		140		9.5		9.1	υ	21	
SM14 LEAD	BY ICAP	MG/KG:2300		120		2300		1600		910		2200	
SM15 ANTIMONY	BY ICAP	MG/KG 21	· U	120		110		12	U	14	υ	14	U
SM16 SELENIUM	BY ICAD .	.MG/FG.7.3	Ü	2 4		2.7		1.0	U	1.1	U	1 1	U
SM17 TITANIUM	By ICAP	:MG/FG:N/A	0	N/A	0	:N/A	0	: N/A	0	N/A	0	: N/A	0
SM18 THALLIUM	BY ICAP	:MG/KG:2-4	U	12		12		2.1	U	2.3	U	2 3	U
SM19 VANADIUM	BY ICAP	MG/KG:12	U	120		120		10	U	11	U	: 30	
SM20 ZINC	BY ICAP	MG/KG:520	J	120		670	J	510	J	510	<b>_</b> J	430	J
SM21 CALCIUM	BY ICAP	MG/KG 200000		:N/A	0	N/A	0	150000		170000		8600	
SM22 MAGNESIUM	BY ICAP	MG/KG:170000		:N/A	0	N/A	0	81000		90000		4500	
SM23 SODIUM	BY ICAP	MG/KG:1200	U	:N/A	0	:N/A	0	1000	U	1100	U	1100	U
SM24 POTASSIUM	BY ICAP	MG/KG: 1200	U	N/A	0	N/A	0	1000	U	1100	U	1200	
ZZO1 SAMPLE NUMBER		NA :027		027		027		028		029		: 030	
ZZO2 ACTIVITY CODE		NA CSXCR		CSXCR		CSXCR		CSXCR	- <b></b> -	CSXCR		CSXCR	

	COMPOUND	UNITS	100		101		102		103		104		105	
SMO1 SILVER	BY ICAP	:MG/KG	2.2	U	2.3	 U	11		2.6	<del>-</del> -	12		2.2	U :
SMO2 ALUMINUM	BY ICAP	:MG/KG	2800		2400		1300		1900		1200		1300	:
SMO3 ARSENIC	BY ICAP	MG/KG	4.4	J	5.5	J	2.5	U	30	J	2.2	U	:6.2	J :
SMO4 BARIUM	BY ICAP	MG/KG	45	U	49	<b></b>	: 49	U	56		44	U	: 45	U
SMO5 BERYLLIUM	BY ICAP	MG/KG	1.1	U	1.1	U	1.2	U	1.3	U	1.1	U	1.1	U :
SMOG CADMIUM	BY ICAP	MG/KG	1.1	U	:1.1	IJ	: 140		46		: 130		21	
SMO7 COBALT	BY ICAP	MG/KG	11	υ	11	U	: 12	U	:13	U	11	U	11	U
SMO8 CHROMIUM	BY ICAP	MG/KG	11	_	16		3.7	U	13		5.2	U	6.2	U
SMO9 COPPER	BY ICAP	:MG/KG	5.6	U	5.7	U	12	J	:6.6	U	6.7	J	35	J
SM10 IRON	BY ICAP	MG/KG	7400		12000		22000		17000		25000		22000	
SM11 MANGANESE	BY ICAP	MG/KG	400		480		3600		1300		3400		3000	
SM12 MOLYBDENUM	BY ICAP	:MG/KG	N/A	0	: N/A	0	:N/A	0	N/A	0	N/A	0	N/A	0
SM13 NICKEL	BY ICAP	:MG/KG	9.0	U	9.1	U	9.8	U	10	U	8.9	U	10	:
SM14 LEAD	BY ICAP	MG/KG	1.1	U	1.4		10000		720		5500		1700	:
SM15 ANTIMONY	BY ICAP	MG/KG	13	U	14	U	15	U	16	U	. 13	U	: 13	U .
SM16 SELEMIUM	BY ICAP	MG/KG	1.1	ü	:1.1	U	1 2	υ	1.3	U	1 1	U	1.1	U .
SM17 TITANIUM	BY ICAP	MG/KG	N/A	0	N/A	0	N/A	0	:N/A	0	N/A	0	:N/A	0 .
SM18 THALLIUM	BY ICAP	MG/KG	2.2	U	2.3	U	2.5	U	2.6	U	2.2	U	2.2	U.
SM19 VANADIUM	BY ICAP	MG/KG	13		20		12	υ	21		11	U	11	U
SM20 ZINC	BY ICAP	MG/KG	21	J	53	J	6500	J	1900	J	6600	J	840	J .
SM21 CALCIUM	BY ICAP	MG/KG	3500		2300		190000		36000		140000		130000	
SM22 MAGNESIUM	BY ICAP	MG/KG	2100		1100	U	110000		20000		79000		72000	:
SM23 SODIUM	BY ICAP	MG/KG	1100	υ	1100	U	1200	U	1300	U	1100	U	1100	U :
SM24 POTASSIUM	BY ICAP	MG/KG	1100	U	1100	U	1200	υ	1300	U	1100	U	1100	U
ZZO1 SAMPLE NUMBER		NA :	100		101		102		103		104		105	
ZZO2 ACTIVITY CODE		NA :	CSXCR		CSXCR		CSXCR		CSXCR		CSXCR		CSXCR	

	COMPOUND	UNITS	106		107		108		109		110		111	
SMO1 SILVER	BY ICAP	MG/KG	3.1		:6.8		4.4		2.9		4.6	J	2.1	: U
SMO2 ALUMINUM	BY ICAP	MG/KG	1300		1200		940		1500		3260		6800	:
SMO3 ARSENIC	BY ICAP	MG/KG	8.3		9.0	J	2.2	υ	6.4	J	5.5		6.7	:
SMO4 BARIUM	BY ICAP	MG/KG	46	U	: 48	u	44	U	46	บ	:49	j	:99	J :
SMO5 BERYLLIUM	BY ICAP	:MG/KG	1.2	U	1.2	U	1 1	U	1.2	U	1.0	U	1.0	บ :
SMO6 CADMIUM	BY ICAP	MG/KG	42		88		59		:24		32		:6.3	:
SMO7 COBALT	BY ICAP	:MG/KG	12	U	:12	U	11	U	12	<b>-</b>	:52		: 10	
SMO8 CHROMIUM	BY ICAP	MG/KG	5.9	U	5.7	U	:4.7	U	7.2		5.7		9 9	:
SMO9 COPPER	BY ICAP	MG/KG	17	J	6.0	U	5.5	U	18	J	10	U	13	:
SM10 IRON	BY ICAP	MG/KG	18000		23000		21000		17000		16000		12000	:
SM11 MANGANESE	BY ICAP	MG/KG	2500		3300		3200		2700		3100	J	680	J :
SM12 MOLYBDENUM	BY ICAP	MG/KG	N/A	o	N/A	0	: N/A	0	N/A	0	N/A	Ç	N/A	0
SM13 NICKEL	BY ICAP	MG/KG	9.3	U	12		9.6		13		59		13	:
SM14 LEAD	BY ICAP	:MG/KG	1600		3600		1300		1300		540		350	:
SM15 ANTIMONY	BY ICAP	MG/KG	14	U	14	U	15	<b>-</b> -	:15	U	12	U	12	U :
SMIG SELENTUM	BY ICAP	MG/F.G.	1.2	ü	7.2	 U	11.1	U	1.2	U	1.5		:1.0	Ü.
SM17 TITANIUM	BY ICAP	:MG/KG:	N/A	0	:N/A	0	N/A	0	: N/A	0	N/A	0	:N/A	0
SM18 THALLIUM	BY ICAP	MG/KG	2.3		2.4	 U	2.2	U	2.3	υ	2.1	υ	2 1	U :
SM19 VANADIUM	BY ICAP	:MG/KG:	12	U	12	U	11	U	12	U	12		18	:
SM20 ZINC	BY ICAP	MG/KG	2200	J	4500		2600		1100	J	1900		400	:
SM21 CALCIUM	BY ICAP	MG/KG	130000		160000		150000		130000		85000		15000	:
SM22 MAGNES1UM	BY ICAP	.MG/KG	68000		92000		:86000		70000		43000		7800	:
SM23 SODIUM	BY ICAP	MG/KG	1200	U	1200	U	1100	U	1200	U	1000	U	1000	U .
SM24 POTASSIUM	BY ICAP	.MG/KG	1200	υ	1200	U	1100	U	1200	U	1000	U	: 1000	U
ZZO1 SAMPLE NUMBER		NA	106		107		108		109		110		111	:
ZZO2 ACTIVITY CODE		NA .	CSXCR	<b></b>	CSXCR		CSXCR		CSXCR		CSXCR		CSXCR	

COMPOUND	UNITS	120	200		201		202		203		204	
WF10 CONDUCTIVITY (FIELD)	: UMHOS :		170		170		: 550		200		: 290	
WMO1 SILVER BY ICAP	UG/L		10	U	10	υ	10	U	10	U	10	U
WMO2 ALUMINUM BY ICAP	UG/L		200	Ū	280	U	200	υ υ	380	υ	350	U .
WMO3 ARSENIC BY ICAP	UG/L		10	U	:10	U	10	<u>ს</u>	10	U	:10	บ
WMO4 BARIUM BY ICAP	UG/L		200	U	200	Ū	200	U	200	U	200	บ
WMO5 BERYLLIUM BY ICAP	UG/L		5.0	U	5.0	U	5.0	U	5.0	U	:5.0	υ
WMO6 CADMIUM BY ICAP	:UG/L :		5.0	U	5.0	U	5.2	U	5.0	U	:5.0	υ
WMO7 COBALT BY ICAP	UG/L		50	บ	50	U	50	U	50	υ	50	υ
WMO8 CHROMIUM BY ICAP	UG/L		10	U	:10	U	10	U	10	U	10	U
WMO9 COPPER BY ICAP	UG/L		25	U	25	<b>-</b>	25	U	25	U	: 25	U .
WM10 IRON BY ICAP	UG/L		260		:360		280		550	<b>-</b> -	530	
WM11 MANGANESE BY ICAP	UG/L		59		54		300		75		:89	
WM12 MOLYBDENUM BY ICAP	UG/L		N/A	0	N/A	0	N/A	0	N/A	0	N/A	0
WM13 NICKEL BY ICAP	UG/L		40	U	40	U	40	U	40	U	40	U
WM14 LEAD BY ICAP	UG/L	-	3.0	U	3.0	U	.61		15		37	
WM15 ANTIMONY BY ICAP	. UG/L .		:6Û	υ	.60	U	60	U	60	U	:60	U
WM16 SELENIUM BY ICAP	:UG/L		5.0	U	:5.0	U	5.0	U	5.0	U	5.0	U
WM17 TITANIUM BY ICAP	UG/L		N/A	0	:N/A	0	N/A	0	N/A	0	N/A	0
WM18 THALLIUM BY ICAP	UG/L		10	U	10	U	10	U	10	U	10	U
WM19 VANADIUM BY ICAP	UG/L		50	U	50	U	50	U	50	υ	:50	U
WM20 ZINC BY ICAP	:UG/L		20	U	74		1300		44		81	
WM21 CALCIUM. TOTAL BY ICAP	MG/L		31		30		130	<b>-</b> -	33		41	
WM22 MAGNESIUM, TOTAL BY ICAP	MG/L		18		. 18		51		18		23	
WM23 SODIUM. TOTAL BY ICAP	MG/L		5.0	U	5 0	U	5.3		5.0	U	5.0	U .
WM24 POTASSIUM, TOTAL BY ICAP	MG/L		5 0	U	5.0	U	5.0	U	:5 0	U	5.0	U
WM35 SILVER DISSOLVED BY ICAP	UG/L :		10	U	10	U	: 10	U	10	U	10	U

COMPO	JND		UNITS	120	200		201		202		203		204	
WM36 ALUMINUM.DISSOLVED	ВY	ICAP	:UG/L	:	200	υ	:200	υ υ	200	 υ	200	υ	: 200	υ
WM37 ARSENIC DISSOLVED	ВУ	ICAP	UG/L		10	U	: 10	U	10	υ	10	U	: 10	υ
WM38 BARIUM DISSOLVED	ВУ	ICAP	:UG/L	:	200	U	200	 U	:200	U	200	U	200	U
WM39 BERYLLIUM.DISSOLVED	ВУ	ICAP	.UG/L	:	5.0	U	5 0	U	:5 0	U	:5.0	U	5.0	U
WM40 CADMIUM.DISSOLVED	ВУ	ICAP	UG/L	:	5.0	U	5 0	U	:5.0	U	:5.0	U	5.0	U
WM41 COBALT.DISSOLVED	ВΥ	ICAP	UG/L		50	U	:50	U	:50	U	:50	U	50	U
WM42 CHROMIUM, DISSOLVED	ВУ	ICAP	:UG/L	:	10	U	:10	u	:10	U	:10	U	:10	U
WM43 COPPER.DISSOLVED	ВУ	ICAP	:UG/L	:	25	υ	25	υ	: 25	U	: 25	U	: 25	U
WM44 IRON, DISSOLVED	ВΥ	ICAP	.UG/L	:	100	บ	:100	ี บ	100	U	:100	บ	100	υ
WM45 MANGANESE . DISSOLVED	ВУ	ICAP	UG/L	:	: 15	U	20		210		:21		: 35	
WM46 MOLYBDENUM.DISSOLVED	ВΥ	ICAP	: UG/L	:	: N/A	0	. N/A	0	: : N/A	0	:N/A	0	.N/A	0
WM47 NICKEL DISSOLVED	ВҮ	ICAP	:UG/L		40	U	: 40	U	: 40	U	40	U	40	U
WM48 LEAD, DISSOLVED	ВУ	ICAP	:UG/L	:	:3.0	U	3.0	 U	23		3.0	U	:3.3	U
WM49 ANTIMONY, DISSOLVED	ВУ	ICAP	:UG/L	:	60	U	60	บ	:60	U	:60	U	:60	U
WM50 SELENIUM.DISSOLVED	BY	ICAP	ug/t		:5.0	U	5.0	บ	:5.0	υ	5.0	U	:5.0	U
WM51 [[[ANIUM.DISSOLVED	BY	ICAP	. UG/L		: N/A	Ü	.N/A	υ	:N/A	0	:N/A	0	:N/A	0
WM52 THALLIUM, DISSOLVED	Ву	ILAP	:UG/L		10	U	10	u <sup>.</sup>	: 10	U	10	U	:10	U
WM53 VANADIUM.DISSOLVED	BY	ICAP	UG/L	:	50	U	:50	<b>-</b>	50	U	:50	U	50	U
WM54 ZINC.DISSOLVED	ВУ	ICAP	UG/L	:	: 20	U	20	 U	1200		: 20	υ	44	
WM55 CALCIUM, DISSOLVED	ВΥ	ICAP	MG/L	:	32		31	<b>-</b> -	130		: 35		:43	
WM56 MAGNESIUM DISSOLVED	ВЧ	ICAP	MG/L	:	: 19		:18		53		19		24	
WM57 SODIUM.DISSOLVED	ВҮ	ICAP	MG/L		5.0	U	:5.0	υ	:5.6		5.0	<b>-</b> -	5.0	U
WM58 POTASSIUM.DISSOLVED	ВУ	ICAP	.MG/L	:	:5.0	U	:5.0	U	:5.0	U	:5.0	U	:5.0	U
ZZO1 SAMPLE NUMBER		~~~~~	· <b></b> ΝΔ	: 120	: 200		: 201		202		:203		: 204	
ZZO2 ACTIVITY CODE			. NA	: CSXCR	: CSXCR		:CSXCR		: CSXCR		:CSXCR		CSXCR	

ANALYSIS REQUEST DETAIL REPORT

ACTIVITY: O-CSXCR

	COMPOUND	UNITS	205		206		207		208		208L	208R
WFO1 WATER TEMP		. , c	23		25		28		29	:-		
WFO5 PH. FIELD		SU	7.63		7.42		7.33		7.44	:-		
WF10 CONDUCTIVITY	(FIELD)	UMHOS	280		260		380		: 360	:		:
WMO1 SILVER	BY ICAP	UG/L	10	U	10	U	10	υ	10	U		·
WMO2 ALUMINUM	BY ICAP	UG/L	220	U	240	U	200	υ	240	U		:
WMO3 ARSENIC	BY ICAP	UG/L	: 10	U	10	U	10	U	: 10	U		;
WMO4 BARIUM	BY ICAP	UG/L	200	U	200	U	200	U	200	υ :		
WMO5 BERYLLIUM	BY ICAP	UG/L	5.0	U	5.0	U	5.0	บ	5.0	U		:
WMO6 CADMIUM	BY ICAP	UG/L	5.0	<u>-</u> -	5.0	U	:5.0	U	:5.0	U		:
WMO7 COBALT	BY ICAP	UG/L	50	U	50	U	50	U	50	U		
WMO8 CHROMIUM	BY ICAP	: UG/L	10	U	10	U	10	U	. 10	U		:
WMO9 COPPER	BY ICAP	: UG/L	25	U	25	U	25	U	: 25	U:		:
WM10 IRON	BY ICAP	UG/L	.330		340		270		310	:		
WM11 MANGANESE	BY ICAP	UG/L	: 78		74		: 75		67			
WM12 MOLYBDENUM	BY ICAP	ne\r	N/A	0	N/A	0	N/A	0	N/A	0		:
WM13 NICHEL	BY ICAD	, UG/L	.40	ü	: 40	U	. 40	U	40	U :		
WM14 LEAD	By ICAP	UG/L	:29		32		: 34		: 33			. —
WM15 ANTIMONY	BY ICAP	UG/L	:60	U	60	Ü	:60	U	60	U :		
WM16 SELENIUM	BY ICAP	:UG/L	:5.0	U	5.0	U	5 0	υ	:5.0	U		
WM17 TITANIUM	BY ICAP	: UG/L	N/A	0	N/A	0	N/A	0	N/A	0		
WM18 THALLIUM	BY ICAP	UG/L	10	U	10	U	10	U	10	U :		
WM19 VANADIUM	BY ICAP	UG/L	50	U	50	U	:50	U	: 50	U :		
WM20 ZINC	BY ICAP	:UG/L	74		84	~	100		98	:-		
WM21 CALCIUM, TOTA	L BY ICAP	MG/L	: 41		42		42		42	:-		
WM22 MAGNESIUM, TO	TAL BY ICAP	:MG/L	23		24		24		23			
WM23 SODIUM. TOTAL	BY ICAP	MG/L	: : 5 . 0	U	:5.0	U	:5.0	บ	:5.0	υ : -		
	~~~~~~~~~~~~~~~		· ~									

COMPO	UND	UNITS	205		206		207		208		208L		208R	
WM24 POTASSIUM, TOTAL BY	ICAP	MG/L	:5.0	U	:5.0	 U	: : 5 . 0		5.0	U	:		:	: :
WM35 SILVER, DISSOLVED	BY ICAP	UG/L	: 10	U	:10	U	10	U	10	U	: 10	U	50	:
WM36 ALUMINUM.DISSOLVED	BY ICAP	UG/L	200	υ	200	U	200	U	200	U	200	U	2000	:
WM37 ARSENIC DISSOLVED	BY ICAP	UG/L	: 10	U	:10	υ	10	U	10	U	: 10	U	40	:
WM38 BARIUM DISSOLVED	BY ICAP	UG/L	: 200	U	200	U	200	U	200	υ	: 200	υ	2000	:
WM39 BERYLLIUM, DISSOLVED	BY ICAP	UG/L	5.0	υ	5.0	U	:5.0	U	5.0	ับ	5.0	U	50	:
WM40 CADMIUM.DISSOLVED	BY ICAP	UG/L	:5.0	U	:5.0	U	5.0	U	5.0	U	:5.0	U	50	:
WM41 COBALT, DISSOLVED	BY ICAP	UG/L	: 50	υ	:50	U	50	U	50	U	: 50	U	500	:
WM42 CHROMIUM.DISSOLVED	BY ICAP	UG/L	: 10	U	10	U	10	U	10	U	10	U	200	:
WM43 COPPER.DISSOLVED	BY ICAP	UG/L	: 25	U	: 25	υ	25	U	25	U	25	U	250	::
WM44 IRON.DISSOLVED	BY ICAP	· UG/L	. 1900		: 100	U	100	U	: 100	U	100	U	1000	:
WM45 MANGANESE , DISSOLVED	BY ICAP	UG/L	: 50		: 38		: 38		: 35		37		500	:
WM46 MOLYBDENUM, DISSOLVED	BY ICAP	UG/L	: N/A	0	:N/A	0	:N/A	0	:N/A	0	N/A	0	N/A	0 :
WM47 NICKEL DISSOLVED	BY ICAP	UG/L	: 40	U	:40	U	40	U	40	U	: 40	υ	500	:
WM48 LEAD.DISSOLVED	BY ICAP	UG/L	:3.0	U	:3.0	υ	3 9	U	4.0		3.7		20	:
WM49 ANTIMONY DISSOLVED	BY, ICAP	UG/L	. 60	Ü	:60	υ	60	 U	60	U	60	U	:500	:
WMSO SELENIUM, DISSOLVED	BY ILAP	UG/L	5.0	U	.5.0	υ	:5.0	U	5.0	U	5.0	U	10	- :
WM51 TITANIUM. DISSOLVED	BY ICAP	:UG/L	: N/A	0	:N/A	0	:N/A	0	N/A	0	N/A	0	: N/A	0
WM52 THALLIUM.DISSOLVED	BY ICAP	UG/L	10	U	:10	U	: 10	<b>-</b>	10	U	10	U	:50	:
WM53 VANADIUM.DISSOLVED	BY ICAP	:UG/L	: 50	υ	:50	υ	:50	U	50	U	50	U	500	:
WM54 ZINC.DISSOLVED	BY ICAP	UG/L	41		: 56		68		68		:69	_ ~	500	:
WM55 CALCIUM.DISSOLVED	BY ICAP	MG/L	43		:43		43		: 45		45		N/A	0 :
WM56 MAGNESIUM.DISSOLVED	BY ICAP	MG/L	. 24		24		: 24		25		25		N/A	0 :
WM57 SODIUM, DISSOLVED	BY ICAP	MG/L	5.0	U	5.0	U	5 0	U	5.0	U	5 0	U	N/A	0
WM58 POTASSIUM.DISSOLVED	BY ICAP	:MG/L	5.0	U	5 0	U	5.0	U	:5.0	U	5.0	U	N/A	0
ZZO1 SAMPLE NUMBER		NA .	205		206		207		208		: 208		208	

COMPO	UND	UNITS	2085	209		210		211		212	2120	
WM24 POTASSIUM, TOTAL BY	I CAP	:MG/L	:	:5.0	υ	:5.0	 U	: :5.0 U	-: :5.0	U	5 0	: U :
WM35 SILVER, DISSOLVED	BY ICAP	UG/L	: 55	10	U	10	U	10 U	:10	U	10	U
WM36 ALUMINUM, DISSOLVED	BY ICAP	:UG/L	2000	200	U	200	U	: 200 U	200	υ U	200	U :
WM37 ARSENIC DISSOLVED	BY ICAP	:UG/L	: 44	:10	U	: 10	U	: 10 U	:10	U	10	U :
WM38 BARIUM.DISSOLVED	BY ICAP	: UG/L	2100	200	U	200	Ū	200 U	: 200	U	200	U :
WM39 BERYLLIUM.DISSOLVED	BY ICAP	UG/L	47	:5.0	U	:5.0	U	:5.0 U	:5.0	U	5.0	U :
WM40 CADMIUM, DISSOLVED	BY ICAP	UG/L	58	:5.0	U	.5.0	Ü	:5.0 U	:5.0	U	:5.0	U :
WM41 COBALT.DISSOLVED	BY ICAP	UG/L	510	:50	U	:50	U	:50 U	:50	U	50	U :
WM42 CHROMIUM DISSOLVED	BY ICAP	UG/L	230	:10	U	10	U	: 10 U	:10	U	: 10	U
WM43 COPPER.DISSOLVED	BY ICAP	:UG/L	250	: 25	U	: 25	U	: 25 U	: 25	U	: 25	U :
WM44 IRON DISSOLVED	BY ICAP	UG/L	1200	100	U	.100	Ū-	: 100 U	:100	U	100	U
WM45 MANGANESE DISSOLVED	BY ICAP	: VG/L	:560	:39		230		: <b>58</b>	: 36		35	:
WM46 MOLYBDENUM, DISSOLVED	BY ICAP	UG/L	N/A 0	: N/A	0	: N/A	0	: N/A O	-: :N/A	0	N/A	0 :
WM47 NICKEL, DISSOLVED	BY ICAP	UG/L	550	: 40	U	40	U	40 U	: 40	U	: 40	:
WM48 LEAD.DISSOLVED	BY ICAP	UG/L	20	:4.5		3.0	U :	:3.0 U	:4.4		4.8	:
WM49 ANTIMONY, DISSOLVED	BY ICAP	UG/L	.510	6Û	υ	: 60	U	:60 U	:60	U	:60	υ:
WM50 SELENIUM, DISSOLVED	BY TUAP	:UG/L	:10	5.0	U	.5.0	U	5.0 U	:5.0	U	5.0	Ū:
WM51 TITANIUM.DISSOLVED	BY ICAP	UG/L	N/A O	:N/A	0	: N/A	0	N/A O	: N/A	0	:N/A	0
WM52 THALLIUM.DISSOLVED	BY ICAP	UG/L	: 56	10	U	10	U	: 10 U	:10	U	10	υ:
WM53 VANADIUM.DISSOLVED	BY ICAP	UG/L	510	50	U	50	U :	50 U	:50	U	50	: U :
WM54 ZINC.DISSOLVED	BY ICAP	UG/L	570	86		20	U .	34 U	100	,	:99	:
WM55 CALCIUM DISSOLVED	BY ICAP	:MG/L	N/A 0	47		: 98	:	43	:46		: 43	:
WM56 MAGNESIUM DISSOLVED	BY ICAP	MG/L	N/A O	27		:57	:	24	:26		24	:
WM57 SODIUM, DISSOLVED	BY ICAP	MG/L	N/A O	5.0	U	9 7	:	5.0 U	5 0	U	:5.0	U
WM58 POTASSIUM, DISSOLVED	BY ICAP	MG/L	N/A O	5.0	U	5.0	U	5.0 U	5.0	υ	:5.0	U
ZZO1 SAMPLE NUMBER		NA .	208	209		210	:	211	212		212	

COMPOUND	צדומט	205	206	207	208	208L	208R	
ZZOZ ACTIVITY CODE	: NA	CSXCR	CSXCR	:CSXCR	CSXCR	CSXCR	CSXCR	:

COMPOUND	UNITS	2085	209		210		211		212		2120	)
WFO1 WATER TEMP	, c		: 19		:18.5		26		25		:	·:
WFO5 PH. FIELD	SU		7.45		7.33		7.60		7.29		:	
WF10 CONDUCTIVITY (FIELD)	UMHOS		370		550		245		290		:	::
WMO1 SILVER BY ICAP	:UG/L		: 10	Ū	10	U	10	υ	10	U	:10	U .
WMO2 ALUMINUM BY ICAP	UG/L		250	U	200	U	250	บ	200	U	200	U :
WMO3 ARSENIC BY ICAP	UG/L :		10	U	10	U	: 10	U	10	υ	10	U
WMO4 BARIUM BY ICAP	UG/L :		200	U	200	U	200	U	200	υ	200	U :
WMOS BERYLLIUM BY ICAP	UG/L		5.0	U	5.0	U	5.0	U	5.0	บ	5.0	U :
WMO6 CADMIUM BY ICAP	UG/L		5.0	υ	5.0	U	5.0	U	:5.0	U	:5.0	U
WMO7 COBALT BY ICAP	UG/L		50	บ	50	U	50	U	50	U	:50	υ
WMO8 CHROMIUM BY ICAP	UG/L		10	บ	:10	U	10	U	10	U	: 10	Ü :
WMO9 COPPER BY ICAP	UG/L		25	U	25	U	25	U	25	U	: 25	U .
WM10 IRON BY ICAP	UG/L		320		:240		320		260		100	U :
WM11 MANGANESE BY ICAP	UG/L		62		280		81		57		60	:
WM12 MOLYBDENUM BY ICAP	UG/L		N/A	0	N/A	0	.N/A	0	:N/A	0	:N/A	0 .
WM13 NICKEL BY ICAR	. UG/L .			U	40	U	40	U	40	U	. 40	U :
WM14 LEAD BY ICAP	UG/L		31	·	6.0		:26		29		: 28	•
WM15 ANTIMONY BY ICAP	UG/L		:60	U	60	U	60	U	60	υ	60	U :
WM16 SELENIUM BY ICAP	UG/L		5.0	U	5.0	U	5.0	U	5.0	υ	5.0	U :
WM17 TITANIUM BY ICAP	UG/L		N/A	0	N/A	0	N/A	0	N/A	0	: N/A	0
WM18 THALLIUM BY ICAP	UG/L		:10	υ	:10	U	10	U	10	U	: 10	U
WM19 VANADIUM BY ICAP	:UG/L		50	บ	:50	U	50	U	50	U	:50	U
WM20 ZINC BY ICAP	UG/L		98		: 42		62		120		130	U .
WM21 CALCIUM. TOTAL BY ICAP	MG/L		12		92		40		43		46	
WM22 MAGNESIUM, TOTAL BY ICAP	MG/L		24		:53		: 23		24		26	
WM23 SODIUM. TOTAL BY ICAP	:MG/L		5.0	U	:8.9		.5.0	U	5.0	U	5 0	U

COMPOUND	UNITS	2085	209	210	211	212	2120	
ZZO2 ACTIVITY CODE		CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	:

	COMPOUND	UNITS	213		214		215		215L		215R		2159	5
WFO1 WATER TEMP		· C	26		23		23		:		:		:	
WFO5 PH, FIELD		:SU	7 . 55		7.31		8.0		:		:		:	
WF10 CONDUCTIVITY	(FIELD)	:UMHOS	290		350		:550		:		:		:	
WMO1 SILVER	BY ICAP	:UG/L	10	U	10	U	10	U	:10	U	:50		57	
WMO2 ALUMINUM	BY ICAP	: UG/L	220	U	200	υ	200	<b>-</b> -	200	U	2000		2100	
WMO3 ARSENIC	BY ICAP	UG/L	10	U	10	บ	10	U	:10	บ	40		40	
WMO4 BARIUM	BY ICAP	UG/L	200	U	200	ΰ	200	U	200	U	2000		2000	
WMO5 BERYLLIUM	BY ICAP	UG/L	5.0	บ	:5.0	U	:5.0	U	5.0	U	50		49	
WMO6 CADMIUM	BY ICAP	: UG/L	5.0	U	5.0	υ	5.0	U	5.0	U	50		54	
WMO7 COBALT	BY ICAP	UG/L	: 50	U	:50	υ	:50	U	50	U	500		480	
WMO8 CHROMIUM	BY ICAP	.UG/L	. 10	U	10	υ	10	U	: 10	U	200		190	
WMO9 COPPER	BY ICAP	:UG/L	: 25	U	25	υ	25	U	25	U	250		240	
WM10 IRON	BY ICAP	UG/L	260		18		100	U	. 170		1000		1100	
WM11 MANGANESE	BY ICAP	:UG/L	: 56		50		20		50		500		530	
WM12 MOLYBDENUM	BY ICAP	UG/L	N/A	0	:N/A	o	N/A	0	N/A	0	:N/A	0	N/A	0
MW13 MICKEL	BY ICAD	. VG/L	. 40	ü	:40	U	: 40	U	40	บ	500		:520	
WM14 LEAD	BY ICAP	:UG/L	30		27.	· ·- <u>-</u>	32		: 28		20		48	
WM15 ANTIMONY	BY ICAP	UG/L	60	υ	60	U	:60	U	60	บ	500		520	
WM16 SELENIUM	BY ICAP	UG/L	5.0	U	5.0	U	5 0	U	5.0	υ	10		8.6	
WM17 TITANIUM	BY ICAP	UG/L	N/A	0	:N/A	0	:N/A	0	N/A	0	N/A	0	N/A	0
WM18 THALLIUM	BY ICAP	UG/L	10	υ	10	U	10	U	10	U	:50		50	
WM19 VANADIUM	BY ICAP	UG/L	50	υ	50	Ū	50	U	50	บ	500		480	
WM20 ZINC	BY ICAP	.UG/L	130		150		120		150		500		640	
WM21 CALCIUM. TOTA	L BY ICAP	MG/L	: 43		48		86		48		N/A	0	: N/A	0
WM22 MAGNESIUM, TO	TAL BY ICAP	:MG/L	24		27		: 46		27000		N/A	0	: N/A	0
WM23 SODIUM. TOTAL	BY ICAP -	MG/L	5.0	υ	5.0	U	22		5.0	U	:N/A	0	N/A	0

COMPO	UND	UNITS	213		214		215		215L	215R		2155	
WM24 POTASSIUM, TOTAL BY	ICAP	:MG/L	5.0	<u>-</u> -	5.0	<del>-</del>	5.0	 U	:5.0 U	:N/A (	- : - O : N	V/A	ō
WM35 SILVER DISSOLVED	BY ICAP	UG/L	10	υ	10	U	10	Ū	:	:	:-		
WM36 ALUMINUM, DISSOLVED	BY ICAP	UG/L	200	U	200	บ	200	υ	:	:	:-		
WM37 ARSENIC.DISSOLVED	BY ICAP	:UG/L	: 10	U	:10	U	10	U	:	:	:-		
WM38 BARIUM.DISSOLVED	BY ICAP	UG/L	200	U	200	υ	200	U	:	:	:-		
WM39 BERYLLIUM.DISSOLVED	BY ICAP	UG/L	5.0	U	5.0	U	5.0	U	:	:			
WM40 CADMIUM, DISSOLVED	BY ICAP	UG/L	:5.0	U	5.0	U	5.0	U	:		:		
WM41 COBALT.DISSOLVED	BY ICAP	UG/L	50	U	50	U	50	υ	:	:	:-		
WM42 CHROMIUM.DISSOLVED	BY ICAP	UG/L	10	U	10	U	:10	U	:	:	:-		
WM43 COPPER.DISSOLVED	BY ICAP	UG/L	25	บ	25	υ	: 25	U	:	:	:-		
WM44 IRON.DISSOLVED	BY ICAP	UG/L	100	U	100	U	100	ับ	:				
WM45 MANGANESE.DISSOLVED	BY ICAP	UG/L	: 35		34		15	U	:	:	- : -		
WM46 MOLYBDENUM.DISSOLVED	BY ICAP	UG/L	N/A	0	N/A	0	: N/A	0	:	:	:-		
WM47 NICKEL DISSOLVED	BY ICAP	UG/L	40	U	: 40	U	40	U	:	: _			
WM48 LEAD.DISSOLVED	BY ICAP	UG/L	5.4	_	5.7		16			:	:		
WMAG ANTIMONY DISSOLVED	BY ICAP	UG/L	. 60	ü	ΰŪ	U	:60	U	:		:		
WMSO SELENIUM.DISSOLVED	BY ILAP	. VG/L	:5.0	U	:5.0	U	5.0	U		:			
WM51 TITANIUM.DISSOLVED	BY ICAP	UG/L	N/A	0	N/A	0	:N/A	0	:	:			
WM52 THALLIUM, DISSOLVED	BY ICAP	UG/L	: 10	U	10	U	: 10	U	:				
WM53 VANADIUM.DISSOLVED	BY ICAP	UG/L	50	υ	50	บ	50	U	:	:			
WM54 ZINC.DISSOLVED	BY ICAP	:UG/L	110		130		: 130	<b>-</b>	:	:		·	
WM55 CALCIUM.DISSOLVED	BY ICAP	MG/L	47		50		93			:	; `		
WM56 MAGNESIUM.DISSOLVED	BY ICAP	MG/L	. 26		28		50		:		- : -		
WM57 SODIUM.DISSOLVED	BY ICAP	MG/L	5.0	U	:5.0	U	23		:				
WM58 POTASSIUM.DISSOLVED	BY ICAP	MG/L	5.0	υ	5.0	U	5.0	U	:	: :	- : ·		
ZZO1 SAMPLE NUMBER		NA NA	213		214		215		:215	215	- 2	215	

	COMPOUND	UNITS	112		112D		113	114		115		116	
SMO1 SILVER	BY ICAP	:MG/KG	4.2	Ū	: 13	 ງ	:2.5 U	2.9	U	5 6	<b>-</b>	: 2.3	U :
SMO2 ALUMINUM	BY ICAP	:MG/KG	1600		: 1800		2000	:1800		1300		2000	:
SMO3 ARSENIC	BY ICAP	MG/KG	11		6.4		: 18	:7.9		: 21		7.1	:
SMO4 BARIUM	BY ICAP	MG/KG	50	U	: 49 U	U	:49 U	46	U	:63	J	46	U :
SMO5 BERYLLIUM	BY ICAP	MG/KG	1.3	U_	1.2 U	U	1.2 U	:1.2	U	:1.5		:1.2	U :
SMO6 CADMIUM	BY ICAP	MG/KG	63		120		16	28		: 18		14	:
SMO7 COBALT	BY ICAP	MG/KG	13	Ū	. 12 U	Ų –	12 U	:12	U	: 16		12	
SMO8 CHROMIUM	BY ICAP	MG/KG	7.7		4.4		7 9	:18		2.9		6.4	
SMO9 COPPER	BY ICAP	MG/KG	6.7	U	7.1 L	U	6.2 U	:6.7	U	. 25		15	
SM10 IRON	BY ICAP	MG/KG	25000	- <b>-</b>	29000		23000	26000		39000		26000	
SM11 MANGANESE	BY ICAP	MG/KG	3300	J	3300	J	3100 J	3100	J	5500	J	3200	J
SM12 MOLYBDENUM	BY ICAP	MG/KG	N/A	ō	N/A C	5	N/A O	:N/A	0	N/A	0	: N/A	0
SM13 NICKEL	BY ICAP	MG/KG	12		9.8	U	12	11		. 18		. 13	
SM14 LEAD	BY ICAP	MG/KG	3100		3400		2500	3800		3500		1200	:
SM15 ANTIMONY	BY ICAP	MG/KG	15	υ	: 15	U	15 U	14	U	. 15	U	. 14	U
SM16 SELENTUM	By ICAP	MG/KG	.1.3	ü	: i . Ż U	U	:1.2	1.2	U	1.3	U	:1 2	U :
SM17 TITANIUM	By ICAP	:MG/KG	N/A	0	: N/A C	5	N/A O	: N/A	0	N/A	0	:N/A	0
SM18 THALLIUM	BY ICAP	MG/KG	2.5	Ū	2.4	U	2.5 U	2 3	U	2.5	U	2.3	U
SM19 VANADIUM	BY ICAP	:MG/KG	15		17		12	17	_	: 13	U	: 16	
SM20 ZINC	BY ICAP	MG/KG	3300		6700		810	: 1800	<b>-</b>	970		1000	
SM21 CALCIUM	BY ICAP	MG/KG	160000		150000		160000	: 150000		180000		140000	:
SM22 MAGNESIUM	BY ICAP	MG/KG	87000		86000		87000	88000		100000		76000	
SM23 SODIUM	BY ICAP	:MG/KG	1300	U	1200 U	J	1200 U	1200	U	1300	U	1200	Ū.
SM24 POTASSIUM	BY ICAP	MG/KG	1300	Ū	1200 U	J	1200 U	1200	υ	1300	U	1200	U
ZZO1 SAMPLE NUMBER		. NA	112		112		: 113	:114		115		116	:
ZZO2 ACTIVITY CODE		NA	CSXCR		CSXCR		CSXCR	CSXCR		CSXCR		CSXCR	:
		·											

	COMPOUND	UNITS	117		118		118L		118R		1185		119	
SMO1 SILVER	BY ICAP	:MG/KG	5.1		2.1	- <b>-</b>	:4.5	<u>-</u> -	10		: 13		2.1	บ
SMO2 ALUMINUM	BY ICAP	MG/KG	700		830		660		N/A	0	:N/A	0	1200	:
SMO3 ARSENIC	BY ICAP	MG/KG	. 11		2.2	U	2.2	U	8 2		9.0		:5.5	J :
SMO4 BARIUM	BY ICAP	MG/KG	48	υ	110	J	41	υ	410		640		42	U :
SMOS BERYLLIUM	BY ICAP	MG/KG	1.4	U	1.0	U	1 3	U	10		:11		1.1	U :
SMO6 CADMIUM	BY ICAP	MG/KG	37		1.0	υ	4.0	U	: 10		12		6.1	:
SMO7 COBALT	BY ICAP	MG/KG	44		10	U	3.1		100		120		11	U :
SMO8 CHROMIUM	BY ICAP	MG/KG	. 2 . 8		4.4		:4.7		41		: 47		4.7	:
SMO9 COPPER	BY ICAP	MG/KG	320		5.2	U	:12	U	51		: 56		8.2	Ū
SM10 IRON	BY ICAP	MG/KG	47000		6200		4700		N/A	0	N/A	0	15000	:
SM11 MANGANESE	BY ICAP	MG/KG	5300	J	900	J	220		100		1500		. 1700	J
SM12 MOLYBDENUM	BY ICAP	MG/KG	N/A	0	N/A	0	N/A	0	N/A	0	N/A	0	N/A	0
SM13 NICKEL	BY ICAP	MG/KG	58		5.8		8 2	U	100		120		13	:
SM14 LEAD	BY ICAP	MG/KG	8700		4.4		17	υ	100		120		610	:
SM15 ANTIMONY	BY ICAP	MG/KG	15	U	12	U	12	U	100		98		: 13	U :
SM16 SELENIUM	BY ICAP	MG/KG	. 7 . 2		: i . Ü	U	: 1 0	U	2.1		2.2		:1.1	υ.
SM17 TITANIUM	BY ICAP	MG/KG	N/A	0	:N/A	0	:N/A	o	: N/A	0	. N/A	0	:N/A	0 .
SM18 THALLIUM	BY ICAP	MG/KG	2.4	U	2.1	U	2.1	U	.10		9.4		2.1	υ :
SM19 VANADIUM	BY ICAP	MG/KG	12	U	10	U	10	U	100		120		11	:
SM20 ZINC	BY ICAP	MG/KG	1500		7.7	υ	14	υ	100		120		370	:
SM21 CALCIUM	BY ICAP	MG/KG	210000		1500		1000	υ	N/A	0	N/A	0	59000	:
SM22 MAGNESIUM	BY ICAP	MG/KG	110000	<b>-</b>	1000	U	1000	U	N/A	0	N/A	0	31000	:
SM23 SODIUM	BY ICAP	MG/KG	1200	υ	1000	U	1000	U	:N/A	0	: N/A	0	1100	U
SM24 POTASSIUM	BY ICAP	MG/KG	1200	U	1000	U	1000	U	: N/A	0	. N/A	0	1100	U
2201 SAMPLE NUMBER		:NA	: 117		118	<b>-</b>	118		. 118		118		119	::
ZZO2 ACTIVITY CODE		NΔ	CSXCR		CSXCR		CSXCR		CSXCR		CSXCR		CSXCR	: :

	COMPOUND	UNITS 120	)	200	201	202	203	204
SMO1 SILVER	BY ICAP	:MG/KG:2.2	U	: <del></del>	:	:	:	:
SMO2 ALUMINUM	BY ICAP	:MG/KG:930		:	:	:	· :	:
SMO3 ARSENIC	BY ICAP	MG/KG: 4.5	υ		:	:	: :	: :
SMO4 BARIUM	BY ICAP	MG/KG: 43	U		:	:	:	:
SMOS BERYLLIUM	BY ICAP	:MG/KG: 1.1	U		:	:	· :	:
SMOG CADMIUM	BY ICAP	MG/KG:3.7	U			:		:
SMO7 COBALT	BY ICAP	:MG/KG:1.1	υ			· · · · · · · · · · · · · · · · · · ·	:	
SMO8 CHROMIUM	BY ICAP	MG/KG 3.1			: :		:	:
SMO9 COPPER	BY ICAP	:MG/KG <sup>:</sup> 8.5	U		:			:
SM10 IRON	BY ICAP	:MG/KG:15000			;		:	
SM11 MANGANESE	BY ICAP	:MG/KG:1800	J		:	:		:
SM12 MOLYBDENUM	BY ICAP	:MG/KG:N/A	0		:		:	; <del></del>
SM13 NICKEL	BY ICAP	:MG/KG:8.6	U				:	
SM14 LEAD	BY ICAP	MG/KG:680			:	:		
SM15 ANTIMONY	BY 1CAP	MG/FG 13	U			:		
SM16 SELENIUM	BY ICAP	MG/KG.1.1	Ü		· · · · · · · · · · · · · · · · · · ·	:		:
SM17 TITANIUM	By ICAP	:MG/KG:N/A	0	·	:			
SM18 THALLIUM	BY ICAP	MG/KG: 2.2	U				:	
SM19 VANADIUM	BY ICAP	:MG/KG:11	U				· · · · · · · · · · · · · · · · · · ·	
SM20 ZINC	BY ICAP	MG/KG: 290						
SM21 CALCIUM	BY ICAP	MG/KG:66000			:			:
SM22 MAGNESIUM	BY ICAP	:MG/KG:35500					· · · · · · · · · · · · · · · · · · ·	:
SM23 SODIUM	BY ICAP	MG/KG 1100	U		:			
SM24 POTASSIUM	BY ICAP	MG/KG:1100	U :			:	: :	
WFO1 WATER TEMP		: ′C		24	:27	:26	: 25	23
WFO5 PH, FIELD		SU	:	6.96	. 7 . 23	7.20	7.48	7.27

COMPOUND	UNITS	213	214	215	215L	215R	2155
ZZO2 ACTIVITY CODE	NA	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR

	COMPOUND	UNITS	216		217		218		219		219L		2196	R
WFO1 WATER TEMP		; ,c	27	- <b></b> -	23		:27		25		:		:	
WF05 PH, FIELD		Su	7.26		7 58		7.34		7.46		: - <b></b>		:	
WF10 CONDUCTIVITY	(FIELD)	UMHOS	348		650		205		315		;		: - <b>-</b>	
WMO1 SILVER	BY ICAP	UG/L	10	U	10	U	:10	บ	10	υ	: N/A	0	:N/A	0
WMO2 ALUMINUM	8Y ICAP	UG/L	220	บ	200	U	360	U	200	U	N/A	0	:N/A	0
WMO3 ARSENIC	BY ICAP	UG/L	10	U	:10	U	10	บ	10	U	: 10	U	:40	
WMO4 BARIUM	BY ICAP	UG/L	200	U	200	υ	200	U	200	U	N/A	0	:N/A	0
WMO5 BERYLLIUM	BY ICAP	UG/L	5.0	U	:5.0	U	5.0	U	5.0	U	N/A	0	:N/A	0
WMO6 CADMIUM	BY ICAP	UG/L	5.0	U	:5.0	U	:5.0	U	5.0	U	N/A	0	:N/A	0
WMO7 COBALT	BY ICAP	:UG/L	50	บ	:50	υ	.50	U	50	U	: N/A	0	:N/A	0
WMO8 CHROMIUM	BY ICAP	:UG/L	10	U	12	U	:10	U	10	U	: N/A	0	·N/A	0
WMO9 COPPER	BY ICAP	UG/L	25	U	25	U	25	U	25	บ	N/A	0	:N/A	0
WM10 IRON	BY ICAP	UG/L	290		770		450		160		: N/A	0	:N/A	0
WM11 MANGANESE	BY ICAP	UG/L	62		17		73		61		N/A	0	:N/A	0
WM12 MOLYBDENUM	BY ICAP	UG/L	N/A	0	N/A	0	:N/A	0	N/A	0	N/A	0	:N/A	0
MWIT WILLEFF	BY TOAD	. UG/L	. 40	Ü	40	U	: 40	U	40	U	N/A	0	: N/A	0
WM14 (FAD)	BY ICAP	:UG/L	49	· <del>-</del>	. 22	·· · · <del>-</del>	3.0	Ü	: 26	J J	28		20	
WM15 ANTIMONY	BY ICAP	UG/L	60	U	:60	U	60	υ	60	U	: N/A	0	N/A	0
WM16 SELENIUM	BY ICAP	UG/L	5.0	U	5.0	U	5.0	U	5.0	U	5.0	U	10	
WM17 TITANIUM	BY ICAP	UG/L	N/A	0	N/A	0	: N/A	0	N/A	0	: N/A	0	:N/A	0
WM18 THALLIUM	BY ICAP	UG/L	10	U	10	บ	10	υ	10	 U	10	U	50	
WM19 VANADIUM	BY ICAP	UG/L	50	U	:50	 U	:50	U	50		: N/A	o	: N/A	0
WM20 ZINC	BY ICAP	UG/L	130	<b>-</b>	:34	U	20	U	:91		: N/A	0	N/A	0
WM21 CALCIUM, TOTA	AL BY ICAP	MG/L	50		71		34		:51		: N/A	o	:N/A	0
WM22 MAGNESIUM, TO	OTAL BY ICAP	:MG/L	27		44		15		: 28		: N/A	0	: N/A	0
WM23 SODIUM. TOTAL	. BY ICAP	:MG/L	5.3		71		5.0	U	: :5.8		: : N/A	0	: N/A	0

COMPOUND	UNITS	216	217		218		219	219L		219R	
WM24 POTASSIUM, TOTAL BY ICAP	:MG/L	5.0	14		5.0	υ	: :5.0 ປ	N/A	0	: : N/A	0 :
WM35 SILVER, DISSOLVED BY ICA	DG/L	10	J 10	U	10	U	: 10 U	-: <b></b>		:	:
WM36 ALUMINUM.DISSOLVED BY ICA	P UG/L	200	200	U	200	U	200 U	-:		:	:
WM37 ARSENIC.DISSOLVED BY ICA	P UG/L	10	J : 10	U	10	U	:10 U	:		:	;
WM38 BARIUM.DISSOLVED BY ICA	DG/L	200	J 200	U	200	U	. 200 U			: :	:
WM39 BERYLLIUM.DISSOLVED BY ICAN	> :UG/L	5.0	5.0	U	5.0	U	;5.0 U	:		:	:
WM40 CADMIUM.DISSOLVED BY ICA	P UG/L	5.0	J :5.0	U	5.0	U	5.0 U	_			
WM41 COBALT DISSOLVED BY 1CA	P UG/L	: 50	J :50	U	:50	U	:50 U	-; -:			
WM42 CHROMIUM.DISSOLVED BY ICA	P UG/L	10	J : 18	U	10	U	:10 U	-		:	
WM43 COPPER.DISSOLVED BY ICA	P UG/L	25	J ∶25	U	25	U	: 25 U	:		:	:
WM44 IRON.DISSOLVED BY ICA	: UG/L	100	J 100	U	100	U	: 100 U			;	:
WM45 MANGANESE, DISSOLVED BY ICA	P UG/L	44	: 15	υ	: 35		: 36	-,		:	
WM46 MOLYBDENUM, DISSOLVED BY ICA	DG/L	N/A (	N/A	0	N/A	0	N/A C	<del></del> -   :		:	
WM47 NICKEL, DISSOLVED BY ICA	P ∃UG/L	40	J : 40	U	40	U	40 U	-, <b></b> -		:	
WM48 LEAD.DISSOLVED BY ICAN	9 UG/L	9.5	11		3 0	U	. 8.2 J	-, :			
WM49 ANTIMONY DISSOLVED BY ICAN	UG/L	.60 i	:60	υ	60	υ	:60 ย	;		:	:
WMSO SELENIUM, DISSOLVED BY ICA	: UG/L	5.0	5.0	U	5.0	U	:5.0 U				:
WM51 TITANIUM.DISSOLVED BY ICA	DG/L	N/A (	N/A	0	N/A	0	N/A O				
WM52 THALLIUM.DISSOLVED BY ICAN	:UG/L	10 (	10	U	10	U	10 U	-		: :	
WM53 VANADIUM.DISSOLVED BY ICAN	UG/L	50 1	50	U	50	U	50 U	-			
WM54 ZINC.DISSOLVED BY ICAN	DG/L	100	31	U	20	U	.62	-			
WM55 CALCIUM.DISSOLVED BY ICAN	: MG/L	54	77		37		53	-, :			
WM56 MAGNESIUM, DISSOLVED BY ICAN	MG/L	30	48		16		29	-		:	
WM57 SODIUM.DISSOLVED BY ICAN	: MG/L	5.9	76		:5.0	U	6.1	: :		:	: :
WM58 POTASSIUM, DISSOLVED BY ICA	MG/L	5.0 t	16		5.0	U	:5.0 U	:		:	: :
2201 SAMPLE NUMBER	NA :	216	217		218		219	219		219	;

COMPOUND	UNITS	216	217	218	219	219L	219R
ZZO2 ACTIVITY CODE	: NA	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR

	COMPOUND	UNITS	2195		220	220L		220R		2205		300	
WFO1 WATER TEMP		-: -c	: <del></del>		: 26	: :		:	- : :		: 2	22	· :
WFO5 PH. FIELD		SU	:		7.4	:			- : :		: 7	7 . 38	:
WF10 CONDUCTIVITY (	FIELD)	UMHOS	:		310	:		:	·-:		. 6	500	::
WMO1 SILVER	BY ICAP	UG/L	N/A	0	10 U	10 L	J	50	:	55	: 1	10	U :
WMO2 ALUMINUM	BY ICAP	UG/L	N/A	0	210	: 200 L	)	2000		2200	: 2	250	
WMO3 ARSENIC	BY ICAP	UG/L	44		10 U	N/A C	)	N/A O	) :	N/A O	: 1	10	U
WMO4 BARIUM	BY ICAP	UG/L	:N/A	0	200 U	200	J	2000	-:	2200	: 2	200	U :
WMO5 BERYLLIUM	BY ICAP	UG/L	N/A	0	5.0 U	:50 L	J _	50	- :	47	_ 5	5.0	U
WMO6 CADMIUM	BY ICAP	UG/L	: N/A	0	5.0 U	5.0 L	 J	: 50	· <b>-</b> :	62	: 5	5.5	:
WMO7 COBALT	BY ICAP	UG/L	: N/A	0	:50 U	:50	J	500	<b>-</b> :	510		50	υ :
WMO8 CHROMIUM	BY ICAP	:UG/L	N/A	0	10 U	:10 U	)	200	<del>-</del> :	200	: 1	10	U :
WMO9 COPPER	BY ICAP	UG/L	:N/A	0	25 U	:25 l	; ;	: 250	· <del>-</del> :	250	: 2	25	U :
WM10 IRON	BY ICAP	UG/L	: N/A	0	340	: 330		1000	- : :	1300	_ 1	700	:
WM11 MANGANESE	BY ICAP	UG/L	:N/A	0	99	:99		500	- :	610	: 3	360	:
WM12 MOLYBDENUM	BY ICAP	UG/L	N/A	0	N/A O	∵N/A C	)	N/A 0	) :	N/A O	- : - : N	N/A	o :
MW13 WICKEL	BY ICAP	.UG/L	N/A	Û	:40 U	:40 U	J	500	-:	510	: 4	10	U :
WM14 LEAD	BY ICAP	UG/L	44	-	.49 J	:69	•	: 500	- :	620	: 2	250	J .
WM15 ANTIMONY	BY ICAP	.UG/L	:N/A	0	60 U	:60 0	J	500	-:	520	: 6	50	υ :
WM16 SELENIUM	BY ICAP	:UG/L	12		:5.0 U	N/A C	)	N/A O	:	N/A O	: 5	5.0	U
WM17 TITANIUM	BY ICAP	:UG/L	: N/A	0	:N/A 0	N/A C	)	N/A O	- : :	N/A O	- : - : N	V/A	0
WM18 THALLIUM	BY ICAP	:UG/L	48		:10 U	N/A C	)	N/A O	- :	N/A O	1	10	U
WM19 VANADIUM	BY ICAP	:UG/L	: N/A	0	.50 U	50 U	<b>,</b>	500	- : :	510	: 5	50	υ:
WM20 ZINC	BY ICAP	:UG/L	: N/A	0	70	:68	-	500	- : :	580	3	3400	<b></b> -:
WM21 CALCIUM, TOTAL	BY ICAP	:MG/L	: N/A	0	:51	51	-	N/A O	<del>-</del> :	N/A O	: 1	30	:
WM22 MAGNESIUM, TOT	AL BY ICAP	:MG/L	: N/A	0	: 28	:28		N/A O	-: :	N/A O	: 5	52	:
WM23 SODIUM. TOTAL	BY ICAP	MG/L	N/A	0	6.3	.6.3		N/A O	- : :	N/A O	: 5	5.0	υ:
							_						

COMPO	UND	UNITS	2195	220		220L	220R	2205	300	
WM24 POTASSIUM, TOTAL BY	 1CAP	-: :MG/L	: N/A 0	5.0	υ	5.0 U	N/A O	N/A 0	:6.0	: :
WM35 SILVER, DISSOLVED	BY ICAP	UG/L	:	10	U	:	-:	:	10	U
WM36 ALUMINUM.DISSOLVED	BY ICAP	UG/L	:	200	U	:	-:	· · · · · · · · · · · · · · · · · · ·	200	U :
WM37 ARSENIC.DISSOLVED	BY ICAP	UG/L	:	10	U		- ; <del></del>	:	10	υ:
WM38 BARIUM.DISSOLVED	BY ICAP	UG/L	:	200	U		-; <b></b>	: :	200	υ:
WM39 BERYLLIUM.DISSOLVED	BY ICAP	:UG/L	:	5.0	U	:	:	:	5.0	υ
WM40 CADMIUM.DISSOLVED	BY ICAP	UG/L	:	5.0	U	:	- :	:	5.0	υ:
WM41 COBALT.DISSOLVED	BY ICAP	UG/L	:	50	บ	:	-;	: :	50	U :
WM42 CHROMIUM, DISSOLVED	BY ICAP	UG/L	:	10	บ		- :	:	10	U
WM43 COPPER.DISSOLVED	BY ICAP	UG/L	:	25	U		- ;	:	25	U
WM44 IRON.DISSOLVED	BY ICAP	UG/L	:	100	υ	:	-,	:	100	U :
WM45 MANGANESE , DISSOLVED	BY ICAP	UG/L		43				: :	15	U
WM46 MOLYBDENUM, DISSOLVED	BY ICAP	UG/L	:	N/A	0			:	. N/A	0 :
WM47 NICKEL.DISSOLVED	BY ICAP	UG/L	:	10	U	:		· · · · · · · · · · · · · · · · · · ·	: 40	U
WM48 LEAD DISSOLVED	BY ICAP	UG/L		11	J			:	N/A	I
WM49 ANTIMONY DISSOLVED	BY ICAP	UG/L	:	: 60	IJ		:	:	60	U
WMGO SELENIUM.DISSOLVED	BY ICAP	:UG/L	:	5.0	U	:	_ : _ <b>_</b> _	:	:5 0	Ü
WM51 TITANIUM DISSOLVED	BY ICAP	UG/L	:	N/A	0		:	:	N/A	0 :
WM52 THALLIUM.DISSOLVED	BY ICAP	:UG/L	:	10	U			:	10	U
WM53 VANADIUM.DISSOLVED	BY ICAP	UG/L	:	50	U	:	:	:	50	U
WM54 ZINC.DISSOLVED	BY ICAP	UG/L	;	: 39			:	:	1900	:
WM55 CALCIUM.DISSOLVED	BY ICAP	MG/L	:	51		:	·	:	120	
WM56 MAGNESIUM.DISSOLVED	BY ICAP	.MG/L		28		:	:	:	49	
WM57 SODIUM.DISSOLVED	BY ICAP	MG/L	:	:6.5		:	:	:	5.0	U
WM58 POTASSIUM.DISSOLVED	BY ICAP	:MG/L	:	5.0	υ 	:	-	:	5.0	U
ZZO1 SAMPLE NUMBER		NA -:	219	220		: 220	220	220	300	:

COMPOUND	UNITS	2195	220	220L	220R	2205	300
ZZO2 ACTIVITY CODE	NA	:CSXCR	CSXCR	CSXCR	: CSXCR	: CSXCR	CSXCR

	COMPOUND	UNITS	301		3011	-	301R		3015		302		303	
WFO1 WATER TEMP		· 'C	17		:		:		: <del></del> -		28		28	:
WF05 PH. FIELD		SU	7.16		:		:		:		7 25		7.07	:
WF10 CONDUCTIVITY	(FIELD)	UMHOS	550		:		:		:		600		1100	;
WMO1 SILVER	BY ICAP	UG/L	10	U	:N/A	0	N/A	0	N/A	0	10	υ	14	
WMO2 ALUMINUM	BY ICAP	UG/L	200	U	N/A	0	N/A	0	:N/A	0	790		29000	:
WMO3 ARSENIC	BY ICAP	UG/L	10	U	: N/A	0	:N/A	0	N/A	0	10	U	21	:
WMO4 BARIUM	BY ICAP	UG/L	200	U	N/A	0	N/A	0	N/A	0	200	υ	510	U :
WMO5 BERYLLIUM	BY ICAP	UG/L	5.0	υ	N/A	0	N/A	0	N/A	0	5.0	U	5.0	U
WMO6 CADMIUM	BY ICAP	UG/L	5.0	U	:N/A	0	N/A	0	N/A	0	5.0	U	190	:
WMO7 COBALT	BY ICAP	UG/L	50	U	N/A	0	:N/A	0	N/A	0	50	U	85	:
WMO8 CHROMIUM	BY ICAP	:UG/L	10	U	: N/A	0	:N/A	0	N/A	0	10	U	30	:
WMO9 COPPER	BY ICAP	UG/L	25	U	:N/A	0	N/A	0	:N/A	0	25	U	140	:
WM10 IRON	BY ICAP	UG/L	100	U	N/A	0	N/A	0	N/A	0	2100		75000	:
WM11 MANGANESE	BY ICAP	UG/L	15	U	:N/A	0	N/A	0	N/A	0	570		8.9	:
WM12 MOLYBDENUM	BY ICAP	UG/L	N/A	0	N/A	0	N/A	0	:N/A	0	: N/A	0	N/A	0
MWIS MICKEL	BY ICAP	. UG/L	. 53		N/A	Ü	: N/A	υ	N/A	0	40	U	:92	
WM14 LEAD	BY TOAP	UG/L	: 36	J	N/A	0	:N/A	0	:N/A	0	. 86	J	14000	J
WM15 ANTIMONY	BY ICAP	UG/L	60	U	N/A	0	N/A	0	N/A	0	:60	U	60	υ :
WM16 SELENIUM	BY ICAP	: UG/L	5.0	U	:N/A	0	N/A	0	: N/A	0	5.0	U	5.0	U .
WM17 TITANIUM	BY ICAP	UG/L	N/A	0	:N/A	0	N/A	0	:N/A	0	N/A	0	:N/A	0
WM18 THALLIUM	BY ICAP	UG/L	10	U	N/A	0	N/A	0	N/A	0	: 10	U	. 10	U
WM19 VANADIUM	BY ICAP	:UG/L	50	υ	:N/A	0	N/A	0	:N/A	0	: 50	υ	81	:
WM20 ZINC	BY ICAP	UG/L	180		: N/A	0	N/A	0	N/A	0	:98		9100	:
WM21 CALCIUM. TOTA	L BY ICAP	MG/L	110		: N/A	0	: N/A	0	: N/A	0	130		460	:
WM22 MAGNESIUM, TO	TAL BY ICAP	:MG/L	64		N/A	0	: N/A	0	N/A	0	:59		210	:
WM23 SODIUM. TOTAL	BY ICAP	:MG/L	9.8		: N/A	0	N/A	0	: N/A	0	5.0	U	6.1	:
					:		:		:				:	:

COMPOU	ND	UNITS	301		301L	301R	3015	302		303	
WM24 POTASSIUM. TOTAL BY 1	CAP	MG/L	5.0	U	:N/A 0	N/A 0	: N/A 0	5.0	: U	12	: :
WM35 SILVER.DISSOLVED	BY ICAP	UG/L	: 10	U	:	: <del></del>	:	:10	U	10	U :
WM36 ALUMINUM.DISSOLVED	BY ICAP	UG/L	200	U	:	:	:	200	U	200	U
WM37 ARSENIC.DISSOLVED	BY ICAP	UG/L	: 10	U	:	: <del></del>		10	U	10	U .
WM38 BARIUM.DISSOLVED	BY ICAP	UG/L	200	U	:	: <del></del>	:	200	U :	200	U
WM39 BERYLLIUM.DISSOLVED	BY ICAP	UG/L	5.0	U	:	:	:	5.0	U :	5.0	U
WM40 CADMIUM, DISSOLVED	BY ICAP	UG/L	5.0	U	:	:	:	5.0	U :	5.0	Ū
WM41 COBALT.DISSOLVED	BY ICAP	UG/L	50	U	:		:	50	U	50	Ū.
WM42 CHROMIUM.DISSOLVED	BY ICAP	UG/L	: 10	U		:	:	10	U	10	Ū.
WM43 COPPER.DISSOLVED	BY ICAP	UG/L	25	U				25	U	25	U
WM44 IRON.DISSOLVED	BY ICAP	:UG/L	100	U			:	100	U	100	IJ.
WM45 MANGANESE, DISSOLVED	BY ICAP	UG/L	15	v			:	350		1800	:
WM46 MOLYBDENUM.DISSOLVED	BY ICAP	:UG/L	: N/A	0			:	. N/A	0	N/A	0
WM47 NICKEL.DISSOLVED	BY ICAP	UG/L	60					40	U .	40	U
WM48 LEAD DISSOLVED	BY ICAP	UG/L	33	J		:	:	N/A	I :	N/A	1
WM/9 ANTIMONY DISSOLVED	BY ICAP	UG/L	.60	ΰ	:		:	:60	U :	60	U :
WMSO SELENTUM, DISSOLVED	BY ICAP	:UG/L	5.0	U	:		:	5.0	U :	5.0	U
WM51 TITANIUM.DISSOLVED	BY ICAP	UG/L	N/A	0				N/A	0	N/A	0
WM52 THALLIUM.DISSOLVED	BY ICAP	UG/L	10	U	:		:	10	υ	10	υ
WM53 VANADIUM.DISSOLVED	BY ICAP	UG/L	50	U	:		:	50	υ 	50	υ
WM54 ZINC.DISSOLVED	BY ICAP	:UG/L	190		:			27		65	
WM55 CALCIUM.DISSOLVED	BY ICAP	MG/L	110					130	:	230	
WM56 MAGNESIUM.DISSOLVED	BY ICAP	MG/L	66					59		89	:
WM57 SODIUM.DISSOLVED	BY ICAP	MG/L	10		:		:	5 0	υ .	6.5	
WM58 POTASSIUM.DISSOLVED	BY ICAP	MG/L	5 0	U	:		:	5.0	υ :	8.1	:
ZZO1 SAMPLE NUMBER		NA	301		301	301	301	302	:	303	:

COMPOUND	UNITS	301	301L	301R	3015	302	303
ZZO2 ACTIVITY CODE	: : NA	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR

	COMPOUND	UNITS	304		305		306		307		308		309	
WFO1 WATER TEMP		·	25		: 21		: 25		17		: 18		18	
WFO5 PH. FIELD		SU	7.57		10.62		7.39		6 92		6.97		6.56	
WF10 CONDUCTIVITY	(FIELD)	: UMHOS	600		2100		1400		550		:680		1400	
WMO1 SILVER	BY ICAP	:UG/L	10	U	: 10	U	10	U	10	U	:10	U	10	U
WMO2 ALUMINUM	BY ICAP	UG/L	200	U	200	U	200	υ	200	υ	200	υ	470	
WMO3 ARSENIC	BY ICAP	:UG/L	10	<b></b> -	: 10	U	10	U	: 10	U	:10	U	59	
WMO4 BARIUM	BY ICAP	UG/L	200	U	: 200	U	200	U	200	U	200	U	210	
WMO5 BERYLLIUM	BY ICAP	:UG/L	5.0	U	:5.0	U	5.0	U	5.0	U	5.0	U	:5.0	υ
WMO6 CADMIUM	BY ICAP	:UG/L	5.0	U	:5.0	U	5.0	U	5.0	U	5.0	U	6.9	
WMO7 COBALT	BY ICAP	:UG/L	50	υ	:50	υ	400		50	U	:50	U	50	U
WMO8 CHROMIUM	BY ICAP	:UG/L	10	U	10	U	10	U	.10	U	10	บ	10	U
WMO9 COPPER	BY ICAP	UG/L	25	U	25	U	25	U	25	U	25	U	25	U
WM10 IRON	BY ICAP	UG/L	370		100	U	2000		100	U	100	U	12	
WM11 MANGANESE	BY ICAP	UG/L	51		93		2200	<b>-</b>	15	U	:15	U	200	
WM12 MOLYBDENUM	BY ICAP	UG/L	N/A	0	: N/A	0	:N/A	0	N/A	0	:N/A	0	:N/A	0
WM13 NICKEL	BY ICAP	. UG/L	. 40	ü	: 40	υ	:310		40	U	:40	υ	:61	
WM14 LEAD	BY ICAP	:UG/L :	63	J	.5.1	J	330	J	: 17	J	3.0	U	:680	J
WM15 ANTIMONY	BY ICAP	: UG/L	60	U	:60	U	:60	U	60	U	60	U	60	U
WM16 SELENIUM	BY ICAP	:UG/L	5.0	U	5.0	U	:5 0	U	5.0	U	5.0	U	5.0	U
WM17 TITANIUM	BY ICAP	: UG/L	N/A	0	: N/A	0	:N/A	0	N/A	0	N/A	0	N/A	0
WM18 THALLIUM	BY ICAP	UG/L	10	υ	:10	υ	10	U	10	U	10	U	: 10	U
WM19 VANADIUM	BY ICAP	: UG/L	50	U	50	U	50	U	50	U	:50	U	50	U
WM20 ZINC	BY ICAP	UG/L	200		20	U	8900		140	~	26		850	
WM21 CALCIUM. TOTA	L BY ICAP	MG/L	110		430		260		110		62		220	
WM22 MAGNESIUM, TO	TAL BY ICAP	MG/L	60		73		130		61		: 46		:64	
WM23 SODIUM, TOTAL	BY ICAP	:MG/L	:		: 57		24		7.9		:14		:63	:

COMPO	UND	UNITS	304		305		306		307		308		309	
WM24 POTASSIUM, TOTAL BY	ICAP	MG/L	5.0	υ	110		11		:5.0	U	:5.0	 U	: : 27	:
WM35 SILVER, DISSOLVED	BY ICAP	UG/L	10	υ	10	U	10	U	10	U	:10	U	10	U
WM36 ALUMINUM.DISSOLVED	BY ICAP	UG/L	200	υ	200	U	200	U	200	U	200	υ	200	U
WM37 ARSENIC, DISSOLVED	BY ICAP	:UG/L	10	U	10	<del>-</del> -	10	υ	10	Ū	10	U	37	
WM38 BARIUM.DISSOLVED	BY ICAP	UG/L	200	U	200	บ	200	υ	200	U	200	U	210	
WM39 BERYLLIUM, DISSOLVED	BY ICAP	UG/L	5.0	U	5.0	υ	:5.0	υ	:5.0	U	:5.0	U	:5.0	U
WM40 CADMIUM.DISSOLVED	BY ICAP	UG/L	5.0	U	5.0	υ	5.0	U	5.0	U	:5.0	U	5.0	U
WM41 COBALT.DISSOLVED	BY ICAP	UG/L	50	U	50	υ	400	~	:50	U	:50	U	50	U
WM42 CHROMIUM.DISSOLVED	BY ICAP	UG/L	10	U	10	U	10	υ	10	υ	10	U	10	U :
WM43 COPPER.DISSOLVED	BY ICAP	UG/L	25	U	25	บ	25	U	25	υ	25	U	: 25	U :
WM44 IRON.DISSOLVED	BY ICAP	UG/L	100	U	100	U	100	U	. 100	υ	:100	U	: 7900	
WM45 MANGANESE DISSOLVED	BY ICAP	:UG/L	15	U	15	U	2200		: 15	υ	: 15	U	: 170	:
WM46 MOLYBDENUM.DISSOLVED	BY ICAP	UG/L	N/A	0	N/A	0	N/A	0	: N/A	0	N/A	0	: N/A	0
WM47 NICKEL.DISSOLVED	BY ICAP	:UG/L	40	U	40	U	320		43		40	บ	40	υ
WM48 LEAD, DISSOLVED	BY ICAP	UG/L	20	J	N/A	I	29	J	14	J	. N/A	I	4.1	υ
WM/9 ANTIMONY.DISSOLVED	BY ICAP	. UG/L	60	ij	:60	U	:60	U	.60	U	60	U	:60	υ
WMSO SELENIUM.DISSOLVED	BY ICAP	: UG/L	5.0	U	:5.0	U	:5.0	U	5.0	U	5.0	บ	5.0	υ
WM51 TITANIUM.DISSOLVED	BY TCAP	UG/L	N/A	0	N/A	0	: N/A	0	N/A	0	N/A	0	N/A	0
WM52 THALLIUM.DISSOLVED	BY ICAP	UG/L	10	U	10	U	10	U	10	U	10	U	10	U
WM53 VANADIUM.DISSOLVED	BY ICAP	UG/L	50	U	50	U	50	U	50	U	: 50	U	50	U
WM54 ZINC.DISSOLVED	BY ICAP	UG/L	160		20	U	6400		: 140		31		520	
WM55 CALCIUM.DISSOLVED	BY ICAP	MG/L	110		390		270		110		67		230	
WM56 MAGNESIUM.DISSOLVED	BY ICAP	MG/L	60		:5.0	U	130		65		50		67	
WM57 SODIUM.DISSOLVED	BY ICAP	MG/L	7 9		:58		25		8 1		15		68	:
WM58 POTASSIUM.DISSOLVED	BY ICAP	MG/L	5.0	U	: 110		12		5.0	U	:5.0	U	28	
ZZO1 SAMPLE NUMBER		NA .	304		305		306		307		308	~	309	

COMPOUND	UNITS	304	305	306	307	308	309
ZZO2 ACTIVITY CODE	NA	CSXCR	: CSXCR	: CSXCR	CSXCR	CSXCR	CSXCR

	COMPOUND	UNITS	309D	309L	309R	3095	310		311	
WFO1 WATER TEMP			:	-:	-:	- :	: 15		: 17	
WF05 PH. FIELD	·	Su	:	-:	-: <del></del>	-:	:6.78		6.56	
WF10 CONDUCTIVITY	(FIELD)	UMHOS	:		:		900		1100	
WMO1 SILVER	BY ICAP	UG/L	10 U	-:	:	·	10	U	10	U
WMO2 ALUMINUM	BY ICAP	UG/L	420	-;		:	200	U	1800	
WMO3 ARSENIC	BY ICAP	UG/L	:59	:	: :	:	25		64	
WMO4 BARIUM	BY ICAP	:UG/L	: 210	-; <del></del>	-:	:	200	U	200	U
WMO5 BERYLLIUM	BY ICAP	: UG/L	:5.0 U	<u>- ;</u>	-;	:	5.0	U	5.0	U
WMO6 CADMIUM	BY ICAP	: UG/L	: 8 . 0	+:	-:	:	5.0	U	11	
WMO7 COBALT	BY ICAP	: UG/L	:50 U	-; <del></del> :	-;- <del>-</del>	:	50	U	:50	U
WMO8 CHROMIUM	BY ICAP	: UG/Ł	:10 U	-;	· ; ========	:	: 10	U	10	U
WMO9 COPPER	BY ICAP	UG/L	25 U	-:	-: <del></del> -	- : :	: 25	U	25	U
WM10 IRON	BY ICAP	: UG/L	: 12	-; <del></del>	:	:	: 750		:51	
WM11 MANGANESE	BY ICAP	: UG/L	200		:	:	120		6900	
WM12 MOLYBDENUM	BY ICAP	UG/L	N/A O	-	<u> </u>	-, <del></del>	N/A	0	: N/A	0
WM13 NICKEL	BY ICAP	. UG/L	. 49	:	:	- ;	:40	U	: 64	
WW14 LEAD	BY ICAP	:UG/L	:650 J	-, <del></del>	· - · · · · · · · · · · · · · · ·	:	23	J	5000	J
WM15 ANTIMONY	BY ICAP	:UG/L	60 U	-; <b></b>	-;	:	:60	υ	60	U
WM16 SELENIUM	BY ICAP	:UG/L	:5.0 U	-; :	-:	:	:5.0	บ	5 0	U
WM17 TITANIUM	BY ICAP	UG/L	:N/A O	-; <del>-</del> :	-; <b></b> +	· :	: N/A	0	: N/A	0
WM18 THALLIUM	BY ICAP	. UG/L	10 U	-: :	-:	:	10	U	: 10	U
WM19 VANADIUM	BY ICAP	:UG/L	່ 50 ປ	:		:	:50	U	:50	υ
WM20 ZINC	BY ICAP	:UG/L	830	- ;	-:	:	:94		. 530	
WM21 CALCIUM, TOTA	L BY ICAP	:MG/L	: 220	-: :	-:	:	210		470	
WM22 MAGNESIUM, TO	TAL BY ICAP	MG/L	64	-:	:	:	72		: 220	
WM23 SODIUM. TOTAL	BY ICAP	MG/L	63	- :	- : :	: :	:5.0	บ	:5.0	U

COMPOUND	UNITS	309D		309L		309R		3095	310		311	
WM24 POTASSIUM. TOTAL BY ICAP	: MG/L	28	:			:		:	5.8		6.9	: :
WM35 SILVER, DISSOLVED BY ICAP	:UG/L	10	U	10	U	50		: 44	10	U	10	U :
WM36 ALUMINUM, DISSOLVED BY ICAP	UG/L	200	U	200	U	2000		2200	200	U	200	U :
WM37 ARSENIC.DISSOLVED BY ICAP	UG/L	37	:	36		40		40	17		34	:
WM38 BARIUM.DISSOLVED BY ICAP	UG/L	210	:	210		2000		: 2400	200	U	200	U :
WM39 BERYLLIUM, DISSOLVED BY 1CAP	: UG/L	5.0	U :	5.0	U	:50		51	5.0	U	5.0	U :
WM40 CADMIUM, DISSOLVED BY ICAP	UG/L	5.0	U	5.0	V	50		: 57	5.0	U	:5.0	U :
WM41 COBALT.DISSOLVED BY ICAP	UG/L	50	U :	50	U	500		550	:50	U	50	U :
WM42 CHROMIUM, DISSOLVED BY ICAP	UG/L	10	U	10	U	200		210	:10	U	10	U :
WM43 COPPER.DISSOLVED BY 1CAP	:UG/L	25	υ :	25	U	250		260	25	U	25	U :
WM44 IRON.DISSOLVED BY ICAP	UG/L	8200		7900		1000		8700	510		9300	
WM45 MANGANESE, DISSOLVED BY ICAP	UG/L	180		170		500		: 710	130		340	:
WM46 MOLYBDENUM.DISSOLVED BY ICAP	UG/L	N/A	0	N/A	0	N/A	0	N/A O	N/A	0	: N/A	0
WM47 NICKEL DISSOLVED BY ICAP	UG/L	40	U :	43		500		:560	40	υ	: 40	U
WM48 LEAD DISSOLVED BY ICAP	UG/L	3.3	U	3.3		. 20		22	3 0	υ	:3.0	U :
WM/19 ANTIMONY DISSOLVED BY ICAP	. UG/L	. 60	ΰ	60	U	:500		570	.60	U	60	U :
WM50 SELENIUM.DISSOLVED BY ICAP	UG/L	5.0	U .	5.0	U	: 10	_	:6.1	5.0	U	5.0	U .
WM51 TITANIUM.DISSOLVED BY ICAP	UG/L	N/A	0	N/A	0	: N/A	0	N/A O	N/A	0	N/A	0
WM52 THALLIUM.DISSOLVED BY ICAP	UG/L	10	U	10	V	:50		46	10	U	10	U
WM53 VANADIUM.DISSOLVED BY ICAP	UG/L	50	U :	50	U	500		550	50	U	50	U
WM54 ZINC.DISSOLVED BY ICAP	UG/L	550	:	520		500		1100	290		20	U
WM55 CALCIUM.DISSOLVED BY ICAP	:MG/L	240		220		N/A	0	:N/A 0	220		160	
WM56 MAGNESIUM, DISSOLVED BY ICAP	MG/L	70	:	66		N/A	0	N/A 0	77		47	
WM57 SODIUM, DISSOLVED BY ICAP	MG/L	71	:	66		N/A	0	N/A O	5.0	U	5.0	U
WM58 POTASSIUM.DISSOLVED BY ICAP	MG/L	30		28		: N/A	0	: N/A O	5.7		5.0	U
2201 SAMPLE NUMBER	NA	309	:	309		309		309	310		311	:

COMPOUND	UNITS	3090	309L	309R	3095	310	311
ZZO2 ACTIVITY CODE	NA .	CSXCR	CSXCR	CSXCR	CSXCR	:CSXCR	CSXCR

	COMPOUND	UNITS	312		314		315		316		317		318	
WFO1 WATER TEMP		· c	16		25		. 25		20		20		17	
WFO5 PH, FIELD		SU	6.45		7.15		: 7.05		:6.93		7.11		7.04	
WF10 CONDUCTIVITY	(FIELD)	: UMHOS	700		:470		420		600		700		: 550	
WMO1 SILVER	BY ICAP	:UG/L	10	U	10	U	10	U	10	U	10	U	:10	U
WMO2 ALUMINUM	BY ICAP	UG/L	200	U	2800		2900		5200		4100		200	U
WMO3 ARSENIC	BY ICAP	:UG/L	110		: 14		14		46		85		10	U
WMO4 BARIUM	BY ICAP	UG/L	200	U	200	U	200	U	200	U	200	U	: 200	U
WMO5 BERYLLIUM	BY ICAP	UG/L	5.0	υ	5.0	 U	5.0	U	5.0	U	5.0	υ	5.0	U
WMO6 CADMIUM	BY ICAP	:UG/L	37		5.0	U	:8.6		30		26		:5.0	U
WMO7 COBALT	BY ICAP	UG/L	350		: 85		:56		170		53		:50	U
WMO8 CHROMIUM	BY ICAP	:UG/L	10	υ	10	υ	10	υ	10	υ υ	:10	U	10	U
WMO9 COPPER	BY ICAP	:UG/L	28	U	78	U	140		240		44	U	: 25	U
WM10 IRON	BY ICAP	UG/L	36		11000		15000		67		66		170	U
WM11 MANGANESE	BY ICAP	UG/L	370		1400		1800		9000		8900		46	
WM12 MOLYBDENUM	BY ICAP	UG/L	N/A	0	N/A	0	N/A	0	N/A	0	N/A	Ó	: N/A	0
WM13 NICKEL	By ICAD	. UG/L	660		83		: /0		170		60		52	
WM14 LEAD	By ICAP	UG/L	9300	j	1700	J	: 3800	J	8200	J	10000	J	63	j
WM15 ANTIMONY	BY ICAP	UG/L	60	U	60	U	60	U	66	U	60	U	60	U
WM16 SELENIUM	BY ICAP	UG/L	5.0	U	5.0	U	:5.0	U	:5.0	υ υ	5.0	U	5.0	U
WM17 TITANIUM	BY ICAP	:UG/L	N/A	0	. N/A	0	N/A	0	N/A	0	N/A	0	:N/A	0
WM18 THALLIUM	BY ICAP	UG/L	10	U	10	U	10	U	10	U	: 10	U	10	U
WM19 VANADIUM	BY ICAP	UG/L	50	υ	50	U	50	U	50	U	:50	U	:50	U
WM20 ZINC	BY ICAP	UG/L	26		:470		560		2500		1400		180	
WM21 CALCIUM, TOT	AL BY ICAP	MG/L	270		: 150		120		450		450		110	
WM22 MAGNESIUM, T	OTAL BY ICAP	MG/L	87		:68		71		270		270		62	
WM23 SODIUM, TOTA	L BY ICAP	:MG/L	7.3		5.0	บ	:5.0	U	5.0	<b>-</b> -	5.0	U	.9 5	

COMPO	JND		UNITS	312		314		315		316		317	318	
WM24 POTASSIUM, TOTAL BY	I CAP		MG/L	9.8		: : 5 . 3		:5.9		12	: 10	0	:5.0	U
WM35 SILVER, DISSOLVED	BY	ICAP	UG/L	10	บ	10	υ	10	U	:10	J 1	0 U	10	U
WM36 ALUMINUM.DISSOLVED	BY	ICAP	UG/L	200	U	200	U	200	U	200	J 2	00 U	200	υ
WM37 ARSENIC.DISSOLVED	BY	ICAP	UG/L	10	U	: 10	U	: 10	U	:10	J 5	1	:10	U
WM38 BARIUM, DISSOLVED	ВУ	ICAP	UG/L	200	U	200	U	200	U	:200 l	J : 2	00 U	200	U
WM39 BERYLLIUM.DISSOLVED	BY	ICAP	UG/L	5.0	U	5.0	U	5 0	U	:5.0	J :5	. O U	5.0	U
WM40 CADMIUM.DISSOLVED	ВУ	ICAP	UG/L	27		5.0	U	5.0	U	5.0	J : 5	. O U	5.0	U
WM41 COBALT.DISSOLVED	BY	ICAP	UG/L	360	<b>-</b>	: 55		50	U	50 (	J : 5	O U	50	U
WM42 CHROMIUM, DISSOLVED	ВУ	ICAP	UG/L	10	U	:10	U	: 10	U	:10 l	J : 10	o U	10	U
WM43 COPPER.DISSOLVED	ВУ	ICAP	UG/L	25	ับ	25	υ	25	υ	. 25	J : 2	5 U	: 25	U
WM44 IRON.DISSOLVED	BY	ICAP	UG/L	100	U	100	U	100	U	100	J 1	00 U	100	U
WM45 MANGANESE, DISSOLVED	BY	ICAP	UG/L	180		96		45		70	. 4	3	: 22	
WM46 MOLYBDENUM.DISSOLVED	ВУ	ICAP	UG/L	N/A	0	N/A	о О	N/A	0	N/A (	) : N	/A 0	N/A	0
WM47 NICKEL, DISSOLVED	ВУ	ICAP	UG/L	620		43		40	U	: 40 l	J : 4	0 υ	86	
WM48 LEAD.DISSOLVED	ВҮ	ICAP	UG/L	60		74		9.3		46	: 3	.O U	28	
WMAY ANTIMONY DISSOLVED	BY	ICAP	UG/L	60	Ü	:60	υ	: 60	U	:60 t	) :6	0 U	60	U :
WMSO SELENIUM, DISSOLVED	ВУ	ILAP	UG/L	5.0	υ	5.0	U	5.0	U	:5.0 l	J : 5	. O U	5.0	U
WM51 TITANIUM.DISSOLVED	ВУ	ICAP	UG/L	N/A	0	N/A	0	: N/A	0	N/A (	) : N	/A 0	N/A	0
WM52 THALLIUM.DISSOLVED	ВУ	ICAP	UG/L	10	u	10	U	: 10	U	10 ι	) 1	0 υ	: 10	υ
WM53 VANADIUM.DISSOLVED	BY	ICAP	UG/L	50	U	50	U	50	U	50 (	J : 50	0 U	50	U
WM54 ZINC.DISSOLVED	ВҮ	ICAP	UG/L	23000		170		200	U	: 450	20	0 U	160	
WM55 CALCIUM.DISSOLVED	ВУ	ICAP	MG/L	270		93		46		:61	:8	4	110	
WM56 MAGNESIUM. DISSOLVED	ВУ	ICAP	MG/L	88		40		: 35		:62	:8	9	64	
WM57 SODIUM DISSOLVED	ВУ	ICAP	MG/L	7.6		5 0	U	5 0	U	:5.0 L	5	ο υ	9.8	
WMS8 POTASSIUM, DISSOLVED	ВУ	ICAP	MG/L	10		5.0	U	5.0	U	7.5	: 7	.0	:5.0	U
ZZO1 SAMPLE NUMBER			NA	312		314		:315		.316	3	17	318	

COMPOUND	UNITS	312	314	315	316	317	318	
ZZO2 ACTIVITY CODE	NA C	SXCR	CSXCR	: CSXCR	CSXCR	CSXCR	CSXCR	:

COMPOUND	UNITS	318L	318R	3185	319	319L	319R
WFO1 WATER TEMP			:		: 19	-:	:
WFO5 PH. FIELD	SU		:	-:	: 7.54	:	:
WF10 CONDUCTIVITY (FIELD)	UMHOS:		:		650	:	:
WMO1 SILVER BY ICAP	UG/L				10	:	;
WMO2 ALUMINUM BY ICAP	UG/L				200		
WMO3 ARSENIC BY ICAP	UG/L			:	10 ι	:	:
WMO4 BARIUM BY ICAP	UG/L				200		
WMO5 BERYLLIUM BY ICAP	:UG/L				5.0		:
WMO6 CADMIUM BY ICAP	UG/L				5.0 U		
WMO7 COBALT BY ICAP	UG/L				50 U		
WMO8 CHROMIUM BY ICAP	UG/L		· · · · · · · · · · · · · · · · · · ·	·	:10 U		
WMO9 COPPER BY ICAP	UG/L :				:25 U	_ :	
WM10 IRON BY ICAP	UG/L :			:	:140 U		
WM11 MANGANESE BY ICAP	UG/L		· · · · · · · · · · · · · · · · · · ·	:	22		:
WM12 MOLYBDENUM BY ICAP	UG/L			:	N/A C		_ :
WM13 NICHEL BY ICAD	.UG/L		:	:	: 40 U	:	_:
WM14 LEAD BY ICAP	:UG/L		:	:	: 43	:	
WM15 ANTIMONY BY ICAP	UG/L			:	60 U		
WM16 SELENIUM BY ICAP	:UG/L		:	:	5.0 U	:	
WM17 TITANIUM BY ICAP	UG/L		:	:	N/A C		:
WM18 THALLIUM BY ICAP	UG/L				:10 U	:	:
WM19 VANADIUM BY ICAP	UG/L		·		:50 U		:
WM2O ZINC BY ICAP	UG/L :				170	:	
WM21 CALCIUM, TOTAL BY ICAP	:MG/L		: :		: 120	:	: :
WM22 MAGNESIUM, TOTAL BY ICAP	MG/L		: :	:	77		: :
WM23 SODIUM. TOTAL BY ICAP	:MG/L :		:	:	14	:	; ;

COMPO	UND	UNITS	318L		318R		3185		319	319L		319R	
WM24 POTASSIUM, TOTAL BY	ICAP	:MG/L	:		:		:		7.0	-:		:	:
WM35 SILVER.DISSOLVED	BY ICAP	UG/L	: N/A	0	N/A	0	: N/A	o	10 U	10	U	:50	:
WM36 ALUMINUM.DISSOLVED	BY ICAP	:UG/L	N/A	0	:N/A	0	: N/A	0	200 U	: 200	U	2000	:
WM37 ARSENIC.DISSOLVED	BY ICAP	UG/L	: 10	U	40		38		10 U	N/A	0	N/A	0
WM38 BARIUM DISSOLVED	BY ICAP	UG/L	N/A	0	N/A	0	: N/A	o	200 U	200	U	2000	:
WM39 BERYLLIUM, DISSOLVED	BY ICAP	UG/L	. N/A	0	N/A	0	N/A	0	:5.0 U	5.0	U	50	
WM40 CADMIUM.DISSOLVED	BY ICAP	UG/L	N/A	0	N/A	0	N/A	0	5.0 U	5.0	υ	:50	
WM41 COBALT.DISSOLVED	BY ICAP	UG/L	N/A	o	N/A	0	N/A	0	50 U	50	U	500	
WM42 CHROMIUM.DISSOLVED	BY ICAP	UG/L	N/A	0	N/A	0	N/A	0	10 U	10	U	200	
WM43 COPPER.DISSOLVED	BY ICAP	UG/L	N/A	0	N/A	0	N/A	0	. 25 U	25	U	250	
WM44 IRON.DISSOLVED	BY ICAP	UG/L	: N/A	0	N/A	0	N/A	0	: 100 U	140		1000	
WM45 MANGANESE DISSOLVED	BY ICAP	UG/L	: N/A	0	N/A	0	N/A	0	:15 U	19		500	
WM46 MOLYBDENUM.DISSOLVED	BY ICAP	UG/L	N/A	0	N/A	0	: N/A	0	N/A O	: N/A	0	:N/A	0
WM47 NICKEL DISSOLVED	BY ICAP	UG/L	:N/A	0	N/A	0	N/A	0	:40 U	40	U	500	
WM48 LEAD.DISSOLVED	BY ICAP	UG/L	61		20		. 50		4.4 U	N/A	0	N/A	0
WM49 ANTIMONY DISSOLVED	BY ICAP	UG/L	. N/A	û	; N/ A	Ú	: N/A	υ	.60 U	60	U	500	
WMSG SELENIUM.DISSOLVED	BY ICAP	:UG/L	.5.0	U	10		5.3	_	:5.0 U	:N/A	0	:N/A	0
WM51 TITANIUM.DISSOLVED	BY ICAP	UG/L	N/A	0	N/A	0	: N/A	0	N/A O	: N/A	0	N/A	0
WM52 THALLIUM.DISSOLVED	BY ICAP	UG/L	: 10	U	50		73		: 10 U	N/A	0	N/A	0
WM53 VANADIUM.DISSOLVED	BY ICAP	ne\r	N/A	0	N/A	0	N/A	ō	:50 U	:50	U	500	
WM54 ZINC.DISSOLVED	BY ICAP	UG/L	: N/A	0	N/A	0	: N/A	o_	450	170		500	
WM55 CALCIUM DISSOLVED	BY ICAP	:MG/L	N/A	0	N/A	0	: N/A	o_	120	120		: N/A	0
WM56 MAGNESIUM.DISSOLVED	BY ICAP	MG/L	: N/A	0	N/A	0	:N/A	o_	81	77		N/A	0 :
WM57 SODIUM, DISSOLVED	BY ICAP	MG/L	N/A	0	N/A	0	N/A	o_	: 45	14		N/A	0
WM58 POTASSIUM.DISSOLVED	BY ICAP	MG/L	N/A	0	N/A	0	: N/A	0	6.4	7.4		N/A	0
ZZO1 SAMPLE NUMBER		NΔ	: 318		318		318		319	.319		319	:
				_								•	

COMPOUND	UNITS	318L	318R	3185	319	319L	319R
ZZO2 ACTIVITY CODE	NA :	CSXCR	CSXCR	CSXCR	CSXCR	:CSXCR	CSXCR

COMPOUND	UNITS	3195	320F		321F		322F	323F		324	
WFO1 WATER TEMP	7C		-:		:		:	:		: 15	
WFO5 PH, FIELD	SU		-:		:		:	:		7.10	
WF10 CONDUCTIVITY (FIELD)	UMHOS		-:		:		:	:		700	
WMO1 SILVER BY ICAP	UG/L		10	υ	10	υ	:10	U 10	U	10	U
WMO2 ALUMINUM BY ICAP	UG/L		200	U	200	U	200	U 200	U	200	Ü
WMO3 ARSENIC BY ICAP	UG/L		10	U	10	U	10	U 10	U	10	U
WMO4 BARIUM BY ICAP	UG/L		200	U	200	U	200	U 200	U	200	Ü
WMOS BERYLLIUM BY ICAP	UG/L		5.0	U	5.0	U	5.0	บ 5.0	U	5.0	U
WMO6 CADMIUM BY ICAP	UG/L		5.0	υ	:5.0	υ	5.0	U 5.0	U	5.0	U
WMO7 COBALT BY ICAP	UG/L		:50	U	:50	Ų	50	U 50	U	50	U
WMO8 CHROMIUM BY ICAP	.UG/L		10	U	:10	U	:10	U :10	U	10	U
WMO9 COPPER BY ICAP	:UG/L		25	U	. 25	U	: 25	U 25	U	25	U
WM10 IRON BY ICAP	:UG/L	<del>-</del>	:100	U	: 100	U	: 100	U 100	U	100	U
WM11 MANGANESE BY ICAP	UG/L		: 15	U	: 15	υ	: 15	U :15	U	: 15	U
WM12 MOLYBDENUM BY ICAP	UG/L		:N/A	0	:N/A	0	:N/A	0 N/A	0	N/A	0
WM13 NICKEL BY ICAP	. UG/L .		- : : 40	υ	40	U	40	U .40	U	:51	
WM14 LEAD BY ICAP	:UG/L		N/A	ī	:N/A	ı	:3.2	J : N/A	I	: 37	J
WM15 ANTIMONY BY ICAP	UG/L		:60	U	:60	U	60	U :60	U	60	U
WM16 SELENIUM BY ICAP	UG/L		:5.0	U	:5.0	บ	5.0	U :5.0	υ	:5.0	U
WM17 TITANIUM BY ICAP	UG/L		:N/A	0	: N/A	0	N/A	0 : N/A	0	: N/A	0
WM18 THALLIUM BY ICAP	:UG/L		10	U	10	U	: 10	U 10	U	10	Ū
WM19 VANADIUM BY ICAP	.UG/L		50	U	:50	υ	:50	U :50	U	50	U
WM20 ZINC BY ICAP	:UG/L :		20	U	20	U	20	U :20	U	160	
WM21 CALCIUM. TOTAL BY ICAP	:MG/L :		:5 0	U	5.0	U	:5.0	U :5.0	υ	110	
WM22 MAGNESIUM, TOTAL BY ICAR	MG/L		:5.0	U	:5.0	U	:5.0	U 5.0	U	62	
WM23 SODIUM, TOTAL BY ICAP	:MG/L		:5.0	U	5.0	U	: : 5 . 0	U 5.0	U	9 2	

COMPO	UND		UNITS	3195		320F	321F		322F		323F		324	
WM24 POTASSIUM. TOTAL BY	ICA	P	: MG/L	:		5.0	 : : 5 . 0	U	5.0	U	:5.0		:5.0	U
WM35 SILVER, DISSOLVED	BY	ICAP	UG/L	52		:	 10	U	10	U	10	U	10	U
WM36 ALUMINUM, DISSOLVED	ВУ	ICAP	UG/L	2000		:	 200	U	200	U	200	υ	: 200	U
WM37 ARSENIC.DISSOLVED	BY	ICAP	UG/L	N/A	0	:	 10	U	10	U	10	υ	:10	U
WM38 BARIUM, DISSOLVED	ВУ	ICAP	UG/L	2000		:	 200	U	200	U	200	U	200	U
WM39 BERYLLIUM, DISSOLVED	ВУ	ICAP	UG/L	46			 :5.0	U	5.0	U	5.0	U	5.0	U
WM40 CADMIUM.DISSOLVED	ВУ	ICAP	UG/L	:56		:	 5.0	U	5.0	U	5.0	U	:5.0	U
WM41 COBALT.DISSOLVED	BY	ICAP	UG/L	470		:	 50	U	:50	U	:50	U	50	บ
WM42 CHROMIUM.DISSOLVED	ВУ	ICAP	UG/L	180		:	 10	υ	10	U	: 10	U	10	U
WM43 COPPER.DISSOLVED	BY	ICAP	UG/L	240		:	 : 25	U	25	U	: 25		25	U
WM44 IRON.DISSOLVED	ВУ	ICAP	:UG/L	1100		:	 :100	U	: 100	U	100	U	100	U
WM45 MANGANESE, DISSOLVED	BY	ICAP	UG/L	490			 15	U	15	U	15	U	15	U
WM46 MOLYBDENUM, DISSOLVED	BY	ICAP	:UG/L	N/A	0	:	 : N/A	0	: N/A	0	:N/A	0	:N/A	0
WM47 NICKEL, DISSOLVED	BY	ICAP	UG/L	490		:	 : 40	U	40	υ	: 40	U	88	
WM48 LEAD.DISSOLVED	ВУ	ICAP	UG/L	:N/A	0	:	 3 0	U	3.0	U	.3.0	U	: 28	
MMNO VINITIMONA DISSOFAED	BY	ICAP	UG/L	.470		:	 .60	U	:60	U	60	U	:60	U
WM50 SELENIUM, DISSOLVED	ВΥ	ICAP	UG/L	N/A	0		 5.0	U	:5.0	U	5.0	U	5.0	Ū
WM51 TITANIUM.DISSOLVED	В٧	ICAP	UG/L	N/A	0	:	 N/A	0	N/A	0	N/A	0	N/A	0
WM52 THALLIUM, DISSOLVED	BY	ICAP	:UG/L	:N/A	0	:	 10	บ	10	υ	: 10	U	10	U
WM53 VANADIUM.DISSOLVED	ВУ	ICAP	UG/L	480		:	 :50	U	50	U	50	U	50	U
WM54 ZINC.DISSOLVED	ВУ	ICAP	: UG/L	640		:	 : 20	U	: 20	U	20	U	170	
WM55 CALCIUM.DISSOLVED	BY	ICAP	MG/L	: N/A	0	:	 :5 0	U	:5.0	U	:5.0	U	110	
WM56 MAGNESIUM.DISSOLVED	BY	ICAP	MG/L	: N/A	0	:	 5.0	U	5.0	υ υ	5 0	U	.65	
WM57 SODIUM.DISSOLVED	ВУ	ICAP	:MG/L	N/A	0		 5.0	U	5.0	υ	5.0	U	9.7	
WM58 POTASSIUM.DISSOLVED	ВУ	ICAP	:MG/L	N/A	0	:	 : 5 . 0	U	5.0	u	5.0	U	5.0	~_U
ZZO1 SAMPLE NUMBER			: NA	319		: 320	 : 321		322		323		324	

COMPOUND	UNITS	3195	320F	321F	322F	323F	324
ZZOZ ACTIVITY CODE	:NA	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR

	COMPOUND	UNITS	324F		325F		400	402	403	403L
WMO2 ALUMINUM	BY ICAP	UG/L	200		200	U :			:	:
WMO3 ARSENIC	BY ICAP	UG/L	10	U	10	U		: <b></b>		:
WMO4 BARIUM	BY ICAP	UG/L	200	U	200	U :		:		:
WMO5 BERYLLIUM	BY ICAP	UG/L	5.0	U	5.0	U :			:	:
WMO6 CADMIUM	BY ICAP	UG/L	5.0	U	5.0	U		: <del></del>	:	:
WMO7 COBALT	BY ICAP	.UG/L	50	υ	50	U :		:	:	
WMO8 CHROMIUM	BY ICAP	:UG/L	10	U	10	υ :				:
WMO9 COPPER	BY ICAP	UG/L	25	U	25	U		: <del></del>		:
WM10 IRON	BY ICAP	UG/L	100	U	100	U :		: <del></del>	:	:
WM11 MANGANESE	BY ICAP	: UG/L	: 15	U	: 15	U	:	:	:	:
WM12 MOLYBDENUM	BY ICAP	UG/L	N/A	0	N/A	Û :-		: <del></del>	:	:
WM13 NICKEL	BY ICAP	:UG/L	40	U	40	บ		:	:	:
WM14 LEAD	BY ICAP	UG/L	N/A	I	: N/A	ī			:	:
WM15 ANTIMONY	BY ICAP	UG/L	60	U	:60	U :		:	:	:
WM16 SELENIUM	BY ICAP	UG/L	5 0	U	5.0	U .		:	:	
WM17 TITANITUM	BY ICAN	. UG/L	. IV/A	û	: N/A	·:-		: <del></del>	:	:
WM18 THALLIUM	BY ICAP	UG/L	:10	U	10	U :		:	:	. <del></del>
WM19 VANADIUM	BY ICAP	UG/L	50	U	:50	U :				:
WM20 ZINC	BY ICAP	UG/L	27		: 20	U :		:	:	:
WM21 CALCIUM. TOTA	L BY ICAP	MG/L	5.0	U	:5.0	U	· · · · · · · · · · · · · · · · · · ·		:	:
WM22 MAGNESIUM. TO	TAL BY ICAP	.MG/L	5.0	U	5.0	υ.	:		:	:
WM23 SODIUM. TOTAL	BY ICAP	:MG/L	5 0	U	5.0	U :	:		:	:
WM24 POTASSIUM. TO	TAL BY 1CAP	MG/L	5.0	U	:5.0	U :			:	:
WM35 SILVER DISSOL	VED BY ICAP	UG/L	10	U	:	:-			:	:
WM36 ALUMINUM.DISS	OLVED BY ICAP	UG/L	200	U	:	· : -			:	:
WM37 ARSENIC.DISSO	LVED BY ICAP	UG/L	10	U	:	:- :	·;		:	:

COMPOUND	UNITS	324F		325F	400	402	403	403L
WM38 BARIUM, DISSOLVED BY ICAP	:UG/L	200	Ū :		:	:	:	:
WM39 BERYLLIUM, DISSOLVED BY ICAP	UG/L	5.0	U :		:	; <del></del>	:	:
WM40 CADMIUM.DISSOLVED BY ICAP	UG/L	5.0	U :		:	:	:	:
WM41 COBALT.DISSOLVED BY 1CAP	UG/L	50	U :		:	:	:	
WM42 CHROMIUM, DISSOLVED BY ICAP	:UG/L	10	U :			:		:
WM43 COPPER.DISSOLVED BY ICAP	:UG/L	: 25	U :		:	:		
WM44 IRON.DISSOLVED BY ICAP	UG/L	100	U :			:		
WM45 MANGANESE.DISSOLVED BY ICAP	UG/L	: 15	υ			:	:	:
WM46 MOLYBDENUM.DISSOLVED BY ICAP	UG/L	N/A	0 :			:	:	
WM47 NICKEL DISSOLVED BY ICAP	UG/L	40	U :			:	:	
WM48 LEAD DISSOLVED BY ICAP	:UG/L	3 0	U :		: <b></b>	:		
WM49 ANTIMONY, DISSOLVED BY ICAP	UG/L	: 60	U			:		
WM50 SELENIUM, DISSOLVED BY ICAP	:UG/L	5.0	U .			:		
WM51 TITANIUM, DISSOLVED BY ICAP	UG/L	N/A	0 :					
WM52 THALLIUM.DISSOLVED BY ICAP	UG/L	10	U			:	:	
WM53 VANADIUM.DISSOLVED BY ICAP	. UG/L	. 50	:- υ :			:	:	
WM54 ZINC DISSOLVED BY TUAP	U6/L	20	U		· · · · · · · · · · · · · · · · · · ·	:		
WM55 CALCIUM.DISSOLVED BY ICAP	MG/L	5.0	U					
WM56 MAGNESIUM.DISSOLVED BY ICAP	MG/L	5.0	U			:		
WM57 SODIUM.DISSOLVED BY ICAP	MG/L	5.0	U :					
WM58 POTASSIUM.DISSOLVED BY ICAP	MG/L	5.0	U :					
ZZO1 SAMPLE NUMBER	:NA	324	3	25	400	402	403	403
ZZO2 ACTIVITY CODE	NA	CSXCR	c	SXCR	CSXCR	CSXCR	CSXCR	CSXCR
ZZ99 SAMPLE COLLECTION DATE & BATCH NUMBER	DT.		:-		***	***	***	***

COMPOUND	UNITS	324F	325F	400	402	403	403L
AMO1 PARTICULATE LEAD IN AIR BY HIVOL	:UG/M3:		:	: ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO2 SILVER	UG/M3		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO3 ALUMINUM	UG/M3:		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO4 ARSENIC	UG/M3:		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMOS BARIUM	.UG/M3:		:	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO6 BERYLLIUM	UG/M3:		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO7 CADMIUM	UG/M3:		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO8 COBALT	UG/M3:		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO9 CHROMIUM	UG/M3:		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM10 COPPER	UG/M3		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM11 IRON	UG/M3		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM12 MANGANESE	UG/M3.		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM13 NICKEL	UG/M3		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM14 ANTIMONY	UG/M3		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM15 SELENIUM	UG/M3		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM16   LIANIUM	. UG/M3.		:	ALIACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT
AM17 THALLIUM	.UG/M3.	<b>-</b>		ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM18 VANADIUM	UG/M3	<del>-</del> -	:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM19 MOLYBDENUM	:UG/M3		:	ATTACHMENT	: ATTACHMENT	ATTACHMENT	: ATTACHMENT
AM20 ZINC	UG/M3		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM21 CALCIUM	UG/M3		:	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AM22 MAGNESIUM	UG/M3.			ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM23 SODIUM	UG/M3.		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM24 POTASSIUM	UG/M3		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM25 TIN	:UG/M3.		:	:	:	- ; <b></b>	ATTACHMENT
WMO1 SILVER BY ICAP	UG/L :1	 0 U	: 10 U	:	- : :	•: <del></del>	:

COMPOUND	UNITS	404	406	407	408	408L	409
AMO1 PARTICULATE LEAD IN AIR BY HIVOL	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT	:ATTACHMENT
AMO2 SILVER	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO3 ALUMINUM	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO4 ARSENIC	UG/M3	ATTACHMENT	ATTACHMENT	: ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO5 BARIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO6 BERYLLIUM	:UG/M3	ATTACHMENT	: ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO7 CADMIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMOS COBALT	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT
AMO9 CHROMIUM	:UG/M3	ATTACHMENT	ATTACHMENT	: ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AM10 COPPER	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM11 IRON	.UG/ <b>M</b> 3	ATTACHMENT	:ATTACHMENT	:ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM12 MANGANESE	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM13 NICKEL	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM14 ANTIMONY	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT
AM15 SELENIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM16 TITANIUM	UG/M3	ATTACHMENT	. ATTAÚMMÉNÍ	:ALIACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM17 THACLIUM	UG/M3	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM18 VANADIUM	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM19 MOLYBDENUM	:UG/M3	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM2O ZINC	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM21 CALCIUM	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM22 MAGNESIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM23 SODIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM24 POTASSIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM25 TIN	.UG/M3		- :	-:	- ;	ATTACHMENT	:
ZZO1 SAMPLE NUMBER	NA .	404	106	: 407	:408	408	409

COMPOUND	UNITS	404	406	407	408	408L	409
ZZO2 ACTIVITY CODE	: NA	CSXCR	: CSXCR	CSXCR	CSXCR	CSXCR	CSXCR
ZZ99 SAMPLE COLLECTION DATE & BATCH NUMBER	:DT .	***	. ***	; •••	***	***	***

COMPOUND	UNITS	410	411	412	413	414	415
AMO1 PARTICULATE LEAD IN AIR BY HIVOL	: UG/M3	ATTACHMENT	: ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO2 SILVER	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO3 ALUMINUM	UG/M3	: ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO4 ARSENIC	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMOS BARIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT
AMO6 BERYLLIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO7 CADMIUM	.UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO8 COBALT	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO9 CHROMIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM10 COPPER	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT
AM11 IRON	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AM12 MANGANESE	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM13 NICKEL	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	: ATTACHMENT	ATTACHMENT
AM14 ANTIMONY	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AM15 SELENIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM16 !!!ANIUM	UG/M3	ATTACHMENT	ATTACHMENT	ALLACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM17 THALLIUM	.UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM18 VANADIUM	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM19 MOLYBDENUM	: UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AM20 ZINC	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	: ATTACHMENT	ATTACHMENT
AM21 CALCIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM22 MAGNESIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM23 SODIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM24 POTASSIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
ZZO1 SAMPLE NUMBER	: NA	410	411	:412	413	414	415
ZZO2 ACTIVITY CODE	:NA	CSXCR	CSXCR	CSXCR	: CSXCR	CSXCR	CSXCR

COMPOUND	UNITS	410	411	412	413	414	415
ZZ99 SAMPLE COLLECTION DATE & BATCH NUMBER	DT	***	***	111	***	***	: • • • • · · · · · · · · · · · · · · ·

COMPOUND	UNITS	416	417	418	419	420	421
AMO1 PARTICULATE LEAD IN AIR BY HIVOL	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO2 SILVER	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT
AMO3 ALUMINUM	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO4 ARSENIC	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMOS BARIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO6 BERYLLIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO7 CADMIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT
AMO8 COBALT	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT
AMO9 CHROMIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM10 COPPER	: UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT
AM11 IRON	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AM12 MANGANESE	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT
AM13 NICKEL	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	:ATTACHMENT	ATTACHMENT	: ATTACHMENT	: ATTACHMENT
AM14 ANTIMONY	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM15 SELENIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	:ATTACHMENT	ATTACHMENT	: ATTACHMENT
AMIG TITANIUM	. 0G/M3	ATTACHMENT	: ATTACHMENT	ALLACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMIT THALLIUM	UG/M3	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM18 VANADIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM19 MOLYBDENUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM20 ZINC	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM21 CALCIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM22 MAGNESIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM23 SODIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM24 POTASSIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
ZZO1 SAMPLE NUMBER	: NA	416	417	418	:419	420	421
ZZO2 ACTIVITY CODE	: NA	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR

COMPOUND	UNITS	416	417	418	419	420	421
ZZ99 SAMPLE COLLECTION DATE & BATCH NU		***	***	: *** : ***	***	-:	*** :

ANALYSIS REQUEST DETAIL REPORT

ACTIVITY: O-CSXCR

COMPOUND	UNITS	422	422L	423	424	424F	425
AMO1 PARTICULATE LEAD IN AIR BY HIVOL	:UG/ <b>M</b> 3	ATTACHMENT	:ATTACHMENT	ATTACHMENT	ATTACHMENT	*	ATTACHMENT
AMO2 SILVER	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*	ATTACHMENT
AMO3 ALUMINUM	υG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*	ATTACHMENT
AMO4 ARSENIC	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*	ATTACHMENT
AMOS BARIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	· ·	ATTACHMENT
AMO6 BERYLLIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*	ATTACHMENT
AMO7 CADMIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*	ATTACHMENT
AMOB COBALT	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*	ATTACHMENT
AMO9 CHROMIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*	ATTACHMENT
AM10 COPPER	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•	ATTACHMENT
AM11 IRON	UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	*	ATTACHMENT
AM12 MANGANESE	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*	ATTACHMENT
AM13 NICKEL	UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*	ATTACHMENT
AM14 ANTIMONY	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT		ATTACHMENT
AM15 SELENIUM	UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT		ATTACHMENT
AM16 ILIANIUM	. UG/143	ATTACHMENT	ATTACHMENT	ALLACHMENT	ATTACHMENT	*	: ATTACHMENT
AM17 THALLIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*	ATTACHMENT
AM18 VANADIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•	ATTACHMENT
AM19 MOLYBDENUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•	ATTACHMENT
AM2O ZINC	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•	ATTACHMENT
AM21 CALCIUM	UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•	ATTACHMENT
AM22 MAGNESIUM	UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•	ATTACHMENT
AM23 SODIUM	.UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•	ATTACHMENT
AM24 POTASSIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: •	ATTACHMENT
AM25 TIN	:UG/ <b>M</b> 3	: :	ATTACHMENT		ATTACHMENT	:	:
ZZO1 SAMPLE NUMBER	NA -:	422	: 422	:423	: 424	424	:425

COMPOUND	UNITS	422	422L	423	424	424F	425
ZZO2 ACTIVITY CODE	:NA	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR
ZZ99 SAMPLE COLLECTION DATE & BATCH NUMBER	DT.	***	***	***	***	***	***

COMPOUND	UNITS	426	427	428	429	430	431
AMOT PARTICULATE LEAD IN AIR BY HIVOL	UG/M3	ATTACHMENT	:ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT
AMO2 SILVER	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT
AMO3 ALUMINUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO4 ARSENIC	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO5 BARIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO6 BERYLLIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO7 CADMIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMOS COBALT	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO9 CHROMIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM10 COPPER	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM11 IRON	.UG/M3	: ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM12 MANGANESE	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM13 NICKEL	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM14 ANTIMONY	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM15 SELENIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
OM16 TITANIUM	.UG/M3	ATTACHMENT	ATTACHMENT	ALLACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM17 THALLIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM18 VANADIUM	.UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM19 MOLYBDENUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM2O ZINC	UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM21 CALCIUM	.UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM22 MAGNESIUM	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM23 SODIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM24 POTASSIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
Z201 SAMPLE NUMBER	NA NA	426	427	428	: 429	430	431
ZZO2 ACTIVITY CODE	:NA	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR

COMPOUND	UNITS	426	427	428	429	430	431
ZZ99 SAMPLE COLLECTION DATE & BATCH NUMBER	DT.	***	***	***	***	***	***

ANALYSIS REQUEST DETAIL REPORT

ACTIVITY: O-CSXCR

COMPOUND	UNITS	432	432F	433	433L	434	435
AMO1 PARTICULATE LEAD IN AIR BY HIVOL	:UG/ <b>M</b> 3	ATTACHMENT	*	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT
AMO2 SILVER	:UG/M3	ATTACHMENT	*	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO3 ALUMINUM	:UG/M3	ATTACHMENT	•	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO4 ARSENIC	:UG/ <b>M</b> 3	ATTACHMENT	*	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMOS BARIUM	:UG/M3	ATTACHMENT	*	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO6 BERYLLIUM	:UG/M3	ATTACHMENT	; <b>*</b>	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO7 CADMIUM	: UG/M3	ATTACHMENT	*	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO8 COBALT	:UG/ <b>M</b> 3	ATTACHMENT	*	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO9 CHROMIUM	:UG/M3	ATTACHMENT	*	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM10 COPPER	:UG/M3	ATTACHMENT	*	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM11 IRON	.UG/ <b>M</b> 3	ATTACHMENT	*	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM12 MANGANESE	UG/M3	ATTACHMENT	*	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM13 NICKEL	:UG/ <b>M</b> 3	ATTACHMENT	*	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM14 ANTIMONY	UG/M3	ATTACHMENT	*	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM15 SELENIUM	:UG/M3	ATTACHMENT	*	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM16 ILIANIUM	UG/ <b>M</b> 3	ATTACHMENT	• • • •	ALIALHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMI7 THALLIUM	: UG/M3	ATTACHMENT		ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT
AM18 VANADIUM	:UG/ <b>M</b> 3	ATTACHMENT	*	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM19 MOLYBDENUM	:UG/M3	ATTACHMENT	•	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM20 ZINC	:UG/M3	ATTACHMENT	*	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM21 CALCIUM	UG/M3	ATTACHMENT	•	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM22 MAGNESIUM	: UG/M3	ATTACHMENT	•	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM23 SODIUM	:UG/M3	ATTACHMENT	*	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM24 POTASSIUM	: UG/M3	ATTACHMENT	•	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT
AM25 T1N	:UG/ <b>M</b> 3	ATTACHMENT	: :	:	ATTACHMENT	- :	:
ZZO1 SAMPLE NUMBER	: NA	432	:432	: 433	433	434	: 435

COMPOUND	UNITS	432	432F	433	433L	434	435
ZZO2 ACTIVITY CODE	NA .	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR
ZZ99 SAMPLE COLLECTION DATE & BATCH NUMBER	DT.	***	***		***	***	***

COMPOUND	UNITS	436	437	438	439	440	440F
AMO1 PARTICULATE LEAD IN AIR BY HIVOL	UG/M3	ATTACHMENT	ATTACHMENT	:ATTACHMENT	ATTACHMENT	ATTACHMENT	•
AMO2 SILVER	EM\DU:	: ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	;
AMO3 ALUMINUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•
AMO4 ARSENIC	UG/M3	: ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•
AMOS BARIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: •
AMO6 BERYLLIUM	:UG/ <b>M</b> 3	: ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*
AMO7 CADMIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*
AMO8 COBALT	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*
AMO9 CHROMIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	· · · · · ·
AM10 COPPER	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: *
AM11 IRON	.UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*
AM12 MANGANESE	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*
AM13 NICKEL	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	;
AM14 ANTIMONY	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•
AM15 SELENIUM	uG/M3	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•
vwie ilivninw	. UG/ <b>W</b> 3	ATTACHMENT	ATTALHMENT	ALLAUHMENT	ATTACHMENT	ATTACHMENT	*
AM17 THALLIUM	:UG/M3	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT	•
AM18 VANADIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•
AM19 MOLYBDENUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•
AM20 ZINC	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•
AM21 CALCIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	
AM22 MAGNESIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	; •
AM23 SODIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	•
AM24 POTASSIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	*
AM25 TIN	UG/M3		· · · · · · · · · · · · · · · · · · ·	- ,		ATTACHMENT	: :
ZZO1 SAMPLE NUMBER	NA NA	: 436	437	438	439	440	:440

COMPOUND	UNITS	436	437	438	439	440	440F
ZZO2 ACTIVITY CODE	: : NA	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR
ZZ99 SAMPLE COLLECTION DATE & BATCH NUMBER	DT	***	***	* * *	***	***	***

COMPOUND	UNITS	441	442	443	444	445	446
AMO1 PARTICULATE LEAD IN AIR BY HIVOL	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT
AMO2 SILVER	: UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
ALUMINUM EOMA	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO4 ARSENIC	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMOS BARIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO6 BERYLLIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO7 CADMIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO8 COBALT	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO9 CHROMIUM	:UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM10 COPPER	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM11 IRON	.UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM12 MANGANESE	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM13 NICKEL	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM14 ANTIMONY	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM15 SELENIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
WW16 IIIWHIUM	UG/M3	ATTACHMENT	ATTACHMENT	ALIACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT
AM17 THALLIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	:ATTACHMENT	ATTACHMENT	ATTACHMENT
AM18 VANADIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM19 MOLYBDENUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM2O ZINC	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM21 CALCIUM	:UG/M3	ATTACHMENT	:ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM22 MAGNESIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM23 SODIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM24 POTASSIUM	UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
ZZO1 SAMPLE NUMBER	NA .	441	: 442	: 443	: 444	445	: 446
ZZO2 ACTIVITY CODE	NA	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR

COMPOUND	UNITS	441	442	443	444	445	446
ZZ99 SAMPLE COLLECTION DATE & BATCH NUMB	BER DT	***	***	: ***	***	***	

COMPOUND	UNITS	448	449	900M	901R	9015	902A
AMO1 PARTICULATE LEAD IN AIR BY HIVOL	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO2 SILVER	UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO3 ALUMINUM	:UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO4 ARSENIC	:UG/M3:	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT
AMO5 BARIUM	:UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO6 BERYLLIUM	UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT
AMO7 CADMIUM	UG/M3.	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO8 COBALT	:UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO9 CHROMIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM10 COPPER	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM11 IRON	.UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM12 MANGANESE	:UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM13 NICKEL	:UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM14 ANTIMONY	:UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM15 SELENIUM	.UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMI6 LIIANIUM	UG/ <b>M</b> 3	ATTACHMENT	ATTACHMENT	: ALLACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT
AM17 THALLIUM	.UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM18 VANADIUM	:UG/ <b>M</b> 3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM19 MOLYBDENUM	:UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM20 ZINC	:UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM21 CALCIUM	UG/M3	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM22 MAGNESIUM	UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM23 SODIUM	UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM24 POTASSIUM	UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT
AM25 TIN	UG/M3:		:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
ZZO1 SAMPLE NUMBER	NA .	448	: 449	900	. 901	901	902

COMPOUND	UNITS	448	449	900M	901R	9015	902A
ZZO2 ACTIVITY CODE	: NA	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR
ZZ99 SAMPLE COLLECTION DATE'S BATCH NUMBER	DT.	***	***	***	***	***	***

COMPOUND	UNITS	902C	903 <b>M</b>	904R	9045	905A	905C
AMO1 PARTICULATE LEAD IN AIR BY HIVOL	:UG/M3	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT
AMO2 SILVER	:UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO3 ALUMINUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO4 ARSENIC	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMOS BARIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO6 BERYLLIUM	: UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO7 CADMIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	: ATTACHMENT
AMOS COBALT	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AMO9 CHROMIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM10 COPPER	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM11 IRON	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM12 MANGANESE	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM13 NICKEL	.UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM14 ANTIMONY	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM15 SFLENIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM16 TITANIUM	. UG/M3	ATTACHMENT	ATTACHMENT	ALLACHMENT	ATTACHMENT	: ATTACHMENT	: ATTACHMENT
AMI7 THALLIUM	: UG/M3:	ATTACHMENT	ATTACHMENT	: ATTACHMENT	: ATTACHMENT	ATTACHMENT	ATTACHMENT
AM18 VANADIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM19 MOLYBDENUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM2O ZINC	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM21 CALCIUM	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM22 MAGNESIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM23 SODIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM24 POTASSIUM	: UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
AM25 TIN	:UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT	ATTACHMENT
ZZO1 SAMPLE NUMBER	: NA	902	:903	904	904	905	905
							- ,

COMPOUND	UNITS	9020	903M	904R	9045	905A	905C
ZZO2 ACTIVITY CODE	NA NA	CSXCR	: CSXCR	CSXCR	CSXCR	CSXCR	CSXCR
ZZ99 SAMPLE COLLECTION DATE & BATCH NUMBER	DT.	***	*** :	***	***	***	***

COMPOUND	UNITS	906M	907A	9070	908M	909A	9090
AMO1 PARTICULATE LEAD IN AIR BY HIVOL	:UG/M3:	ATTACHMENT	: ATTACHMENT	ATTACHMENT	:	:	·:
AMO2 SILVER	:UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	:	:	:
AMO3 ALUMINUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	:	:	
AMO4 ARSENIC	.UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT		: <i>-</i>	
AMO5 BARIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	:	:	
AMO6 BERYLLIUM	UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	:		:
AMO7 CADMIUM	:UG/M3:	ATTACHMENT	ATTACHMENT	: ATTACHMENT	:	:	
AMO8 COBALT	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	:		
AMO9 CHROMIUM	UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	:	:	
AMIO COPPER	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	:	:	
AM11 IRON	UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	:	:	
AM12 MANGANESE	UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT		:	
AM13 NICKEL	:UG/ <b>M3</b> :	ATTACHMENT	ATTACHMENT	ATTACHMENT		:	
AM14 ANTIMONY	UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	·		:
AM15 SELENIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	:	: :	;
AM16 TITAMIUM	.UG/M3.	ATTACHMENT	ATTACHMENT	ALLACHMENT	:		_ '
AM17 THALLIUM	UG/M3:	ATTACHMENT	ATTACHMENT	: ATTACHMENT		_ :	. <del></del>
AM18 VANADIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	·	;	
AM19 MOLYBDENUM	UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT		:	:
AM2O ZINC	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT			
AM21 CALCIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT		;	
AM22 MAGNESIUM	UG/M3	ATTACHMENT	ATTACHMENT	ATTACHMENT	:	,	:
AM23 SODIUM	UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	:		
AM24 POTASSIUM	:UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT			:
AM25 TIN	UG/M3:	ATTACHMENT	ATTACHMENT	ATTACHMENT	:	:	: :
WMO1 SILVER BY ICAP	UG/L		:	·	.10	U : 500	500

COMPOUND	UNITS	906 <b>M</b>	907A	907C	908 <b>M</b>		909A		9090	;
WMO2 ALUMINUM BY ICAP	:UG/L	:	:	:	200	U	2000		2000	
WMO3 ARSENIC BY ICAP	UG/L	:	:	:	10	U	44		47	
WMO4 BARIUM BY ICAP	UG/L	:	: <del></del>	:	200	υ	1900		2000	
WMO5 BERYLLIUM BY ICAP	:UG/L	:	:	:	5.0	บ	470		: 480	
WMO6 CADMIUM BY ICAP	:UG/L	:	:	:	:5.0	U	490		500	
WMO7 COBALT BY ICAP	:UG/L	:	:	:	: 50	U	:480		500	
WMO8 CHROMIUM BY ICAP	:UG/L	:	:	:	10	U	500		:510	
WMO9 COPPER BY ICAP	:UG/L	:	:	:	25	U	490		:520	
WM10 IRON BY ICAP	:UG/L	:	:	:	100	υ	1900		2000	
WM11 MANGANESE BY ICAP	UG/L	:	:		15	U	480		:500	
WM12 MOLYBDENUM BY ICAP	UG/L	:			: N/A	0	N/A	0	: N/A	0
WM13 NICKEL BY ICAP	:UG/L	:		:	40	บ	460		480	
WM14 LEAD BY ICAP	UG/L	:	:	:	3.0	U	:98		: 98	
WM15 ANTIMONY BY ICAP	:UG/L	:		:	60	U	1000		980	
WM16 SELENIUM BY ICAP	UG/L	:	:	:	:5.0	U	46		53	
WM17 TITANIUM BY ICAP	UG/L		:	:	: N/A	0	:N/A	0	N/A	0
WM18 THALLIUM BY ICAP	:UG/L	:	:	:	: 10	U	100	<b>-</b>	97	
WM19 VANADIUM BY ICAP	UG/L	:	:	:	50	U	:470		490	
WM20 ZINC BY ICAP	UG/L	:	:	:	20	U	2900		3100	
WM21 CALCIUM. TOTAL BY ICAP	MG/L	:	;	:	5.0	U	48		49	
WM22 MAGNESIUM. TOTAL BY ICAP	MG/L	:	:		5 0	U	: 25		25	
WM23 SODIUM. TOTAL BY ICAP	MG/L	:	:	:	5.0	U	: 49		: 50	
WM24 POTASSIUM, TOTAL BY ICAP	MG/L	:	,	·	5.0	U	49		49	
2201 SAMPLE NUMBER	: NA	906	907	907	908		909		909	
ZZO2 ACTIVITY CODE	:NA	CSXCR	CSXCR	CSXCR	CSXCR	<b>_</b> _	CSXCR		CSXCR	
ZZ99 SAMPLE COLLECTION DATE & BATCH NUMBER	:D1.	***	: <del></del>	***						

COMPO	UND		บท175	910M		911A	9110	912 <b>M</b>		913A	9130
WM35 SILVER.DISSOLVED	BY	ICAP	:UG/L	: 10		500	520	10	Ū	500	500
WM36 ALUMINUM, DISSOLVED	ВУ	ICAP	:UG/L	200	U	2000	2100	200	U	2000	2000
WM37 ARSENIC DISSOLVED	ВУ	ICAP	UG/L	. 10	U	47	41	10	U	47	43
WM38 BARIUM.DISSOLVED	ВУ	ICAP	UG/L	200	ับ	2000	2100	200	υ	2000	2000
WM39 BERYLLIUM.DISSOLVED	ВҮ	ICAP	UG/L	5.0	U	: 480	470	:5.0	U	480	460
WM40 CADMIUM.DISSOLVED	ВУ	ICAP	UG/L	5.0	υ	500	530	5 0	U	500	: 500
WM41 COBALT.DISSOLVED	ВҮ	ICAP	UG/L	: 50	U	500	520	:50	U	500	490
WM42 CHROMIUM.DISSOLVED	BY	ICAP	UG/L	10	U	510	510	10	U	510	480
WM43 COPPER.DISSOLVED	В٧	ICAP	UG/L	25	U	520	520	25	U	520	500
WM44 IRON, DISSOLVED	ВУ	ICAP	UG/L	100	U	2000	2000	100	U	2000	2000
WM45 MANGANESE DISSOLVED	ВУ	1CAP	UG/L	15	U	:500	510	15	U	500	490
WM46 MOLYBDENUM, DISSOLVED	ВУ	ICAP	UG/L	N/A	0	N/A O	N/A O	:N/A	0	N/A O	N/A O
WM47 NICKEL .DISSOLVED	ВЧ	1CAP	UG/L	.40		480	480	40	U	480	460
WM48 LEAD, DISSOLVED	ВУ	ICAP	·UG/L	3.0	U	98	91	3.0	υ	97	87
WM49 ANTIMONY DISSOLVED	ВУ	ICAP	UG/L	60	U	:980	970	60	U	980	1000
WM60 SELENIUM DISSOLVED	BY	ICAT	.UG/L	5.0	ΰ	:53	46	.5.0	υ	53	: 44
WM51 TITANIUM.DISSOLVED	ВY	ICAP	UG/L	N/A	0	.N/A O	N/A O	: N/A	0	N/A O	N/A O
WM52 THALLIUM.DISSOLVED	ВУ	ICAP	UG/L	10	U	97	96	10	U	97	98
WM53 VANADIUM.DISSOLVED	ВУ	ICAP	UG/L	50	U	490	500	:50	U	490	480
WM54 ZINC.DISSOLVED	ВУ	ICAP	UG/L	20	υ	3100	3100	20	U	3100	3000
WM55 CALCIUM.DISSOLVED	В٧	ICAP	MG/L	5.0	U	49	.52	5.0	U	49	49
WM56 MAGNESIUM.DISSOLVED	ВΥ	ICAP	MG/L	5 0	U	25	27	5.0	U	25	25
WM57 SODIUM.DISSOLVED	ВУ	ICAP	.MG/L	5.0	U	50	52	5.0	U	50	49
WM58 POTASSIUM.DISSOLVED	ВУ	1CAP	MG/L	5.0	U	: 49	53	5.0	U	49	: 50
ZZO1 SAMPLE NUMBER			: NA	910		:911	911	912		913	913
ZZO2 ACTIVITY CODE			NA NA	CSXCR		CSXCR	. CSXCR	CSXCR		CSXCR	CSXCR

	COMPOUND	UNITS	914A	9140		914M		915A	9150	915M	I
SMO1 SILVER	BY ICAP	MG/KG	22	: 23		2.0	 U	:	:	:	
SMO2 ALUMINUM	BY ICAP	MG/KG	320	320		40	U	:	:	:	
SMO3 ARSENIC	BY ICAP	MG/KG	920	1100		2.0	U	:	:	:	
SMO4 BARIUM	BY ICAP	MG/KG	4.8	: 40	U	: 40	υ	:	:	:	
SMO5 BERYLLIUM	BY ICAP	MG/KG	19	: 18		1.0	U	:	:	:	
SMO6 CADMIUM	BY ICAP	:MG/KG	45	: 45		:1.0	U	:	:	:	
SMO7 COBALT	BY ICAP	MG/KG	140	130		10	U	:	:	:	
SMO8 CHROMIUM	BY ICAP	MG/KG	100	94		2.0	U	:	:	:	
SMO9 COPPER	BY ICAP	MG/KG	6900	:6800		:5.0	<del>-</del> -	:	:	:- <del></del> -	
SM10 IRON	BY ICAP	MG/K.G	22000	22000		20	U		:	:	· <del>-</del>
SM11 MANGANESE	BY ICAP	:MG/KG	210	200		3.0	U	:	:		
SM12 MOLYBDENUM	BY ICAP	:MG/KG	N/A (	) : N/A	0	N/A	0	:			
SM13 NICKEL	BY ICAP	MG/KG	61	:56		8 0	U	:	:	:	
SM14 LEAD	BY ICAP	MG/KG	240	230		1 0	~- U	:		:	
SM15 ANTIMONY	BY ICAP	MG/KG	210	240		12	U	:		:	
SM16 SELENIUM	BY ICAP	MG/F.G	. 39	: 39		:1.0	U	:	:	:	
SM17 TITANIUM	BY ICAP	MG/KG:	N/A C	N/A	0	N/A	0	:			
SM18 THALLIUM	BY ICAP	MG/KG	39	37		2.0	u	:	:	:	
SM19 VANADIUM	BY ICAP	MG/KG	66	:65		10	 U	:	:	:	
SM20 ZINC	BY ICAP	:MG/KG	190	: 190		4.0	U	:	:	:	
SM21 CALCIUM	BY ICAP	.MG/KG	190000	180000		1000	U	:	:	:	
SM22 MAGNESIUM	BY ICAP	:MG/KG	120000	.120000		1000	u U	:	;	:	
SM23 SODIUM	BY ICAP	MG/KG	50	1000	Ų	1000	U	:	:		
SM24 POTASSIUM	BY ICAP	:MG/KG	50	: 1000	U	1000	U	:	:	:	
WMO1 SILVER	BY ICAP	:UG/L		:		:		500	500	10	Ū
WMO2 ALUMINUM	BY ICAP	: UG/L		-:		:		2000	2000	200	U

	COMPOUND	UNITS	914A	9140	914 <b>M</b>	915A	915C	9	15M
WMO3 ARSENIC	BY ICAP	:UG/L	:	:	:	47	43	10	บ
WMO4 BARIUM	BY ICAP	UG/L	:	:	:	2000	2000	200	Ü
WMO5 BERYLLIUM	BY ICAP	:UG/L	:		:	: 480	: 450	5.0	U
WMO6 CADMIUM	BY ICAP	UG/L	:	:		:500	:500	5.0	U
WMO7 COBALT	BY ICAP	UG/L	:		:	: 500	: 490	:50	U
WMO8 CHROMIUM	BY ICAP	:UG/L	:	:	:	:510	480	10	U
WMO9 COPPER	BY ICAP	UG/L	:	:	:	:520	: 490	: 25	U
WM10 IRON	BY ICAP	:UG/L	:	:	:	2000	: 1900	100	U .
WM11 MANGANESE	BY ICAP	UG/L	:		:	500	490	: 15	U
WM12 MOLYBDENUM	BY ICAP	:UG/L			<del></del> :	N/A O	: N/A	0 N/A	0
WM13 NICKEL	BY ICAP	UG/L			:	: 480	: 460	: 40	U
WM14 LEAD	BY ICAP	UG/L	:		:	4800	:4900	3.0	U
WM15 ANTIMONY	BY ICAP	UG/L	:	;		980	:950	60	U
WM16 SELENIUM	BY ICAP	UG/L	:	:	:	53	49	5.0	U
WM17 TITANIUM	BY ICAP	.UG/L			:	N/A O	N/A	0 :N/A	0
WW18 THALLIUM	BY ICAP	06/L		:		:97	100	:10	U
WMIG VANADIUM	BY ICAP	: UG/L			:	. 490	480	50	U
WM20 ZINC	BY ICAP	UG/L	:	:	:	3100	3100	20	U
WM21 CALCIUM, TOTA	AL BY ICAP	MG/L	:	:	:	49	:50	:5.0	U
WM22 MAGNESIUM, TO	OTAL BY ICAP	MG/L	:	:	:	25	25	5 0	U
WM23 SODIUM. TOTAL	L BY ICAP	MG/L	:		:	50	50	5.0	U
WM24 POTASSIUM, TO	OTAL BY ICAP	MG/L	<del></del>	:	: :	49	51	5.0	U
ZZO1 SAMPLE NUMBEI	ξ	. NA	.914	914	914	915	915	915	
ZZO2 ACTIVITY CODE		. NΦ	CSXCR	CSXCR	CSXCR	CSXCR	:CSXCR	CSXC	R

	COMPOUND	UNITS	916A	9160	916M	917M		918A		918C	
SMO1 SILVER	BY ICAP	MG/KG		-:	:	2.0	ี บ	22	: 23		·: :
SMO2 ALUMINUM	BY ICAP	:MG/KG:		-:	:	40	u	: 330	: 32	) )	:
SMO3 ARSENIC	BY ICAP	:MG/KG		:		2.0	v	920	:81	0	:
SMO4 BARIUM	BY ICAP	MG/KG:		:	·- ;	40	U	: 40	J : 40		U
SMO5 BERYLLIUM	BY ICAP	:MG/KG:		:	:	1.0	U	: 19	:18		:
SMO6 CADMIUM	BY ICAP	:MG/KG:		:	:	:1.0	U	: 45	43		:
SMO7 COBALT	BY ICAP	:MG/KG:			:	10	υ	140	: 13	D	:
SMO8 CHROMIUM	BY ICAP	MG/KG:		-;	:	2.0	U	100	94		:
SMO9 COPPER	BY ICAP	:MG/KG:		:	:	:5.0	U	:6900	: 67	00	:
SM10 IRON	BY ICAP	:MG/KG:		:	·-:	20	U	: 22000	: 20	000	:
SM11 MANGANESE	BY ICAP	. MG/K.G.			:	:3.0	U	210	: 20	)	·:
SM12 MOLYBDENUM	BY ICAP	:MG/KG:		:	: :	:N/A	0	: N/A	) : N/	4 4	0 :
SM13 NICKEL	BY ICAP	:MG/KG:		:	:	8 0	υ	:61	:55		:
SM14 LEAD	BY ICAP	:MG/KG:		:	:	:1.0	U	240	: 22	)	:
SM15 ANTIMONY	BY ICAP	MG/+G:		:	:	. 12	U	210	: 210	 D	:
SMIG SELENTUM	BY ICAP	. MG/KG		:		:1.0	U	39	: 41		:
SM17 TITANIUM	BY ICAP	MG/KG.		:	;	: N/A	0	:N/A	) . N/	Α	0
SM18 THALLIUM	BY ICAP	:MG/K.G		:		2.0	U	: 39	: 39		:
SM19 VANADIUM	BY ICAP	MG/KG:		:		:10	U	:66	:67		:
SM20 ZINC	BY ICAP	:MG/KG:		:		4.0	U	190	: 18	)	:
SM21 CALCIUM	BY ICAP	MG/KG:		:		1000	U	200000	: 18	0000	:
SM22 MAGNESIUM	BY ICAP	MG/KG		:		1000	U	120000	120	0000	:
SM23 SODIUM	BY ICAP	MG/KG:		-: :		1000	U	1000	1 : 10	00	Ū.
SM24 POTASSIUM	BY ICAP	MG/FG:		-;		1000	υ	1000	100	00	U :
WM35 SILVER.DISSOL	VED BY ICAP	UG/L 5	00	530	10 U	: :		:	:		
WM36 ALUMINUM.DISS	OLVED BY ICAP	UG/L 2	000	2100	200 U	:		;			 ::

СОМРО	UND	UNITS	916A	9160	916M	917M	918A	9180
WM37 ARSENIC.DISSOLVED	BY ICAP	UG/L	47	42	10	: U :	:	<del>:</del> :
WM38 BARIUM, DISSOLVED	BY ICAP	UG/L	2000	2100	200	U :	:	; <del></del>
WM39 BERYLLIUM.DISSOLVED	BY ICAP	UG/L	480	470	5.0	บ :	:	
WM40 CADMIUM.DISSOLVED	BY ICAP	UG/L	500	530	5.0	υ :	:	:
WM41 COBALT.DISSOLVED	BY ICAP	UG/L	500	520	50	υ :	:	:
WM42 CHROMIUM.DISSOLVED	BY ICAP	UG/L	510	510	10	U :	:	:
WM43 COPPER DISSOLVED	BY ICAP	UG/L	520	530	25	υ :	:	
WM44 IRON, DISSOLVED	BY ICAP	UG/L	2000	2000	100	u :	:	
WM45 MANGANESE.DISSOLVED	BY ICAP	UG/L	500	510	: 15	U :	:	
WM46 MOLYBDENUM.DISSOLVED	BY ICAP	UG/L	N/A O	N/A O	N/A	0		:
WM47 NICKEL DISSOLVED	BY ICAP	UG/L	480	490	40	υ :		
WM48 LEAD.DISSOLVED	BY ICAP	: UG/L	98	95	3.0	U :		
WM49 ANTIMONY DISSOLVED	BY ICAP	UG/L	980	1000	60	υ :		
WM50 SELENIUM.DISSOLVED	BY ICAP	UG/L	:53	: 48	5 0	υ :		:
WM51 TITANIUM.DISSOLVED	BY ICAP	UG/L	N/A O	N/A O	.N/A	D :		:
WM52 THALLIUM, DISSOLVED	BY ICAP	UG/L	. 97	93	:10	U :		:
WMSS VANADIUM, DISSOLVED	BY ILAP	UG/L	490	.510	:50	u :		
WM54 ZINC.DISSOLVED	BY ICAP	UG/L	3100	3200	20	u :	:	:
WM55 CALCIUM DISSOLVED	BY ICAP	MG/L	49	52	:5.0	บ :	:	:
WM56 MAGNESIUM, DISSOLVED	BY ICAP	MG/L	: 25	27	:5.0	U :	:	:
WM57 SODIUM.DISSOLVED	BY ICAP	MG/L	50	51	5.0	J :		:
WM58 POTASSIUM, DISSOLVED	BY ICAP	MG/L	49	: 53	:5.0	: U :		:
ZZO1 SAMPLE NUMBER		. NA	916	916	916	917	918	918
ZZO2 ACTIVITY CODE		: NA	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR	CSXCR

ANALYSIS REQUEST DETAIL REPORT

ACTIVITY: O-CSXCR

	COMPOUND	UNITS 919A	9190	920 <b>M</b>	
SMO1 SILVER	BY ICAP	:MG/KG:22	: 28	2.0 U	<del></del> ::
SMO2 ALUMINUM	BY ICAP	MG/KG:330	:310	:40 U :	· · · · · · · · · · · · · · · · · · ·
SMO3 ARSENIC	BY ICAP	:MG/KG:920	: 800 J	2.0 U	: : : : : : : : : : : : : : : : : : : :
SMO4 BARIUM	BY ICAP	.MG/KG:4.8	:40 U	:40 U :	: : : : : : : : : : : : : : : : : : :
SMO5 BERYLLIUM	BY ICAP	:MG/KG:19	: 18	1.0 U	: : : : : : : : : : : : : : : : : : : :
SMO6 CADMIUM	BY ICAP	:MG/KG:45	44 J	:1 O U :	
SMO7 COBALT	BY ICAP	MG/KG:140	130 J	10 U	
SMO8 CHROMIUM	BY ICAP	MG/KG: 100	97	2 0 U	
SMO9 COPPER	BY ICAP	MG/KG:6900	6700 J	5.0 ປ	
SM10 IRON	BY ICAP	MG/KG: 22000	21000	20 U :	
SM11 MANGANESE	BY ICAP	MG/KG: 210	210	3 0 U :	
SM12 MOLYBDENUM	BY ICAP	:MG/KG:N/A C	N/A O	N/A O	
SM13 NICKEL	BY ICAP	MG/KG.61	59	8 0 U	
SM14 LEAD	BY ICAP	:MG/KG:240	: 230	10 0	
SM15 ANTIMONY	BY ICAP	MG/KG 210	220	12 U	: :
SM16 SELENTUM	BY ICAP	.MG/NG.39	: 40	:1.0	: : : : : : : : : : : : : : : : : : : :
SM17 TITANIUM	BY ICAP	:MG/KG:N/A C	:N/A 0	N/A 0 :	
SM18 THALLIUM	BY ICAP	MG/KG:39	: 46	2.0 U	
SM19 VANADIUM	BY ICAP	MG/KG:66	67	10 U	
SM20 ZINC	BY ICAP	MG/KG: 190	:190 J	40 U:	
SM21 CALCIUM	BY ICAP	MG/KG: 200000	180000	:1000 U	
SM22 MAGNESIUM	BY ICAP	:MG/KG:120000	120000	1000 U	
SM23 SODIUM	BY ICAP	:MG/KG:50	1000 U	:1000 U	
SM24 POTASSIUM	BY ICAP	MG/KG:50	1000 U	1000 ປ	
ZZO1 SAMPLE NUMBER		NA 919	919	920	
ZZO2 ACTIVITY CODE		NA CSXCR	CSXCR	CSXCR	

SAMPLE:	Α	В	PES	D	E	FLD	G	HER	1	MC	BNC	L	MET	N	vc	PES	Q	R	BN	T	U	VOA	нс	×	Υ	TRK	COMMENTS
001 L: 001 R: 001 S: 002 S: 003 S: 004 S: 005 S: 006 S: 007 S: 008 S: 009 S: 010 S: 011 S: 014 S: 015 S: 016 S: 017 S: 018 S: 019 S: 020 S: 021 S: 021 S: 022 S: 023 S: 024 S: 025 S: 027 S: 028 S: 029 S: 029 S: 030 S: 04 S: 04 S: 05 S: 06 S: 07 S: 0	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	44444444444444444444444444444444444444	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	222222222222222222222222222222222222222	

SAMPLE:	Α	В	PES	D	E	FLD	G	HER	I	MC_	BNC	L	MET	N	vc	PES	Q	R	BN	T	U	VOA	нс	X	Υ	TRK	COMMENTS
113 114 115 116 117 118 LR: 118 S 119 1200 2002 2004 2008 LR: 119 LR: 118 LR: 118 LR: 118 LR: 118 LR: 118 LR: 118 LR: 118 LR: 118 LR: 118 LR: 119 LR:	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	222222222224444444444222444;7454;2424444888844488444 44444444444888888844488688;6688444888884448844488444	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	222222222222222222222222222222222222222	

SAMPLE:	A	В	PES	D	Ε	FLD	G	HER	1	MC	BNC	L	MET	N	VC	PES	Q	R	BN	Ť	U	VOA	нс	X	Y	TRK	COMMENTS
302 303 304 305 306 307 309 309 309 309 311 312 3118 318 318 318 319 319 319 319 322 322 402 403 404 407 408 409 411 413 414 415	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000		000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	88888888444888888888844484; 44444444454445444444444 6088884444454444444444444444444444444444	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000		

SAMPLE:	Α	В	PES	D	Ε	FLD	G	HER	I	MC_	BNC	L	MET	N	VC	PES	Q	R	BN	T	U	VOA	нс	X	Υ	TRK	COMMENTS
416 417 418 419 420 421 422 422 423 424 425 426 427 428 430 431 432 433 433 433 433 433 433 434 435 436 437 438 439 430 431 435 436 437 438 439 430 430 431 431 432 433 434 435 436 437 438 439 430 430 431 431 432 433 434 435 436 437 438 439 439 430 430 431 431 432 433 434 435 436 437 438 439 439 430 430 431 431 432 433 434 435 436 437 438 439 439 439 430 431 432 433 434 435 436 437 438 439 439 439 439 439 439 439 439	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000		000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	44444454544444454454454454454444444444	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000		000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	33333333333333333333333333333333333333	

SAMPLE:	A	В	PES	D	E	FLD	G	HER	I	MC	BNC	L	MET	N	<b>v</b> c	PES	Q	R	BN	T	U	VOA	нс	X	Y	TRK	COMMENTS
907 C 908 M 909 A 909 C 910 M 911 C 912 M 913 C 913 C 914 C 914 C 914 C 915 M 915 M 916 C 916 M 917 M 918 A 919 C 919 C	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	25 224 244 244 244 244 244 244 244 244 2	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	3222222222222222222222222222	
DETERMI-: NATIONS	0	0	0	0	0	123	0	0	0	0	0	06	548	0	0	0	0	0	0	0	0	0	0	0	0	517	
. HALLSES	C.	a	^	ı.	r.	<i>a</i> i		0	^	^	0	^	225	0	^	0	^	0	0	^	^	^	^	0	0	225	

#NAL+3E5 0 0 0 0 0 41 0 0 0 0 0 225 0 0 0 0 0 0 0 0 0 0 225

ACTIVITY CSXCR BIG RIVER MINE TAILINGS

THE PROJECT LEADER SHOULD CIRCLE ONE - STORET, SAROAD, OR ARCHIVE.

CIRCLE ONE:

STORET

SAROAD

ARCHIVE

DATA APPROVED BY LABO FOR TRANSMISSION TO PROJECT LEADER ON 10/04/90 15:39:22 BY

Final Report
Listing Site Inspection
Big River Mine Tailings
Volume II

y, Missouri SAFE SECTION

KECLIVEL

OCT 31 1991

Desloge, St. Francois County, Missouri TDD #F-07-9004-011 PAN # FM00616XA

Site #Y60 Project #003

Submitted to: Region VII EPA by E & E/FIT

Superfund Contact: Greg Reesor FIT Task Leader: Bob Overfelt, AFITOM Date: October 30, 1991

TITLE: BIG RIVER MINE TAILINGS

LAB: SILVER METHOD: CS0788A
SAMPLE PREP: \_\_\_\_\_ ANALYST/ENTRY: DEW REVIEWER: \_\_\_\_

REVIEW LEVEL: 2

•	
MATRIX:AIR	UNITS: UG/SMPL
METHOD: CS0788A	CASE: 5558G
REVIEWER:	DATE: 08/20/90
DATA FILE : AMC	<u> </u>

			,		•			_
SAMPLES	CSXCR4		CSXCR4	102	CSXCR	103	CSXCR	104
ALUMINUM	79		90		83		340	
YNOMITNA	12	U	12	Ü	12	U	12	U
ARSENIC	2.0	U	2.0	U	2.0	U	3.5	
BARIUM	40	U	40	Ŭ	40	U	7.9	
BERYLLIUM	1.0	U	1.0	U	1.0	U	1.0	U
CADMIUM	1.0	U	1.0	Ü	1.0	U	6.1	
CALCIUM	1000		1300		1000	Ū	15000	
CHROMIUM	2.0	U	2.0	U	2.1	U	1.8	U
COBALT	10	U	10	U	10	U	10	U
COPPER	97	J	66	J	81	J	44	J
IRON	140		170		120		2600	
LEAD	7.8		19		14		520	
MAGNESIUM	1000	U	1000	U	1000	U	7800	
MANGANESE	9.3		11		6.7		320	
MERCURY	N/A	0	N/A	0	N/A	0	N/A	0
NICKEL	10	U	10	U	10	U	10	U
POTASSIUM	1000	U	1000	U	1000	U	1000	U
SELENIUM	1.2		1.6		1.5		1.0	U
SILVER	2.0	U	2.0	U	2.0	U	2.0	U
SODIUM	1000	U	1000	U	1000	U	1000	
THALLIUM	2.0	U	2.0	U	2.0	U	2.0	U
VANADIUM	10	U	10	U	10	U	10	U
ZINC	15		20		12		240	
CYANIDE	N/A	0	N/A	0	N/A	0	N/A	0
MOLYBDENUM	N/A	0	N/A	0	N/A	0	N/A	0
TITANIUM	N/A	0	N/A	0	N/A	0	N/A	0

TITLE: BIG RIVER MINE TAILINGS
LAB: SILVER
SAMPLE PREP:
REVIEW LEVEL: 2

MATRIX:AIR
METHOD: CS0788A
REVIEWER: OB/20/90
DATA FILE: AMC

UNITS: UG/SMPL
CASE: 5558G
DATE: 08/20/90

SAMPLES	CSXCR4	06 /	CSXCR4	07 ′	CSXCR4	80	CSXCR4	109
ALUMINUM	160		67	U	40	U	40	U
ANTIMONY	12	U	12	U	12	U		U
ARSENIC		U	2.0	U	2.0	U	2.0	U
BARIUM	40	U	40	U	40	U	40	U
BERYLLIUM		U	1.0	U	1.0	U	1.0	U
CADMIUM	2.3		1.0	U	1.0	U	1.1	
CALCIUM	1600		1000	U	1000	U	1500	
CHROMIUM	2.1	U	2.0	U	2.0	U	2.0	U
COBALT		U	10	U	10	U	<del>-</del> -	
COPPER		J	140	J	5.0	U	110	J
IRON	250		120		22		230	
LEAD	62		8.0		1.0	Ü	32	
MAGNESIUM	1000	U	1000	U	1000	U	1900	
MANGANESE	15		7.0		3.0	U	16	
MERCURY	N/A		1/A	0	N/A	0	N/A	0
ICKEL	10		10	U	10	U	10	
POTASSIUM	1000	U	1000	U	1000	U	1000	U
SELENIUM		J	1.0	U	1.0	U	1.6	
SILVER		U	2.0	บ	2.0	U	2.0	ប
SODIUM	_	U	1000	U	1000	U	1000	
THALLIUM	2.0	U	2.0	U	2.0	U	2.0	U
VANADIUM	10	U	10	U	10	U	10	U
ZINC	44		16		4.0	Ū	27	
CYANIDE	N/A	0 1	1/A	0	N/A	0	N/A	0
MOLYBDENUM	N/A		I/A	0	N/A	0	N/A	0
TITANIUM	N/A	0 1	1/A	0	N/A	0	N/A	0

TITLE: BIG RIVER MINE TAILINGS
LAB: SILVER
SAMPLE PREP:
REVIEW LEVEL: 2

ANALYST/ENTRY: DEW REVIEWER:
DATA FILE: AMC

MATRIX:AIR
METHOD: CS0788A
CASE: 5558G
DATE: 08/20/90

					/			
SAMPLES	CSXCR4	10/	CSXCR4	11	CSXCI	R412 ´	CSXCR4	113
ALUMINUM	140		160		580	)	140	
ANTIMONY	12	U	12	U	12	? U	12	U
ARSENIC	2.0	U	2.0	U	2.0	U	2.0	U
BARIUM	40	U	40	U	4 (	U	12	
BERYLLIUM	1.0	U	1.0	U	1.0	U (	1.0	U
CADMIUM	1.0	U	1.1		8.5	5	1.4	
CALCIUM	2200		2300		24000	)	1200	
CHROMIUM	2.0	U	2.0	U	2.4	U	2.0	U
COBALT	10	U	10	U	6.9	5	10	U
COPPER	120	J	83	J	6	7 J	120	J
IRON	320		430		4300	)	310	
LEAD	47	-	57		840	) ·	58	
MAGNESIUM	3100		1900		1200	כ	1000	U
MANGANESE	23		33		53	)	17	
MERCURY	N/A	0	N/A	0	N/A	0	N/A	0
IICKEL	10	U	10	U	1	UC	10	U
POTASSIUM	1000	U	1000	U	100	ט כ	1000	U
SELENIUM	1.2		1.4		1.	ט כ	1.7	
SILVER	2.0	U	2.0	U	2.	ט כ	2.0	Ŭ
SODIUM	1000	U	1000	U	23	)	1000	U
THALLIUM	2.0	U	2.0	U	2.	U C	2.0	U
VANADIUM	10	U	10	U	2.	1	10	U
ZINC	30		36		40	0	63	
CYANIDE	N/A	0	N/A	0	N/A	0	N/A	0
MOLYBDENUM	N/A	0	N/A	0	N/A	0	A\N	0
TITANIUM	N/A	0	N/A	0	N/A	0	N/A	0

TITLE: BIG RIVER MINE TAILINGS

MATRIX: AIR

UNITS: UG/SMPL

LAB: SILVER

METHOD: CS0788A

CASE: 5558G

SAMPLE PREP: \_\_\_\_ ANALYST/ENTRY: DEW REVIEWER: \_\_\_\_

DATE: 08/20/90

REVIEW LEVEL: 2

DATA FILE : AMC

			_			-		
SAMPLES	CSXCR4	14	CSXCR	1151	CSXCR	416	CSXCR	117
ALUMINUM	120		58		40	U	200	
ANTIMONY	12	U	12	U	12	U	12	U
ARSENIC	2.0	U	2.0	U	2.0	U	2.0	U
BARIUM	3.2		40	U	40	U	40	U
BERYLLIUM	1.0	U	1.0	U	1.0	Ü	1.0	U
CADMIUM	1.5		1.0	U	1.0	U	1.5	
CALCIUM	1000	U	1000	U	1000	U	1200	
CHROMIUM	2.0	U	2.0	U	2.0	U	2.0	U
COBALT	10	U	10	U	10	U	10	U
COPPER	100	J	190	J	5.0	U	270	
IRON	190		130		20	U	330	
LEAD	28		21		1.1		14	
MAGNESIUM	260		1000	U	1000	U	1000	Ū
MANGANESE	11		6.6		3.0	U	22	
MERCURY	N/A	0	N/A	0	N/A	0	N/A	0
NICKEL	10	U	10	U	10	U	10	Ū
POTASSIUM	190		1000	U	1000	U	1000	U
SELENIUM	1.2		1.2		1.0	U	1.9	
SILVER	2.0	U	2.0	U	2.0	U	2.0	Ū
SODIUM	250		1000	U	1000	U	1000	
THALLIUM	2.0	U	2.0	U	2.0	U	2.0	U
VANADIUM	10	U	10	U	10	U	3.1	
ZINC	22		24		4.0	U	28	
CYANIDE	N/A	0	N/A	0	N/A	0	N/A	0
MOLYBDENUM	N/A	0	N/A	0	N/A	Ó	N/A	0
TITANIUM	N/A	0	N/A	0	N/A	0	N/A	0

ANALYSIS TYPE: METALS, TOTAL										
TITLE: BIG RIVER LAB: SILVER	MINE TAILINGS		MATRIX: All METHOD: 0			JNITS	. UG/SME	PL		
SAMPLE PREP:	ANALYST/ENTRY: D	EW	REVIEWER		_	DATE	08/20/9	90		
REVIEW LEVEL: 2	•		DATA FILI				, ,			
SAMPLES	CSXCR4	18	- CSXCR	419	/ CSXCR	420	CSXCR	121		
ALUMINUM	230		220		930		150			
ANTIMONY	12	U	12	U	12	U	12	U		
ARSENIC	2.0	U	2.0	Ū	6.0		2.0	U		
BARIUM	40	U	40	U	40	U	40	U		
BERYLLIUM	1.0	U	1.0	U	1.0	U	1.0	U		
CADMIUM	1.7		3.0		12		1.0	U		
CALCIUM	1400		1900		37000		1600			
CHROMIUM	2.0	U	2.1		2.9		2.0	U		
COBALT	10	U	10	U	10	U	10	U		
COPPER	110		49		91		110	J		
IRON	370		450		6800		360			
LEAD	26		46		1400		130			
MAGNESIUM	1000		1400		18000		1000	U		
MANGANESE	25		30		790		24			
MERCURY	N/A	0	N/A	0	N/A	0	N/A	0		
ICKEL	10	U	10	U	10		10	U		
POTASSIUM	1000	U	1000	U	1000	U	1000	Ŭ		
SELENIUM	2.2		2.5		3.5	J	2.0			
SILVER	2.0		2.0		2.0		2.0	U		
SODIUM		U	1000		1000	U	1000	U		
THALLIUM	2.0	U	2.0		2.0	U	2.0	Ū		
VANADIUM		U		U		U	10	U		
ZINC	27		37		660		33			
CYANIDE	N/A	0	N/A	0	N/A	0	N/A	0		
MOLYBDENUM	N/A	0	N/A	0	N/A	0	N/A	0		
TITANIUM	N/A	0	N/A	0	N/A	0	N/A	0		

TITLE: BIG RIVER MINE TAILINGS
LAB: SILVER
SAMPLE PREP:
REVIEW LEVEL: 2

MATRIX:AIR
METHOD: CS0788A
REVIEWER: 57
DATA FILE: AMC

MATRIX:AIR
METHOD: CS0788A
CASE: 5558G
DATE: 08/20/90

					/	,	/	
SAMPLES	CSXCR4	22′	CSXCR4	23	CSXCR4	24	CSXCR	125
ALUMINUM	190		110		40	U	130	
ANTIMONY	12	Ŭ		U	12	U		U
ARSENIC	2.0	U	2.0	U	2.0	U	2.0	U
BARIUM	40	U	40	U	40	U	40	U
BERYLLIUM	1.0	U	1.0	U	1.0	U	1.0	U
CADMIUM	1.0	U	1.0	U	1.0	U	1.2	
CALCIUM	1100		1000	U	1000	U	1500	
CHROMIUM	2.0	U	2.0	U	2.0	U	2.0	U
COBALT	10	U	10	U	10	U	10	U
COPPER	76	J	220	J	5.0	U	300	J
IRON	310		180		20	U	340	
LEAD	23		8.6		2.7		58	
MAGNESIUM	1000	U	1000	U	1000	U	2300	
MANGANESE	18		10		3.0	U	28	
MERCURY	N/A	0	N/A	0	N/A	0	N/A	0
NICKEL	10	U	10	U	10	U	10	U
POTASSIUM	1000	U	1000	U	1000	U	1000	U
SELENIUM	2.1		2.0		1.0	U	2.4	J
SILVER	2.0	U	2.0	U	2.0	U	2.0	U
SODIUM	1000	U	1000	U	1000	U	1000	U
THALLIUM	2.0	U	2.0	U	2.0	U	2.0	U
VANADIUM	10	U	10	U	10	U	10	U
ZINC	22		36		4.0	U	56	
CYANIDE	N/A	0	N/A	0	N/A	0	N/A	0
MOLYBDENUM	N/A	0	N/A	0	N/A	0	N/A	0
TITANIUM	N/A	0	N/A	0	N/A	0	N/A	0

TITLE: BIG RIVER MINE TAILINGS
LAB: SILVER
SAMPLE PREP:
REVIEW LEVEL: 2

MATRIX:AIR
METHOD: CS0788A
REVIEWER:
DATA FILE: AMC

MATRIX:AIR
METHOD: CS0788A
CASE: 5558G
DATE: 08/20/90

SAMPLES	CSXCR4	26′ CSXC	CR427	CSXCR4	28	CSXCR	129
ALUMINUM	140	16	50	610		160	
ANTIMONY	12	U 1	L2 U	12	U		U
ARSENIC	2.0	U 2.	. O U	2.0	U	2.0	บ
BARIUM	40	U 4	O U	40	U	40	Ŭ
BERYLLIUM	1.0	U 1.	. O U	1.0	U	1.0	U
CADMIUM	1.4	1.	. 3	9.2		1.0	U
CALCIUM	1400	250	00	28000		1100	
CHROMIUM	2.0	U 2.	. O U	3.1	U	2.0	U
COBALT	10	U :	10 U	10	U	10	U
COPPER	88	J (	53 J	6 <b>6</b>	J	100	J
IRON	330	5 (	50	4800		400	
LEAD	70	•	79	1100		110	
MAGNESIUM	2000	130	00	14000		1000	U
MANGANESE	26		53	570		25	
MERCURY	N/A	O N/A	0	N/A	0	N/A	0
NICKEL	10	U :	10 U	10	U	10	U
POTASSIUM	1000	U 100	ט סכ	1000	U	1000	U
SELENIUM	1.9	2	. 8	1.0	U	2.5	
SILVER	2.0	U 2	.0 U	2.0	U	2.0	U
SODIUM		U 100	U OC	1000	U	1000	U
THALLIUM		U 2	.0 U	2.0	U	2.0	U
VANADIUM		U :	10 U	10	U	10	U
ZINC	50	!	53	480		56	
CYANIDE		O N/A	0	N/A	0	N/A	0
MOLYBDENUM	•	O N/A	0	N/A	0	N/A	0
TITANIUM	N/A	O N/A	0	N/A	0	N/A	0

TITLE: BIG RIVER MINE TAILINGS MATRIX:AIR UNITS: UG/SMPL

METHOD: CS0788A CASE: 5558G LAB: SILVER ANALYST/ENTRY: DEW REVIEWER: 2 DATA FILE : AMC SAMPLE PREP: REVIEW LEVEL: 2 DATE: 08/20/90

SAMPLES	CSXCR4	30 C	SXCR4	31 ´	CSXCR4	32 1	CSXCR	433
ALUMINUM	160		110		6.9		760	
ANTIMONY	12	U	12	U	12	U	12	U
ARSENIC	2.0	บ	2.0	บ	2.0	U	2.0	U
BARIUM	40	Ŭ	40	U	40	U	40	U
BERYLLIUM	1.0	U	1.0	U	1.0	U	1.0	U
CADMIUM	1.4		1.0	U	1.0	U	1.3	
CALCIUM	1000	U	1000	U	1000	U	3700	
CHROMIUM	2.0	U	2.0	U	2.0	U-	3.2	
COBALT	10	U	10	U	10	U	10	U
COPPER	98	J	260	J	5.0	U	170	
IRON	250		210		22	U	920	
LEAD	38		14		1.0	U	28	
MAGNESIUM	1000	U	1000	Ü	1000	U	3100	
MANGANESE	14		10		3.0	U	36	
MERCURY	N/A	O N/A		0	N/A	0	N/A	0
NICKEL	10	Ū	10	U	10	U	10	U
POTASSIUM	1000	U	1000	U	1000	U	1000	U
SELENIUM	2.3		1.6		1.0	U	1.9	
SILVER	2.0	U	2.0	U	2.0	U	2.0	U
SODIUM	1000	U	1000	U	1000	U	1000	U
THALLIUM	2.0	U	2.0	U	2.0	U	2.0	U
VANADIUM	. 10	U	10	U	10	U	36	
ZINC	27		29		4.0	U	42	
CYANIDE	N/A	O N/A	1	0	N/A	0	N/A	0
MOLYBDENUM	N/A	O N/A		0	N/A	0	N/A	0
TITANIUM	N/A	O N/A		0	N/A	0	N/A	0

TITLE: BIG RIVER MINE TAILINGS MATRIX:AIR UNITS: UG/SMPL LAB: SILVER METHOD: CS0788A CASE: 5558G SAMPLE PREP: \_\_\_\_ ANALYST/ENTRY: DEW REVIEWER: \_\_\_\_ DATE: 08/20/90

REVIEW LEVEL: 2 DATA FILE : AMC

			,		,			
SAMPLES	CSXCR4	34	CSXCR	135	CSXCR4	136	CSXCR	437 ′
ALUMINUM	840		1000		930		680	
YNOMITNA	12	U	12	บ	12	U	12	U
ARSENIC	2.0	U	2.7		2.0	U	2.0	U
BARIUM	40	U	40	U	40	U	40	U
BERYLLIUM	1.0	U	1.0	U	1.0	U	1.0	U
CADMIUM	1.0	U	4.7		5.0		1.0	
CALCIUM	3800		18000		13000		2500	
CHROMIUM	2.8		2.7		2.1		2.4	
COBALT	10	U	10	U	10	U	10	U
COPPER	140		130		40		110	
IRON	950		3.9		2600		950	
LEAD	24		290		440		56	
MAGNESIUM	3200		8900		6600		1100	
MANGANESE	36		400		260		39	
MERCURY	N/A	0	N/A	0	N/A	0	N/A	0
NICKEL	10	Ü	9.3		10	U	10	U
POTASSIUM	1000	U	540		1000	U	1000	U
SELENIUM	3.0	J	3.4	J	1.7	J	1.8	
SILVER	2.0	U	2.0	U	2.0	U	2.0	U
SODIUM	1000	U	1000	U	1000	U	1000	Ū
THALLIUM	2.0	U	2.0	U	2.0	U	2.0	U
VANADIUM	37		38		10	U	10	U (
ZINC	38		170		240		530	)
CYANIDE	N/A	0	N/A	0	N/A	0	N/A	0
MOLYBDENUM	N/A	0	N/A	0	N/A	0	N/A	0
TITANIUM	N/A	0	N/A	0	N/A	0	N/A	0

TITLE: BIG RIVER MINE TAILINGS
LAB: SILVER
SAMPLE PREP:
REVIEW LEVEL: 2

MATRIX:AIR
METHOD: CS0788A
REVIEWER:
DATA FILE: AMC

MATRIX:AIR
METHOD: CS0788A
CASE: 5558G
DATE: 08/20/90

SAMPLES	CSXCR4	38	_ CSXCR4	39	/ CSXCR4	40	CSXCR4	41
ALUMINUM	720		740		40	U	670	
ANTIMONY	12	U	12	U	12	U	12	U
ARSENIC	2.0	U	2.0	U	2.0	U	2.0	U
BARIUM	40	U	40	U	40	U	40	U
BERYLLIUM	1.0	U	1.0	U	1.0	U	1.0	U
CADMIUM	1.0	U	1.0	U	1.0	U	1.0	U
CALCIUM	1200		1000	U	1000	U	1500	
CHROMIUM	2.0	U	2.0	U	2.0	U	2.0	U
COBALT	10	U	10	U	10	U	10	U
COPPER	88		240		5.0	U	250	
IRON	820		760		20	U	830	
LEAD	24		17		0.76		29	
MAGNESIUM	440		1000	U	1000	U	1000	U
MANGANESE	23		19		3.0	U	30	
MERCURY	N/A	0	N/A	0	N/A	0	N/A	0
ICKEL	10	U	10	U	10	U	10	U
POTASSIUM	1000	U	1000	U	1000	U	1000	Ü
SELENIUM	1.9		1.1		1.0	U	1.7	
SILVER	2.0	U	2.0	U	2.0	U	2.0	Ü
SODIUM	1000	U	1000	U	1000	U	1000	
THALLIUM	2.0	U	2.0	U	2.0	U	2.0	
VANADIUM	10	Ų	10	U	10	U	10	
ZINC	27		31		4.0	Ū	30	
CYANIDE	N/A	0	N/A	0	N/A	Ō	N/A	0
MOLYBDENUM	N/A	0	N/A	Ō	N/A	ō	N/A	Ō
TITANIUM	N/A	0	N/A	0	N/A	0	N/A	0

TITLE: BIG RIVER MINE TAILINGS

MATRIX:AIR

UNITS: UG/SMPL

LAB: SILVER

METHOD: CS0788A SAMPLE PREP: ANALYST/ENTRY: DEW REVIEWER: DATA FILE: AMC

CASE: 5558G

DATE: 08/20/90

SAMPLES	CSXCR4	42	CSXCR4	43	CSXCR	444	CSXCR4	45 ′
ALUMINUM	760		720		780		900	
ANTIMONY	12	U	12	U	12	U	12	U
ARSENIC	2.0	U	2.0	U	2.1		2.0	U
BARIUM	40	U	40	U	40	U	40	U
BERYLLIUM	1.0	U	1.0	U	1.0	U	1.0	U
CADMIUM	1.0	U	1.0	U	1.0	U	1.0	
CALCIUM	1500		2200		3500	l .	2300	
CHROMIUM	2.5		2.0	U	3.1		2.2	
COBALT	10	Ü	10	U	10	U	10	Ū
COPPER	56		81		4.3		86	
IRON	890		980		1200	)	1200	
LEAD	15		24		170	)	59	
MAGNESIUM	1000	U	1000	U	1500	)	1000	U
MANGANESE	30		49		67	,	49	
MERCURY	N/A	0	N/A	0	N/A	0	N/A	0
NICKEL	10	Ü	10	U	10	U	10	U
POTASSIUM	1000	U	1000	U	1000	U (	1000	U
SELENIUM	2.2		2.2		2.0	)	1.9	
SILVER	2.0	U	2.0	U	2.0	U (	2.0	U
SODIUM	1000	U	1000	U	1000	U	1000	U
THALLIUM	2.0	U	2.0	U	2.0	U	2.0	U
VANADIUM	10	U	10	U	10	U	10	U
ZINC	23		27		50	)	64	
CYANIDE	N/A	0	N/A	0	N/A	0	N/A	0
MOLYBDENUM	N/A	0	N/A	0	N/A	. 0	N/A	0
TITANIUM	N/A	0	N/A	0	N/A	0	N/A	0

TITLE: BIG RIVER MINE TAILINGS
LAB: SILVER
SAMPLE PREP:
REVIEW LEVEL: 2

MATRIX:AIR
METHOD: CS0788A
REVIEWER:
DATA FILE: AMC

MATRIX:AIR
METHOD: CS0788A
CASE: 5558G
DATE: 08/20/90

SAMPLES	CSXCR446		CSXCR4	48 /	CSXCR4	149
ALUMINUM	760		820		40	U
ANTIMONY	12	U	12	U	12	U
ARSENIC	2.0	U	2.4		2.0	U
BARIUM	11		40	U	40	U
BERYLLIUM	1.0	U	1.0	U	1.0	U
CADMIUM	1.0	U	7.3		1.0	U
CALCIUM	1500		1500		1000	U
CHROMIUM	2.1		2.3		2.0	U
COBALT	10	U	10	U	10	U
COPPER	64		140		5.0	U
IRON	890		950		40	
LEAD	34		76		1.4	
MAGNESIUM	1000	U	1000	U	1000	U
MANGANESE	32		32		3.0	U
MERCURY	N/A	0	N/A	0	N/A	0
NICKEL	10	U	10	U	10	U
POTASSIUM	1000	U	1000	U	1000	U
SELENIUM	1.5		1.8		1.0	U
SILVER	2.0	U	2.0	U	2.0	U
SODIUM	1000	U	1000	U	1000	U
THALLIUM	2.0	U	2.0	U	2.0	U
VANADIUM	10	U	10	U	10	U
ZINC	25	i	62		4.0	U
CYANIDE	A/N	0	N/A	0	N/A	0
MOLYBDENUM	N/A	0	N/A ·	0	N/A	0
TITANIUM	N/A	0	N/A	0	N/A	0

ANADIDID TIFL: MLIADD, TOTAD									
TITLE: BIG RIVER MI LAB: SILVER	NE TAILINGS		MATRIX: AI METHOD: 0				: UG/SMP : 5558G	L	
SAMPLE PREP:	ANALYST/ENTRY: D	EW				ATE:	08/20/9	0	
REVIEW LEVEL: 2			DATA FILE				, ,		
								_	
SAMPLES	CSXCR4	031	L CSXCR4	180	CSXCR4	22L	CSXCR4	33L	
ALUMINUM	81		N/A	0	180		740		
ANTIMONY	12	U	N/A	0	12	U	12	U	
ARSENIC	N/A	0	2.0	U	2.0	U	2.0	U	
BARIUM	40	U	N/A	0	40	U	40	U	
BERYLLIUM	1.0	U	N/A	0	1.0	U	1.0	U	
CADMIUM	1.0	U	N/A	0	1.0	U	1.1		
CALCIUM	1000	U	N/A	0	1100		3600		
CHROMIUM	2.0	U	N/A	0	2.0	U	3.5		
COBALT	10	U	N/A	0	10	U	10	U	
COPPER	80		N/A	0	75		160		
IRON	120		N/A	0	310		900		
LEAD	16		1.0		31		34		
MAGNESIUM	1000	U	N/A	0	1000	U	3000		
MANGANESE	6.0		N/A	0	18		35		
MERCURY	N/A	0	N/A	0	N/A	0	A/N	0	
NICKEL	. 10	U	N/A	0	10		10	U	
POTASSIUM	1000	U	N/A	0	1000	U .	1000	U	
SELENIUM	N/A	0	1.0	U	2.1		1.9		
SILVER	2.0	U	N/A	0	2.0	U	2.0	U	
SODIUM	1000	U	N/A	0	1000	U	1000	U	
THALLIUM	N/A	0	2.0	U	N/A	0	2.0	U	
VANADIUM	10	U	N/A	0		U	34		
ZINC	12		N/A	0	21		41		
CYANIDE	N/A	0	N/A	0		0	N/A	0	
MOLYBDENUM	N/A	0	N/A	0	•		N/A	0	
TITANIUM	N/A	0	N/A	0			N/A	0	
					•		*		

TITLE: BIG RIVER MINE TAILINGS

MATRIX: AIR

UNITS: UG/SMPL

LAB: SILVER

METHOD: CS0788A

CASE: 5558G

CYANIDE

TITANIUM

MOLYBDENUM

DATE: 08/20/90

SAMPLE PREP: ANALYST/ENTRY: DEW REVIEWER: REVIEW LEVEL: 2 DATA FILE : AMC

SAMPLES	CSXCR907C
ALUMINUM	310
ANTIMONY	230
ARSENIC	1000
BARIUM	40 U
BERYLLIUM	18
CADMIUM	46
CALCIUM	190000
CHROMIUM	100
COBALT	130
COPPER	6800
IRON	210
LEAD	230
MAGNESIUM	120000
MANGANESE	210
MERCURY	N/A O
ICKEL	55
POTASSIUM	1000 U
SELENIUM	4 5
SILVER	27
SODIUM	1000 U
THALLIUM	39
VANADIUM	67
ZINC	190

N/A

N/A

N/A

0

0

TITLE: BIG RIVER MINE TAILINGS MATRIX: AIR UNITS: UG/SMPL

CASE: 5558G METHOD: CS0788A LAB: SILVER DATE: 08/20/90

SAMPLE PREP: ANALYST/ENTRY: DEW REVIEWER: REVIEW LEVEL: 2 DATA FILE : AMC

SAMPLES	CSXCR	ООМ	⁄ cs	XCR9	01R	CS	XCR	01S	CSXCR	902A
11107100	4.0	••	N7 / N		•	NT / 3		•	220	
ALUMINUM	40	U	N/A	100	0	N/A	0.5	0	320	
ANTIMONY	12	U		100			95		210	
ARSENIC	2.0	Ü		8.0			7.8		920	
BARIUM	40	Ŭ		400			420		4.8	
BERYLLIUM	1.0	U		10			9.9		19	
CADMIUM	1.0	U		10			11		45	
CALCIUM	1000	U	N/A		0	N/A		0	200000	
CHROMIUM	2.0	U		40			44		100	
COBALT	10	U		100			110		140	
COPPER	5.0	U		50			56		6900	
IRON	20	U	N/A		0	N/A		0	22000	
LEAD	1.0	U		100		·	110		240	
MAGNESIUM	1000	U	N/A		0	N/A		0	120000	
MANGANESE	3.0	U	•	100		•	110		210	
MERCURY	N/A	0	N/A		0	N/A		0	N/A	0
VICKEL	10	U	•	100		•	110		61	
POTASSIUM	1000	U	N/A		0	N/A		0	50000	
SELENIUM	1.0	Ū	,	2.0		- /	2.1		39	
SILVER	2.0	Ū		10			11		22	
SODIUM	1000	Ü	N/A		0	N/A		0	50000	
THALLIUM	2.0	Ŭ	,	10	_	,	12	•	39	
VANADIUM	10	Ū		100			110		66	
ZINC	4.0	Ü		100			110		190	
CYANIDE	N/A	Ö	N/A		0	N/A		0	N/A	0
MOLYBDENUM	N/A	0	N/A		0	N/A		0	N/A	Ö
TITANIUM	N/A	Ö	N/A		Ö	N/A		ŏ	N/A	Õ

TITLE: BIG RIVER MINE TAILINGS MATRIX:AIR UNITS: UG/SMPL LAB: SILVER METHOD: CS0788A CASE: 5558G SAMPLE PREP: ANALYST/ENTRY: DEW REVIEWER: DATE: 08/20/90

REVIEW LEVEL: 2 DATA FILE : AMC

SAMPLES	CSXCR	02C /	CSXCR9	озм	CS	SXCR	904R	CS	XCR	904S
ALUMINUM	310		40	U	N/A		0	N/A		0
ANTIMONY	230		12	U		100			100	
ARSENIC	1000		2.0	U		8.0			8.2	
BARIUM	. 40	U	40	U		400			420	
BERYLLIUM	18		1.0	U		10			9.6	
CADMIUM	47		1.0	U		10			12	
CALCIUM	180		1000	U	N/A		0	N/A		0
CHROMIUM	95		2.0	U	·	40		,	42	
COBALT	130		10	U		100			100	
COPPER	6700		5.0	U		50			58	
IRON	210		20	U	N/A		0	N/A		0
LEAD	240		1.0	U	•	100		•	110	
MAGNESIUM	120		1000	U	N/A		0	N/A		0
MANGANESE	200		3.0	U	•	100		•	100	
MERCURY	N/A	0 1	A\V	0	N/A		0	N/A		0
NICKEL	60		10	U		100		·	100	
POTASSIUM	1000	U	1000	U	N/A		0	N/A		0
SELENIUM	41		1.0	υ		2.0		•	2.4	
SILVER	27		2.0	U		10			11	
SODIUM	1000	U	1000	U	N/A		0	N/A		0
THALLIUM	48		2.0	U	•	10		•	9.8	
VANADIUM	66		10	U		100			100	
ZINC	190		4.0	U		100			100	
CYANIDE	N/A	0 1	A/N	0	N/A		0	N/A		0
MOLYBDENUM	N/A		A\N	0	N/A		0	N/A		0
TITANIUM	N/A	0 1	A\N	0	N/A		0	N/A		0

	MADIOID IIIL	•	ILIADO, IC		•				
TITLE: BIG RIVER I	MINE TAILINGS		MATRIX: AI METHOD: 0		'88A	UNIT	S: UG/S		
SAMPLE PREP: REVIEW LEVEL: 2	ANALYST/ENTRY: D	EW	REVIEWER:		رویحے	DATE			
SAMPLES	CSXCR9	052	A CSXCR	9050	c csxci	R906M	csxc	R907	'A
ALUMINUM	320		300		40	U	32	20	
ANTIMONY	210		220		12	ט ב	21	.0	
ARSENIC	920		1100		2.0	ט כ	9.2	<u> 0</u>	
BARIUM	4.8		40	U	4 (	ט כ	4.	. 8	
BERYLLIUM	19		17		1.0	ט כ	1	L9	
CADMIUM	45		45			UC	4	15	
CALCIUM	200000		180000		1000		20000	00	
CHROMIUM	100		93		2.	UC	10	00	
COBALT	140		130		1	ט כ	14	10	
COPPER	6900		6600		5.	U C	6.	. 9	
IRON	22000		21000		2	U C	2	22	
LEAD	240		220		1.	U C	24	10	
MAGNESIUM	120000		120000		100		12000		
MANGANESE	210		200			U O	2:	10	
MERCURY	N/A	0	N/A	0	0.1	υo	N/A	0	
NICKEL	61		60			U O		61	
POTASSIUM	50000		1000	U	100			50	
SELENIUM	39		32			0 U		39	
SILVER	22		26			U O		22	
SODIUM	50000		1000	U	100			50	
THALLIUM	39		45			0 U		39	
VANADIUM	66		64		1			66	
ZINC	190		190		4.	υo	19	90	
CYANIDE	N/A	0	N/A	0	N/A	0	N/A	0	
MOLYBDENUM	N/A	0	N/A	0	N/A	0	N/A	0	
TITANIUM	N/A	0	N/A	0	N/A	0	N/A	0	

# APPENDIX E FIELD SHEETS AND CHAIN-OF-CUSTODY RECORDS

ACTIVITY LEADER( آ موزرون	(Print) $\sqrt{2} = 2$		NAME	OF SUP	RVEY OR ACTIVITY	Y _				DATE OF COLLECTION SHEET
		<u>,                                     </u>	15/10	116 141	19 19	9.7	1 :	ر م <u>ن</u>		DAY MONTH YEAR OT
CONTENTS OF SHI	PMENI	TVDE	OF CONTAIN	EDS	<del></del>	1 6/	AADI.	ED I	MEDIA	0.000
SAMPLE	CUBITAINER	BOTTLE	BOTTLE	T	VOA SET	$\top$			other	RECEIVING LABORATORY REMARKS OTHER INFORMATION (condition of samples upon receipt
NUMBER		BERS OF CONTA		BOTT AMPLE N		water	ន្ត	sediment	dust	other sample numbers, etc.)
LIXER DOL	$\cdot$						X			
202						$\prod$	χ			
003		/				11	X	$\dashv$		
007				<del>                                     </del>			X			FM00616XA 24
000						† †	χ	$\dashv$		1,100,000
		7		+		+	$\frac{1}{\chi}$	+	+-	
		<i>i</i>		<del>                                     </del>		╁┼	A	$\dashv$	+	
007		;		<del>                                     </del>	<del></del>	$\Box$	X	$\dashv$	_	
		+ +				++	X	-	+	<del> </del>
<u> </u>				-		┾┤				
<u> </u>				├		+	4	$\dashv$		<del></del>
21.		<del>                                     </del>		<del>}</del>		+		$\dashv$		<u> </u>
012	7	1-1-1		-		+	A			
0 : 3		1 1		ļ		$\dashv$	X	_		
014	<u>' . </u>			<u> </u>		$\dashv$	X	$\dashv$		
015		1		-		$\downarrow \downarrow$	Χ	_		
016	<u> </u>	1		<b>-</b>		$\downarrow \downarrow$	4	_		
215	7.	i		<u> </u>		$\downarrow \downarrow$	4			
<u> </u>	?	,				$\perp$	X			
1 0/9	j	}		<u> </u>			Λ			
22	0	<i>j_</i>					Χ			
02	i	)					X			
<u>ئ</u> ک	2	,				11	Х			
02		;					X			
W 02		1			·		χ			
DESCRIPTION OF	SHIPMENT				MODE OF SH	IPME	NT			
PIECE(S)	CONSISTING, O	·F	BOX(ES)		сомм	ERCIA	L C	ARR	IER:	
	T(S). OTHER _		, pon(20)		COURIE					
ICE CHES	113). UINEN _				SAMPL	ER C	VMC	EYE	D	(SHIPPING DOCUMENT NUMBER)
PERSONNEL CUST				<del>. 1</del>	necelves sv					Joseph con curation of citizen
RELINQUISHED B	Y (SAMPLER)				RECEIVED BY	,5	7.	17		REASON FOR CHANGE OF CUSTODY
SEALED (//	UNSEAL	ED (1)	1/90 0	30	ーペープがくべつご TJ SEALED				C.C.C.	
RELINQUISHED B		DATE	TIM	E	RECEIVED BY			,	<u></u>	REASON FOR CHANGE OF CUSTODY
1. 1. 14 P	Mail	G 17/3	2/90 10	000	Buil	1/2	رة بعرا	je.	11	Transport in Elle Lan
SEALED	UNSEAL	ED / /	·		SEALED RECEIVED BY		UN	SEA	ALED /	REASON FOR CHANGE OF CUSTODY
	$\{i\}$ . If	, /   .	l	(O.D		<u>.</u> .*			,	
SEALED	UNSEAL		29)	1	SEALED		•		ALED	<b>-</b>

7-EPA-9262(Revised 5/85)

	ACTIVITY LEADER(P	rint)	<i>(</i> ) 1	NAME	OF SURV	EY OR ACTIVITY	, 	i			DAY MONTH YEAR 2 01 5
1	Nerte	1+	Rob	131	<u>4 Ku</u>	EY OR ACTIVITY	1 1	o : /	l ne	ر :	DAY MONTH YEAR 2 01 5
ļ	CONTENTS OF SHIP	MENT '		·							
1	SAMPLE		7 27 BOTTLE	OF CONTAIN	Γ	VOA SET	S/			AEDIA Other	
	NUMBER	CUBITAINER	BOTTLE BERS OF CONTA	BOTTLE INERS PER S	BOTTLE	(2 VIALS EA)	water	20 I	sediment	dest	(condition of samples upon receipt, other sample numbers letc.)
Ì	CSXCR 026.		i		1		-	$\chi \uparrow$	+		
t	027	-				_	$\vdash$	$\frac{1}{\chi}$	$\dagger$	+	
ł	028		<del>                                     </del>		-			$\frac{\Lambda}{\chi}$	十	+-	<u> </u>
ł		•						$\frac{\wedge}{\chi}$	$\dashv$	+-	EMOR/1/ VA 21/
ł	V 030						$\vdash$	$\stackrel{\leftrightarrow}{\smile}$	$\dashv$	<del></del>	FMO0616 XA 24
ł					<del>                                     </del>		$\vdash$	1,	7		
1			<del>                                     </del>		-			-+	$\frac{1}{2}$	+	
ł	102		<del>                                     </del>		<del>                                     </del>		$\vdash$	٦,	<u> </u>	_	
ŀ	103				<del> </del>		H	$\dashv$	$\frac{1}{}$	+	
ł		<del> </del>	<del>                                     </del>		<del> </del> -	_	H	$\dashv$	$\frac{\chi}{\chi}$	+-	
ł	104	<del>                                     </del>	<del>                                     </del>		ļ	_	++	_	$\frac{1}{\chi}$	+	<del> </del>
ł	105		<del>                                     </del>		<del> </del>	<del></del>	$\vdash \vdash$	+	賃┪	-	
ł	1 106	<del> </del>			<del>                                     </del>		-	$\dashv$	X	+	<del> </del>
	107		<del>                                     </del>		<del>                                     </del>	-	H	$\dashv$	삵	_	<del>                                     </del>
<b>,</b>	108	<b> </b>	<del>                                     </del>		<del> </del>		+-	+	$\frac{X}{X}$	+	
ļ	109		+++		<del> </del>	_	$\vdash$	+	Ϋ́	+-	<del> </del>
-	1 110			_	<del> </del>		+	$\dashv$	쉮	+	
- {			+	<del></del>	<del> </del>		H	$\dashv$	<i>!</i> Х	+	<del> </del>
-	112	<del> </del>	<del>-                                    </del>		<del> </del>		$\vdash$	$\dashv$	-	+	
١	1130	-	<del>                                     </del>		-	<del>-  </del>	$\vdash$	$\vdash$	<del>↑</del>	-	
	1/3		<del>                                     </del>		-		$\vdash$	$\dashv$	X		
	——————————————————————————————————————	<del> </del>	<del>                                     </del>		<del> </del>		$\vdash$	$\dashv$	$\frac{1}{X}$	+	
	115	<del> </del>	1	<del></del>	+	_	H	$\dashv$	쉬	+	
	116	-			-		$\vdash$	$\dashv$	$\frac{4}{x}$	+	
	DESCRIPTION OF SI	LIDMENT.	i		<u> </u>	MODE OF SHI	DME	דוא	Δ		
						<del> </del>				.55	
-			F	BOX(ES)		COMME		AL CA	AHR	IEH:	
	ICE CHEST	(S): OTHER _				SAMPL		ONV	EYE	0	(SHIPPING DOCUMENT NUMBER)
	PERSONNEL CUSTO										
	RELINGUISHED BY	(SAMPLER)	) DATE		1	ECEIVED BY		)	2.1		REASON FOR CHANGE OF CUSTODY
	SEALED	MILLER	ED 17/28	190	30	SALED	•	•		LED	
•	RELINQUISHED BY	) 4	DATE	TIM	E R	ECEIVED BY	20			//	REASON FOR CHANGE OF CUSTODY
	Main 1	Mark	7/3	3/90 10	00 [	Bout C	//	ne le	1/2/	14	Transported = PALOB
	SEALED RELINQUISHED BY	UNSEAL	ED DATE	′ 1		SEALED ECEIVED BY		UŃ	SE A	LED	REASON FOR CHANGE OF CUSTODY
	11:10	1 11	7/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2	16.10	99	1. NO 1.					J
	SEALED /	INSEAL	_ED[7] <u>/ / /</u>	101.7		SEALED		UN	SE/	ALED	<u> </u>

ACTIVITY LEADER(Print)  Overtelt Rob		NAME OF SUR	VEY OR ACTIVITY				0	DAY MONTH YEAR 3 OF 5
CONTENTS OF SHIPMENT	لـــــــــــــــــــــــــــــــــــــ	1014 K.V.	V Mint 1	9111	ne			DAY MONTH YEAR
		CONTAINERS		SA	MPLE			RECEIVING LABORATORY
SAMPLE 1-/1- 20 CUBITAINER BOTT	TLE BO	OTTLE BOTTL					other	REMARKS-OTHER INFORMATION (condition of samples upon receipt, other sample numbers, etc.)
	CONTAINER	RS PER SAMPLE NU	MBER	water	_	_	-	omer sampre numbers, Etc.)
1.5xCR 118		<del></del>			X		<u> </u>	
119					Χ		<u> </u>	
1 120 1				$\sqcup$	<u> </u>	1	_	
15xCR 200 - 2				X				FMO 5 616 XA.
201 - 2				χl			<u> </u>	<u>'</u>
202 2				X				
203 2				χ				
204 2				X				
205 2				X				
306 7				Χ				
207/2				X				
208 . 2				λ				
209.2				X				
210.2				х				
211 2				λ	T			
2/2 - 2				X				
7120 - 7				ΙXΙ		T	1	
213, 2				K				
314,2				X				
21512				X	1			
316 . 2				X				
317 2				λ				
71812				X		$\top$		
V 219 . 2				X.		1		_
DESCRIPTION OF SHIPMENT			MODE OF SH	PME	TV			
PIECE(S) CONSISTING OF	B0	X(ES)	COMME	RCIA	CAF	RRIE	R	
ICE CHEST(S); OTHER			COURIE					
			SAMPL	FH CO	NVE,	(FD		(SHIPPING DOCUMENT NUMBER)
PERSONNEL CUSTODY RECORD RELINDUISHED BY (SAMPLER)	DATE	TIME F	RECEIVED BY					REASON FOR CHANGE OF CUSTODY
1/0 10) wellt	2/20/6	730	Spain!	ρ).	190	21/2	4	Towns of the
SEALED UNSEALED	1/20/10		SEALED		JNSE		_	
RELINQUISHED BY	DATE		RECEIVED BY		ر.		$\mathcal{G}_{-}$	TrumStart to EPA Lun
SEALED UNSEALED	7/3/19	9 1000	JSEALED	/-	UNS		, ED [	1 timitor 1 to 21/11 - 22
RELINQUISHED BY	DATE	TIME	RECEIVED BY		37	;	7	REASON FOR CHANGE OF CUSTODY
1 59 1277 ///	1 . 97	1,00	$\mathcal{J}T^{\pm}$		•			1 22

7-EPA-9262(Revised 5/85)

N	ACTIVITY LEADER(P	rint)	:	NAME	OF SURVI	EY OR ACTIVITY		,			DATE OF COLLECTION SHEET  DAY MONTH YEAR L/ Of S
1	Dury Fol		00	1314	Kive	EY OR ACTIVITY	10	1,	. 0	5	DAY MONTH YEAR LY Of
	CONTENTS OF SHIP	MENT									
	SAMPLE	1- 1. +00		OF CONTAIN	ERS	VOA SET	SAI		D MI	Other	
١	NUMBER	CUBITAINER	BOTTLE BERS OF CONTA	BOTTLE	BOTTLE	(2 VIALS EA)	water		sediment dust		(condition of samples upon receipt, other sample numbers etc.)
t	CSXCR 220	2	J. 50147A		THE NOW		<del>\ \ \ \</del>	+	7	$\top$	
ŀ		<del>, , _</del>			<u> </u>			+	╁	+	
ł	CSXCR 310	<u> </u>					χ	+	+	+	
ŀ	301	- 2		<del></del>			X	+	+	-	FMOD6/8XA
ŀ	302	, ¿-		·	<u> </u>		X	$\downarrow$	_	<del> </del>	<u> </u>
1	303	, 2					X	$\perp$	$\perp$		
ļ	3 04	. 2					X	_			
	305	2					X	$\perp$			
l	306						Х				
	307	1. 2					X				
ľ	308	2					X		$\top$		
I	309	1					X				
ł	3690	- 2					ĺχΙ	+	1	1	
Ì	1	. 2				<del></del>	$\lambda$	$\top$	$\top$	1	
	3/0		-				Ϋ́	$\dagger$	$\dagger$	+	<del>                                     </del>
1	312	1 3					$\frac{\lambda}{\lambda}$	$\dagger$	+	+-	
ł		· —	<del></del>		<del> </del>		1	+	$\dashv$	+	-
ł	314	2		<del></del>		<del></del>		+	+	┿	
-	3/5	1 2	-	<del></del>			X	+	+	+	
ļ	316	٠ م			<u> </u>	<del>-  </del>	I XI	$\perp$	-	+	
١	3/7	<u> </u>					X	$\downarrow$	_	-	
1	318	7					X	$\perp$		_	
ļ	719						X	$\perp$	_	_	
	310F						χ				
	321F	. 2					χ				
	¥ 322 F	نہ					Х				
ľ	DESCRIPTION OF SH	HIPMENT				MODE OF SHI	PMEN	ŊΤ			
Ì	PIECE(S) CI	ONSISTING OF		BOX(ES)		COMME	RCIAL	CA	RRIE	R:	
ĺ				00/1(20)		COURIE					
l	ICE CHEST	(S): OTHER				SAMPLE	R CO	NVE	YED		(SHIPPING DOCUMENT NUMBER)
١	PERSONNEL CUSTO										1
	RELINQUISHED BY	(SAMPLER)	DATE		_	CEIVED BY		2	27		REASON FOR CHANGE OF CUSTODY
	John & Col	MNSEALE	7/28	190 8	<i>30</i>	SEALED				(Û, ⊂ .ED [	They grand As AC
7	RELINQUISHED BY	PINSEAL	DATE	TIME		ECEIVED BY		1143		11	REASON FOR CHANGE OF CUSTODY
	Jan 18	? March	加 7/3	Man In	00 L	Peleck (	1/2	~//	121	//	Transport to ERACAb
	SEALED	UNSEAL		7.0		SEALED ECEIVED BY	/ / (	JNS	EAL	ED [	REASON FOR CHANGE OF CUSTODY
	RELINQUISHED BY	. <i>x</i> 63	<i>(</i>	l		ATTER SOL				•	
	SEALED	UNSEAL	.EDK //	190 12	<sup>10</sup> H	SEALED		UNS	SEA	LED	Comment of the commen

ACTIVITY LEADER(P	rint)		NA	ME OF SURV	VEY OR ACTIVITY	Y				DAY MONTH YEAR Of
13) ya 24 ya .	<u> </u>	- ^		11.	2 - M		:	١٠,		DAY MONTH YEAR Of
CONTENTS OF SHIP	MENT			2				-	-	
SAMPLE		TYP	E OF CON	TAINERS	L VOA SET	S	AMP		MEDIA Tot	AECEIVING LABORATORY  REMARKS OTHER INFORMATION
NUMBER	CUBITAINER	BOTTLE	BOTTLE			water	SOIL	sediment	"   چ	(condition of samples upon receipt, other sample numbers etc.)
	NUME	BERS OF CONT	AINERS PE	R SAMPLE NU	MBER	*	×	×	ق ا	
5/163335						Ш				
304	2									
ていけど	`\									F1000616XA
	•			_	<del></del>	$\dagger$				
<u> </u>	·					+	_	-	$\vdash$	
Ny		-					X		- -	
			<del> </del>			<u> </u>	L			
	]								1	
				<del>-                                    </del>		+-		-		
					<del></del>	┼			-	
						$oldsymbol{\perp}$	_			
			_							
	_					1				
						╁╌	┝	-	╁╾╁╴	
					<del></del>	┼	-	-	++-	<del></del>
				_		<u> </u>	ļ	<u> </u>	$\perp \perp$	
						$\top$				
		<u> </u>	·			+	T		†-†-	
						+	╁╌	-	$\vdash$	
						igaplus	┡	-	-	
						$oldsymbol{\perp}$	L	L		
	1									
	<u> </u>	<u> </u>			\ \ \	十			1	
	<u> </u>	<del> </del>			<del>-</del>	+	╁	┝	1	<del></del>
				_1			<u></u>	<u> </u>	<u> </u>	<u> </u>
DESCRIPTION OF S	HIPMENT —————				MODE OF SH	IIPM	ENT			
PIECE(S) C	ONSISTING O	F	BOX(ES	S)	сомм	ERCI	AL (	CARI	RIER:_	
ICE CHEST					COURI	ER				
ice chest	(3). UTHEN _		-	<del></del>	SAMPL	ER C	NO:	/EY	ED	(SHIPPING DOCUMENT NUMBER)
PERSONNEL CUSTO	DY RECORD	)								
RELINQUISHED BY	(SAMPLER	DAT	E T	IME F	RECEIVED BY					REASON FOR CHANGE OF CUSTODY
1 1/2 / 21	Je 0 22 10	1 -91	30/2	330	J. SEALED					
SEALED	UNSEAL	ED [ ]	18/97		SEALED	<u> </u>	UN	ISÉ	ALED	
RELINQUISHED BY		DAT	E T	TIME F	RECEINED BY	$\gamma^{-}$			4	REASON FOR CHANGE OF CUSTODY
1. 1. 1. 61	1 / 1/1/	<del>/</del> 7/	30/90	1000	Time !	بسرا	λĹ	56	#	James Port & ERALAD
SEALED RELINQUISHED BY	UNSEAL	ED DAT			SEALED		<u>'U'</u>	<b>NSE</b>	ALED	REASON FOR CHANGE OF CUSTODY
1		./								1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2
	UNSEAL	إ			SEALED		Ю	NCF	EALE	$\mathbf{H}$
SEALED	UNSEAL	LED[/			Tacaren			. 13 6	-~	<u> </u>

ACTIVITY LEADER(P			N	NAME OF SURVEY OR ACTIVITY							ATE OF COLLECTION SHEET
F-16772 6 7 5		TOUT TO THE PROPERTY OF THE SERVICE						DAY MONTH YEAR Of			
CONTENTS OF SHIP	CONTENTS OF SHIPMENT										
SAMPLE			TYPE OF CO	ONTAINERS	VOA SET	5	AMP	LED		O:her	RECEIVING LABORATORY REMARKS OTHER INFORMATION
NUMBER 33	CUBITAINER	BOTTLE		LE BOT	TLE 12 VIALS EA	water (	So.	Sediment	gng		(condition of samples upon receipt other sample numbers, etc.)
	,	SEMO OF S	- I	TEN SAMPLE I	-OMBEN	<u> </u>	Ť		٦		
1.5X2~~400			<del>                                     </del>	<del>-                                    </del>		+		-			1900 110 16 (1) h 24
<u> </u>			<del></del>			+	$\vdash$		$\vdash$		
2 2 2 C 0 400						$\dashv$	-		┝		
<u> </u>	;		<del></del>	<del></del>		_	╁	-	-		
C 5 Y C 2 40C	<u>'</u>					+	-	-	-	3/	
_c_c_kc_6ny							-	-	-		
TEXERADA	1		_			-			-	1.2	
200403	<u> </u>					_	┝		-	N /	
3 5 5 5 5 4 1 to							├	-	-	-	
7 WY 1 14 1	:	\ 					-	-	-	1./	
1.2						_	-	├_	<u> </u>	12	
1 6 4 6 3 4 1 2							$\vdash$	-	<u> </u>	-	
< co: 414		<b></b>	<del></del>				1	<u> </u>	_		
5 KC 1 415	!						$\vdash$	<u> </u>	_	<u> </u>	
2 5 X 5 5 4 16	1					$\perp$	$\vdash$	<u> </u>	Ļ	_	
12 800 Alm	;							L	L		
1 VOC 415	i							L		<u> </u>	
112	:									1	
× 1 × 5 + 471		<u> </u>									ļ
18,122,47!											
mg x / 2 475											
S 60 42		<u> </u>									
- 1xC2 474	1									57	
							_	_			
DESCRIPTION OF S	HIPMENT				MODE OF S	SHIPM	ENT				
PIECE(S) C	ONSISTING O	F	, BOX	(ES) - 1.1.	COM	IMERCI	AL (	CARI	RIEF	R:	
			201	, .	cou	RIER					
ICE CHEST(S): OTHERSAMI								VEYI	ED		(SHIPPING DOCUMENT NUMBER)
PERSONNEL CUSTO			DATE	TIME	RECEIVED BY		_				REASON FOR CHANGE OF CUSTODY
RELINQUISHED BY	(SAMPLER)	'  ˈ	. ,								TREASON FOR CHANGE OF CUSTODY
SEALED	UNSEAL		37.74)	125	SEALED			ISE.			W.A.
RELINQUISHED BY			DATE	TIME	RECEIVED BY						REASON FOR CHANGE OF CUSTODY
		1		1							
SEALED RELINQUISHED BY	UNSEAL		DATE	TIME	SEALED RECEIVED BY	,	UI	NSE	AL	ED	REASON FOR CHANGE OF CUSTODY
1		1		}							
SEALED	UNSEAL	ED			SEALED		υ	NSE	EAL	ED	1

7.EDA 0262/Payised 5/85)

## CHAIN OF CUSTODY RECORD ENVIRONMENTAL PROTECTION AGENCY REGION VII

ACTIVITY LEADER(P			NAME	OF SURVI	EY OR ACTIVIT	Υ	_	1			ATE OF COLLECTION	SHE	4
12 r 3 c 2 1		701T		: , <del>[</del> -]	.// 51.	A, 1	: :	;	, A,	<u> </u>	DAY MONTH YEAR	0	<u>" 5</u>
CONTENTS OF SHIP	MENT												
SAMPLE	1 2 Car 3	TYPE	OF CONTAIN	ERS	VOA SET	S	AMP		MED	olher	RECEIVING LABORATO REMARKS OTHER INFORM		
NUMBER 15	CUBITAINER	BOTTLE	BOTTLE	BOTTLE	(2 VIALS EA)	water	lios	ed:me	_	1.1.	(condition of samples upor	receipt	
		BERS OF CONTA	VINERS PER S	SAMPLE NUM	BER	+*	s	-	٦			.a. A	- 4
C SVC 2 475				<del> </del>	<del></del>	+		<u> </u>	$\vdash$	3,7	TMC 3616V	<del>14 14 1</del>	(+-
CSYC2476		<u> </u>		<del> </del>		1		<u> </u> _		V		<del></del>	
CENC? 477				<del> </del>		$\bot$		_		Ę,			
CG YCE 428	١			<del> </del>				<u> </u> _		V.			
C4762439	1						L			\_/·			
15×12 430	!			<u> </u>						U			
CSYCR 431	1			<u> </u>					Ш	$\sum_{i}$			
5 5 7 C ), 437	ţ				<u>_</u>					\			
CC 30 1433	1									١.			
-c400434	T									٠.			
1 5/02 4-30										V			
C 5 Y C K 4-36			<del></del>			1			П				
CYCR437	T		<del></del>			1				U		·	
C 5 Y C P 43 K				<del>                                     </del>		+				シ		······	
C4XC12234	T			1		+			Г	V			
C/4/CR 441	T			1		+-		$\vdash$		1.7			
- 5×62 441	<del>1</del>	<del> </del>		<del>                                     </del>		╁╌		┢	$\vdash$	1			
C 5 × C 7 44	1			<del>                                     </del>	<del></del>	╁~~	<del> </del>		-	1)*			
<del></del>				<del>-</del>		+-	$\vdash$	$\vdash$	-				
1 1 1 443	<del> </del>	-				╁╴	<del> </del>	$\vdash$	$\vdash$	ر. ارا			
2 CY 02442	1			<del> </del>	_	+	$\vdash$	-	╀	_			
C 5 X C 2 44	<del>1</del>	-		<del> </del>		+	-	╁╌	-	1.7			
CSNCR44		-	·	-		+	├	$\vdash$	-	<u>U</u>			
( Syc) 448				<del> </del>		+-	├	╁		ン			
C SYCILA4							<u> </u>	<u></u>		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		<del></del>	
DESCRIPTION OF S	HIPMENT				MODE OF SH	IIPM	ENI						
PIECE(S) C	ONSISTING O	F	Bdx(ES)	CNOCKA	i e		AL (	CAR	RIER		·		
ICE CHEST	(S): OTHER _	13	$\cap X$		COURI		ימס:	VFY.	ΕD		(SHIPPING DOCUMENT N	LINADED	-
PERSONNEL CUSTO											COLUMNIA DOCUMENT N	(אוסנית)	
RELINQUISHED BY			TIM	E RI	ECEIVED BY		7:	12.	17	, ,	REASON FOR CHANGE O	OF CUST	TODY
P. 1 1 P1	1 1/2	1 7/	$\int_{a}^{b}$	100 1	4 No 1				,	•			
SEALED /	UNSEAL				SEALED 1	. • 4	ÛN	SE.	ALE	_ O_	1 AU (421)	05.5:10	
RELINQUISHED BY		DAT	E TIM	R	ECEIVED BY						REASON FOR CHANGE	UF CUS	IODY
SEALED	UNSEAL	-24			SEALED		UI	NSE	ALE	: D [	_		
RELINQUISHED BY		DAT	E TIM		ECEIVED BY						REASON FOR CHANGE	OF CUS	TODY
										<b>-</b>			
SEALED	UNSEAL	LE D			SEALED	_	U	NSE	AL	ED	1		

# CHAIN OF CUSTODY RECORD ENVIRONMENTAL PROTECTION AGENCY REGION VII

	ACTIVITY LEADER(Print)  NAME OF SURVEY OR ACTIVITY  DATE OF COLLECTION  SHEET											
120 30 - 1		, 27 t, 7		T. 1 .	` <u>:</u>	102 11	· .>;	, ī	3.1	٠, ٠	5	DAY MONTH YEAR Of
CONTENTS OF SHIP	MENT								_			
SAMPLE	1 - 175		TYPE OF CO	ONTAINERS		VOA SET	5	AMP			Al(	RECEIVING LABORATORY REMARKS OTHER INFORMATION
NUMBER -	CUBITAINER	BOTTLE	B011		TILE	(2 VIALS EA)	water	sort	sediment	ا <u>۱</u> ۲۶	1	1
		SENS OF C	JINTAINEHS	PER SAMPLE	NOWBE	<u> </u>	+*	Ĭ.	~	-	<u> </u>	
12 SX 12450			<del>-  </del> -				+-	_	_		<u>~</u>	TH 1966/44,24
5 SXCE 451		<b></b>				ļ	1		_	_	1/	
15 x CZ 450	j				. <u> </u>			L	_			
4 5 17 3.453	į.		i i	İ			1		}		1/	
							T	T -				
						<b>_</b>	$\top$	1				
	``.	<del> </del> -		<del>-  </del>		<del> </del>	+	<del>                                     </del>	$\vdash$	+	<del> </del>	
						<del> </del>	+-		-	├-		
	<b></b>	N				<del></del>	+-	-	-	<del> </del>		
		<b></b>					Щ	<u> </u>	_			
				<u>-</u>			$\perp$			L		
				- T.								
							$\top$					
							1	1				
	<u> </u>		+			+	+-	╁	-	_		
<del></del>		<del> </del>	+			<del> `</del>	+	╁	├	-	-	
	<del></del>	<del> </del>	<del></del>				+	╀	-	-	-	
<del></del> _		L					4	<u> </u>	ļ_	ļ.,		
		<u> </u>					↓_	<u> </u>	L	L		<u> </u>
				<u> </u>			1		_			].
							Ţ				_	
							1		1			
		<u> </u>	<del></del>			+	十	$\dagger$	+	$\vdash$	<u> </u>	
<del></del>	<del> </del>	<del> </del>				<del> </del>	+-	╁	-	-	$\vdash$	<u> </u>
	<del> </del>	<del> </del>				+	+	╁╴	-	├	├	
<del></del>	-	<del> </del>	<del></del>			<del></del>	+	╀	├	╀	-	· · · · · · · · · · · · · · · · · · ·
									_			
DESCRIPTION OF SI						MODE OF SH	HPM	ENT				· · · · · · · · · · · · · · · · · · ·
PIECE(S) C	ONSISTING O	)F	<del>вох</del>	(ES)	- 4	соми	IERCI	AL (	CARI	RIEF	3	
ICE CHEST					- 1	COUR	_					
102 011231	(3), OTHER					SAMP	LER (	CON	VEYI	ED		(SHIPPING DOCUMENT NUMBER)
PERSONNEL CUSTO												
RELINQUISHED BY	SAMPLER	<i>i</i>	ATE	TIME	REC	EIVED BY					1 1	REASON FOR CHANGE OF CUSTODY
18000 /1	crisely		17911	1222			į.				•	1 the section
SÉALED RELINQUISHED BY	UNSEAL		ATE	TIME		EALED EIVED BY		UN	1SE	AL	D [	REASON FOR CHANGE OF CUSTODY
}			<u>-</u>		1							
SEALED	UNSEAL	ED			hsi	EALED		ŲI	NSE	AL	ED [	1
RELINQUISHED BY			ATE	TIME	REC	EIVEDBY						REASON FOR CHANGE OF CUSTODY
ĺ				1							_	
Teen en	LINSFAI	FO		ı	∏ SE	EALED		υ	NSE	AL	ED	7

U.S. EYVIRORMENTAL PROTECTION AGENCY, REGION VII MO PROJECT NUM: 133 PT: LONGITUDE: AMPLE DES: RIG RIVER MINE TAILINGS SITE(SOIL) MALYSIS RELUESTED: ONTAINER SOLOR PRESERVATIVE AHITE SM LASS ISMNEUTS: Sample collected in backgard at East edge ok garden.

Saligoto, 5 ft linear spacing, 0-6 inch depth

Carol Kennedy R+ 33 box 27 Flat River, MO 63601

TAMPLE COLLECTED IN: P. Koher-13 O. Silver

O.S. PAVIPONMENTAL PROTECTION AGENCY, PEGION VII NVIDONAENTAL SERVICE SOLVE ES ...VIC SECUVERES LATHERMONIVO,

PORT VE	HENTAL SERVICE	S DIV. 25 HUNSTO:	A SO. KAI	NSAS CITY, KS	o <b>ó11</b> 5
Y: +3 46T	MO: DOXOR SAMN	3: <u>002</u> 108: _ MED:	IA: SOIL	PL: 3 F =	)
GTIVITY 1	.35: DIG RIVER OFSERSE	MINE TAILINGS MO PROJECT	NUM: A3	REF LATITU 3 PT: Langit	Da:
200		NE TAILINGS SITE( MD LAS:		-77	-224 275 27
HALYSIS T CONTAINER CLASS	PEQUESTED: COLUR WHITE	PRESERVATIVE ICED	4G P 5 M	NAME Metals	
124M ENTS:	Ter Cinys	Sample collings	Vected !	NEAT C	enter
	Sumple 1	peation of	one. Apz	on maj	P,

TAMPLE COLLECTED EY: Roberts 51/Va

		NTAL PROTECTION OTAL 25 FUNCTO			KS 36115	
99: 20 ASTY	IC: COXCA SAMNO	: <u>993</u> 100: _ MED	IA: SOIL	PL: 3 P	0	-
ETIVITY DE C : MCITADE:	S: DIG RIVER M. Desidor	INE TAILINGS Mo Project	NUM: 433	REF LATI	TUDE:	-
:3EC BURKA C :MCITACC. CASENBATOR CASENTERCT:		E TAILINGS SITE(	SDIL) 36G: 07 5ND:	0ATE TI 1121170 <u>is</u>	ME, FROM REF P :20 EAST: 	T - "
.L4\$S	AHITE Selok	PRESERVATIVE ICED	SM ME	ETALS		
IZMMENTS:	Tailings	Sample	o ollec	tel a	long	
	50071 10 e	est edge	Jeers .	tailing	us pile	
	Sample	Sample Location	n O	03 0	n map,	

AMPLE COLLECTED LY : Roberts/Kilva

MAT

5	7	<u>;</u> =	ī	
			'nΝ	/
	-	_		

J.J. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII GCATION: DESLOGE MO PROJECT NUM: A33 PT: LONGITUDE: AMPLE DES: RIG RIVER MINE TAILINGS SITE(SOIL) DATE UCATION: DESLOSE MO BEG: 07/24/90 /5:30 EAST: 458/8ATCH/5MC: \_\_\_/\_ LAB: \_\_\_ BND: \_/\_/ \_\_:\_\_ NORTH: HALYSIS REQUESTED: DNTAINER COLOR PRESERVATIVE MGP NAME WHITE ICED SM METALS LASS EMMENTS: Tailings sample collected along North west røge of tailings pile, at an 120 ft

From edge of pond of water standing on tailings, Sample Location post

TAMPLE COLLECTED BY: Silva / Roberty

, **345**T

HAVIECNA	TENTAL SERVICES	51V. 35 FU!	NSTON RE.	KINSAS CITY	• KS 55115	
Y: 40 ACTN	IC: CSXCP SAMNO	: <u>205</u> .00: _	MEDIA: 33	IL PL: 3	P F J	
CTIVITY 62	:0: 013 RIVER V :751032	INE TAILINGS HO PRO	JECT NUM:	REF LA A33 PT: LO	TITUDE: NGITUDE:	
JAMPLE DIS: LUCATION: R JASE/RATCH/	: SIG RIVER MIN DISLOSE /SMC:/_/_ DAD NO:	e Talkings s	ITE(\$911)	D <b>AT</b> E	TIME FROM R	
1L4S3	COLOR WHITE	ICED	MZ	METALS		,
JOHMENTS:	Tailings s eage of of road	ample  ACCESS	pile to	a a eng ~ 150 orth end	fort ea	1/0,
	Sample loc	ration pop	is on	map,	·	

TAFT

FIELD SHEET
U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII

BMVIRO	INMINIAL	SESAICE? 0	IV. 15 =U	NSTON RO. W	ANSAS CITY,	KS 20115
Y: 20 40	אננ ימודנ	CR SAMNO:	<u> </u>	MEDIA: 301	(L PL: 3 P	F O
						ITUDE: GITUDE:
AMPLE 01 LICATION ASC/EAT(S)	85: 313 A : 085L365 08/506: _ 480AD 40:	/_/	TAILINGS(S MO LAB:	01L) 3E9: 	786 17127170 /	IME FROM REF PT 6:00 EAST: NORTH: DOWN: 0-6"
JMTAINE	คลสบอร <b>า</b> ธ ค	CLOR	PRESERVATI	VE MGP SM		
JAMENTS	: Toili	uys samp	yle (0) sampler	lected #3	~ 150 ft along	went of northeast Location
	Margin Dob6	of on Pi	tailings	pole.	Sample	Locution

RAFT FIELD SHEET J.S. INVIRONMENTAL PROTECTION AGENCY, REGION VII EMVIRCHMENTAL DERVICES DIV. 25 FUNCTON RD. KANSAS CITY, KS 56115 : 90 ACTHO: COXCR SAMNO: DOZ DCC: \_ MEDIA: SBIL CTIVITY CES: BIG RIVER MINE TAILINGS LOCATION: DISLOGS MO PROJECT NUM: A33 PT: LONGITUDE: TORET/SARDAD AU: \_\_\_ .MALYSIS REQUESTED: COLOR PRESERVATIVE MGP NAME
LASS AHITE ICED SM META SM METALS LASS Tailings sample collected along east margin of pile, along base of washed-out area. Sumple location pp7.

TAMPLE COLLECTED IN : 5: /Ya / Roberts

SAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 125 FUNSTON RO. KANSAS CITY, KS 56115 7: FO ACTHO: OSXCR SAMMS: DOR RCC: \_ MEDIA: SOIL STIVITY SES: SIG RIVER MINE TAILINGS REF LATITUDE: CATION: DESERGE MO PROJECT NUM: A33 PT; LONGITUDE:\_\_ DAME TIME FROM REF PT AMPLE DES: BIG RIVER MINE TAILINGS (SOIL) TORET/SARDAD NO: : NHOC MALYSIS REQUESTID: ONTAINER COLUR PRESERVATIVE MGP NAME AHITE ICED SM LAS3 METALS

CHMENTS:

Duplicate of \$67.

EMPLE COLLECTED EY: Silvel Roberts

U.S. PAVIRONMENTAL PROTECTION AGENCY/ REGIDA VII ENVIRONMENTAL DERVICED DIV. - DS FUNSTON RD. KANSAS CITY/ KS 56115 ACTNO: CSXCO SAMNO: 229 DCC: \_ MEDIA: SOIL CTIVITY DES: BIG RIVER MINE TAILINGS REF LATITUDE: MO PROJECT NUM: A33 PT: LONGITUDE: DATE TIME, FROM REF PT AMPLE DES: BIG RIVER MINE TAILINGS (SOIL) TORET/SARDAD NO: .NALYSIS RECUESTED: COLOR PRIVITATION PRESERVATIVE MGP MAME STINK SM TLASS METALS Tailinger sample collected near central "neck" of the tailings pile. Sample location opy on field map. a 100 feet east of me-corlogical

CAMPLE COLLECTED OF: Roberts / 50 Wa

M

				J					
J. J.	CMMISSAME	NTAL	PPOTE	CTION	AGENCY	1, 355	IIV NO	[	
BRVIRBINHENTAL	SERVICES.	DIV.	2.5	FUNSTO	IN RD.	KANSAS	CITY,	κS	26115

ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115
: PO ACTIVO: CONCR SAMNO: 310 DCC: _ MEDIA: SOIL PL: S P F D
CTIVITY DES: FIG RIVER MINE TAILINGS REF LATITUDE: .UCATION: DESLOGE MO PROJECT NUM: A33 PT; LONGITUDE:
AMPLE DEST FIG RIVER MINE TAILINGS (SEIL)  DATE TIME FROM REF PT  DEATION: DESLOSE MO BEG: 07/27/90 // 20 EAST:  ASE/BATCH/SMO:// LAB:, END: _/ / SEWN: 0-E
WALYSIS REQUESTED:  ONTAINER COLOR PRESERVATIVE MGP NAME  D FIELD CHEET FILE INFORMATION AVAILABLE - CONSULT SYSTEM MANAGER
IMENTS: Tailings sample collected on southeust
section of tailings pile, sample
location put on field magi
KER GROUP M

CAPPLE SOLLESTED IN: W. ME Pull Robert

2127

FIELD SHEET

STIVITY DESCRIPTION AND PROJECTION AGENCY, REGION VII

ENVIRONMENTAL DERVICES DIV. 25 FUNCTION RD. KANSAS CITY, KS 66115

Y: () ACTUDE ESXER SAMME: 211 CC: MEDIA: SOIL PL: S P F D

CTIVITY DESCRIPTION AND REPORT NUM: ASSIST PT: LONGITUDE: DESCRIPTION: TESTED MO PROJECT NUM: ASSIST LONGITUDE: DESCRIPTION: DESCRIPTION

IPLE COLLECTED IN : ROBERTS 15/1/4

Land Fill office.

. 34 ET

FIELD SHEET
U.S. PAVIRONMENTAL PROTECTION AGENCY, REGION VII

ATMEMADRIVME	L SERVICES	IV. 25 FUNSTO	N RD. KANS	SAS CITY, KS	o à 115
Y: 20 ACTUS: C	SXCR SAMME:	512 300: _ MED	IA: SOIL	PL: S P F C	
GOTIVITY 635: 3 LOCATION: GESUC	IG PIVER MI! GE	NE TAILINGS MO PROJECT	NUM: 433	REF LATITUD PT: LONGITU	E:
TAMPLE DES: 316 .JCATION: DESED TAGEZ/24TCH/SMG: .TOPET/SAPOAD N	RIVER MINE	TAILINGS(SCIL)  MO LA3:	35G: 07 END:	027E" TIPE 1124190 14:25	FROM REF PT  EAST:  NORTH: 1  DEWN: 0-6"
HALYSIS PEQUES CHTAINER HLASS	CCLOR			AME Etals	
-comments: Ba 2,-1/o prope field	very. So	soil so tion ob;	on loca-	collecte the Li	ee Glore. 2 on

FIELD SHEET U.S. INVIRONMENTAL PROTICTION AGENCY, DEGION VII ENVIRONMENTAL DERVICES DIV. 35 FUNSTON RO. KANSAS CITY, KS 56115 Y: +0 ACTMO: GSXCR JAMMC: 613 JCC: \_ MEDIA: SOIL PL: S P F D CTIVITY DES: DIS RIVER MINE TAILINGS CATION: DESEDGE MO PROJECT NUM: 433 PT: LONGITUDE: AMPLE DES: BIG PIVER MINE TAILINGS (SDIL)

DATE TIME FROM REF

DOCATION: DESLOGE MD BEG: 07/27/90 /9:35 EAST:

ASE/BATCH/SMG: // LAB: END: // : NORTH: T

NALYSIS REQUESTED:

DNTAINER COLOR PRESERVATIVE MGP NAME LASS WHITE ICED SM META

SM METALS

contints: Soil sample collected at Hi-Vol contion AMD6, Fratt property. Collected 25 feet south of Hi - Vol unit.

#### FREND SHEET

AUDLE COLLECTED AY: Silva Roborts

M

FIELD SHEET U.S. INVIRGNMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNCTON RB. KANSAS CITY, KS 66115 7: 70 ACTNO: COXOR SAMMO: 015 RCC: \_ MEDIA: SOIL PL: S P = 0 CTIVITY CES: RIS RIVER MINE TATLINGS .JCATION: DESLOGE MD PROJECT NUM: A33 PT: LONGITUDE: SATE TIME FROM REF PT AMPLE DES: 013 RIVER MINE TAILINGS (SCIL)

CATE TIME. FROM RE
LOCATION: DESUDGE MO SEG: C7/27/90 /5:35 EAST:

LASE/BATCH/SMO: \_\_\_/\_/ LAB: \_\_\_ END: \_/\_/ \_\_:\_ NORTH: TORET/SARDAD NO: MALYSIS FEGUESTED: CONTAINER COLOR PRESCRYATIVE MGP L4SS WHITE ICED SM MAME METALS :CIMENTS: So. I Simple collected at Hi-Val Sumplers focations AMOI = AMOZ, H. Wood property. Sample collected a 20 feet west of

SUPLE COLLECTED IN: McCall /5/1/14

Hi- Vol Samplers.

of regidential yard, Residence located mays.

Cemetary. Sample location \$16 on Rield mays.

Murie Banky Rt 33 Box 59 Flat River, MO 63601

AMPLE COLLECTED BY: Silva / Roborts

24F*	.s. invinonmer	FIELD SHEET NCITOETORG LATE	A GENCY - REG	GISN VII	
ENVIRONMEN	NTAL JERVICES	DIV. 25 FUNSTO	N RE. KANSAS	CITY, KS AS	115
Y: 70 ACTUE	: CSXCR SAMNO.	: <u>517</u> 100: _ 4ED	IA: SOIL P	PL: 3 P F 3	~~~~~
LOCATION: DE	SL 156	INE TAILINGS Mo Project	NUM: 433	ין: Eangitube	:
AMPLE DES: 1 .DCATION: DE: 4SE/BATCH/SE .TORET/SARGA	BIG RIVER MINE Sloge MC:/_/ O MO:/	E TAILINGS(SJIL) MO LAS:	3:6: C7/2 END:/_	THE TIME F 27190 15:50	ROM REF PT EAST: NORTH:
HALFSIG REGI DATAINER LLASS	COLOR White	PRESERVATIVE ICED	MGP NAME SM MET	E ALS	.1
	Buckground Lesider	soil sou	uplo fo	rom re 14 mile	os dection
cf (	Surch of	God on a 5 miles	gravel	road	off
Doute	47	~ 5 miles	NW of	L Bonke-	toure.

Harold Stoffel
Lit 4 Box 146
Bonneterre, MO
63628

AMPLE COLLECTED SY: Silva / MeCall

CAST

# FT FIELD SHEET J.S. LNVIRONMENTAL PROTECTION AGENCY/ REGION VII INVIRONMENTAL SERVICES DIV. 25 FUNCTON RD. KANSAS CITY/ KS 56115

Y: 30 407NO:	CEXCR SAMNO	: <u>614</u> 100:	FOIA: SOIL	PL: S P F D	
こうりょうてんねん じょうご	31.0.55	INE TAILINGS Ma Prou	EFT MILIMA 177	しょうてん しのりごててい	ns.
TAMPLE DES: A LUCATION: DES TADE/BATCH/SM LTORET/SARDAG	ig River Mil sloge no://	SE TAILINGS(SC. MO LAB:	3EG: ( 3EG: ( 3ED:	34 TIME: 27 W1190 /6:25	EROM REF PT SEAST: NORTH:
NALYSIS REQU CONTAINER SLASS	SCLER	PRESERVATIV ICED			
JOHMENTS: 50	500	ple for	m rea	indeuce	in the
TOTTE	Ju -	ac House	ing to	velopured	+ west
of E	Panie tel	re + 5	outh o	f Highw	ray # 440)
Sumple	location	( \$/3	on f	l'eld ma	ray # 44), ps.

1-eonard White head 1685 St. François Rel, Terre du Lac 63628

CAMPLE COLLECTED IN : 5/16/11/9/11/

24F\*

FIELD SHEET

D.S. :NVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNCTON RD. KANSAS CITY, KS 56115 Y: 00 ACTHO: COXCR SAMMO: <u>019</u> ACC: \_ MEDIA: SOIL CTIVITY DID: BIG RIVER MINE TAILINGS REF LATITUDE: CATION: DESLOGE MO PROJECT NUM: A33 PT: LONGITUDE: AMPLE DES: BIG DIVER MINE TAILINGS (SOIL)

DATE TIME, EROM REF PT

DIGATION: DESLUGE

MO BEG: 07/27/90 16:25 EAST:

ASE/SATCH/SMO: // LAB: END: // PORTH: 9 TORET/SARDAD NO: \_\_ WALYSIS REQUESTED: PRESERVATIVE MGP NAME ODLOR PRESERVATIVE LASG WHITE ICED SM METALS LASS

Duplicate of 018.

COLLECTED 34: 5:1/4 / MEP.//

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII

THYLKUNST	41 MC 3 EXATCE 2	214. 12 -0M2	TON YOU KAN	2 M 2 C - 1 1 1 N V 2	2011)
Y: 36 ACTION	CSXCR SAMNO	: 020 TCC: _ M	EDIA: SSIL	PL: S P F C	,
CTIVITY IDS:	: PIG DIVER N SLOGI	ZDMIJIAT BMI BLORG OM	CT NUM: 433	REF LATITUE PT; LONGITE	)ē:
LAMPLE DES: LOCATION: DES LASE/FATCH/SN LTCRET/SARCAS	D NO:/_	E TAILINGS(SOI	1) 35G: C 5ND: _	026 TIME 7/27/90 /2:00	PEAST: NORTH: 0-6"
NALYSIS REQUIENTAINER	caras	PRESERVATIVE ICEC	: MGP N SM M	AME ETALS	D
AMMENTS: SURVEY CA	ence /	eple in	resident tend	itial yav	d.  evel soac  of  Big
wes, +		fuff (é.	de tavý	west on	62 d
Teove ● on	field	uup.	ine pipe	i,7 C-4 C	7

Carl + Trina Valley
Route I Box 624B
Mineral Foint, MO

IMPLE COLLECTED BY: Silva MECAL

SAFT

## FIELD SHEET

U.C. PAVISONMENTAL PROTECTION AGENCY, REGION VII EMVIRONMENTAL SERVICES DIV. 25 FUNCTION RD. KANSAS CITY, KS 65115

Y: () ACTHO:	COXCR SAMNE:	<u>921</u> too: _ MED	IA: SGIL	PL: S P F S	)	-
CTIVITY DES: LECATION: DESL		ME TAILINGS MO PROJECT		REF LATITUD PT: LONGITU		-
LOCATION: DESE LASS/SATCH/SMC CAUSAS/TERSTI	oss: :/_/ No:	TAILINGS(SCIL) MO LAB:	3 <b>56:</b> ()	122130 17:00		7 7 av
_	STED: CBLDR WHITE	ICED	M MZ	AME Etals	, M	
DAMENTS: So	e roci	de in T	Hoff Hoff	Dof 15	oad a	/26/2 A TO
the get	end	of gray	tel as	Levis 1	oad.	
_	Leach	ate Sup	aren			
		South of la	ardfill	and w	UP 06	-3

AAET

FIELD SHEET

		ENTAL PROTECTION 3 DIV. 25 FUNSTO			oo115
Y: () 46TN	C: CSXCR SAMN	:: 322 RCC: 460	IA: 33I	L PL: S P F	0
	3: -13 RIVER (	VINE TAILINGS MD PROJECT	NUM: 1	REF LATITU 33 PT: LONGIT	03:
		NE TAILINGS(SUIL) MO LA3:	BEG: END:	0ATE26 TIME 07/27/70 <u>(5.4</u>	FROM REF PT FAST: NORTH: DOWN: 0-6
- MALYSIS PE - ONTAINER - LAGS	COLOR	PRESERVATIVE ICED		NAME METALS	

:CAMENTS:

Robert Kyle Residence Route 33, Box 3/ Flat Riven MO 6360/

19.3. INVIRGNMENTAL PROTECTION AGENCY/ REGION VII INVIPARMENTAL GERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115 CTIVITY CASE BIS RIVER MINE TAILINGS REF LATITUDE: MO PROJECT NUM: A33 PT: LONGITUDE: DATE . TIME FROM REF PT AMPLE DES: BIG RIVER MINE TAILINGS (SOIL) .CCATION: DESLOGE 8ES: 07/27/90 <u>/3</u>:<u>#5</u> EAST: 40 143 = / 8 ATCH / 3M 0: \_\_\_\_/\_\_ LAB: \_\_\_ END: \_\_/\_\_\_ NORTH: DCWN: INALYSIS PEQUESTED: IBNTAINER -CCLOR PRESERVATIVE MGP NAME .1455 WHITE ICED SM METALS COMMENTS: Residential Soil sample à 2 miles Earn' of site. Residence on north side of road ~ 1/2 mile NE of Herod. Cemetary + just east of an old abandoned quarry shown Quad varyles on the French Village Sample location 023 center of NW/4 section 24 Plasy Bullock

	S. ENVIRONMENTAL NTAL SERVICES DIV.			06115
-Y: 90 ASTNO	: 03XCR 54MNC: _024	CC: _ MEDIA: S	GIL PL: 5 P F	0
-CTIVITY DES: LOCATION: 183	: BIG RIVER MINE B BLOGG	TAILINGS MO PROJECT NUM:	PEF LATITU A33 PT: LONGIT	Da:
DAMPLE DES: 6 LOCATION: DES DASE/EATCH/SY DTORET/SARGAS	SIG RIVER MINE TANSLOGE TO:/ D NG:/	ILINGS(3DIL)  MD 3E  LAB: EN	DATE TIME 5: C7/27/90 //: /	FOOM REF PT SEAST: NORTH: OCWN: 0-6"
2243	COLOR PRI	ED 5M	METALC	
.3MM3HT3: 1	Résidential te. Sample use (north),	soil sample	e collectes as fence	I now the
ef Ho	use (north),	Located	Mear cen	ter of
- Section	1 23 R4	とア37パ		

Paul MEDowell

Rt Z box 27

Bonneteure, MO
63624

AMPLE CELLECTED DY: Silva / Roberts

RAFT

FIELD SHEET

.CMMEHTS:

Weible property

top of hill above Bone Hole area

(north side of Big River)

Bkg.

U.S. ENVIRONMENTAL PROTECTION AGENCY. REGION VII ENVIRONMENTAL BERVICES DIV. 25 FUNCTON RD. KANSAS CITY, KS 56115
Y: PU ACTUD: CSXCR SAMMC: <u>026</u> DCC: _ MEDIA: SDIL
CTIVITY DES: TIG PIVER MINE TAILINGS REF LATITUDE:
AMPLE DES: SIG RIVER MINE TAILINGS(SUIL)  DATE TIME FROM REF PT  DOCATION: DESLOGE MO BEG: C7/27/70 09:55 EAST:  SE/MATCH/SMG: // LAB: END: // BOWN: 0-6
HALYSIS ABQUESTED:  ONTAINER COLOR PRESERVATIVE MGP NAME
LAST MHITE ACED / SM METALS
3 legate 15 let 125 word bout tot 5pm South of Force; Redden Brown Soil W/Mixed 91455
South of Face; Reddien Brown Soil W/Mixed grass
Day Care Center lover
Rebbeca Forrester
Route 33, Box 19
Flat River, MO 63601

Kiddle Castle Inc & Ronk 33 Box 19 431-6237 (18-20 children)

TAMPLE COLLECTED IN: Martin/Finos

CAFT

FIELD SHEET

).S. ENVIRONMENTAL PROTECTION AGENCY, PEGION VII ENVIRONMENTAL DERVICES DIV. IS FUNSTON RD. KANSAS CITY, KS 66113

: 4) ACTMS: GSYSR SAMNG: 327 VCC: MEDIA: SDIL PL: S P F D

CTIVITY DES: BIG RIVER MINE TAILINGS

GCATION: DESLOGE AD PROJECT NUM: A33 PT: LONGITUDE:

AMPLE GES: BIG RIVER MINE TAILINGS (SCIL)

DATE TIME\* FROM RE

DOCATION: DESLOGE MO BEG: 07/27/90 C2:U2 EAST:

ASE/BATCH/SMC: \_\_\_/\_\_ LAB: \_\_\_ ENO: \_\_/\_/ \_\_: NGRTH:

TORET/SARDAD NO:

NALISIS FERUESTED:

DNTAINER COLOR PRESERVATIVE MGP NAME LASS WHITE ICED SM METAL LASS

SM METALS

2 THE MMC

On site boring collected near mot station from 5-6 ft depth

_	•	_	•	

U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII EMVIRONMENTAL SERVICES DIV. IS FUNSTON RD. KANSAS CITY, KS 66115 Y: PO ACTNO: COXOR SAMNE: 028 USC: \_ MEDIA: SUIL COTIVITY 035: 113 RIVER MINE TAILINGS REF LATITUDE: .JCATION: DESLOGE MO PROJECT NUM: 433 PT: LONGITUDE: AMPLE DES: HIS RIVER MINE TAILINGS (SOIL)

DOCATION: DESLOGE MO BEG: 07/27/90 09:30 EAST:

ASE/EATCH/SMO: \_\_\_/\_ LAS: \_\_\_ END: \_/\_/ := NORTH: \_\_\_\_

TORET/SARDAD NO: MALYSTS REQUESTED: PRESERVATIVE MGP NAME INTATHER COLOR HHITE L453 ICED SM METALS

CHMENTS:

On site & collected near met station Token from 10-11 ft depth

Overfelt + Williams

RAFT

ENVIRO		CONMENTAL PROT			
1: 30 25	TMS: CSXCP S	331 PSC : 20M4	: _ MEDIA: S	DIL PL: S	>
YTIVITY:	DEST OBS	JER PINE TAIL( CM	NGS PROJECT NUM:	REF LAT A33 PT: L3:	FITUDS:
AMPLE DE SCATION: ASE/BATC TORET/SA	S: 210 RIVER DESLOSE HVSMC: ROAD NO:	R MINE TAILING MO /_/	S(SGIL) 3E A8: EN	DATE G: C7/27/90 ] D:/_/_	D:30 ENST:  NORTH:  OCWN: 15-/6
	REQUESTEU: Color	R PRESERV	'ATIVE MGP	NAME	

CATA LASS

ICED

S M

CMM ENT 3:

In site boring collected near met station from 15 to 16 toot depth

William, + Overfelt

, RAFT

FIELD SHEET

		,		J					
9.0.	HAVISONMEN	ITAL	PROTE	CTION	AGENCY	', REG	IIV HCI		
EMVIRGNNENTAL	. SERVICES	DIV.	25	FUNSTO	N 30.	KANSAS	CITY,	K S	56115

Y: 40 ASTHO: OCKOR SAMNO: 030 100: _ MED:	IA: SOIL PL: 3 P F D
ACTIVITY DESCRIPTIVER MINE TAILINGS LOCATION: DESLOGE MO PROJECT	REF LATITUDE: NUM: 433 PT: LONGITUDE:
CAMPLE DES: DIG RIVER MINE TAILINGS (SOIL) LOCATION: OCSUUGE MO CASE/DATCH/SMO:/ LAB:	3EG: C7/27/90 18:00 EAST:

IMALYDIS REQUESTED:

COLOR PRESERVATIVE MGP NAME PLASS WHITE ICED SM METALS

COMMENTO:

Roff Residence SE of site

FIRLO SHEET

J.S. INVIRONMENTAL PROTECTION AGENCY, REGION VII INVIPONMENTAL BERVICES BIV. 25 FUNCTON RD. KANSAS CITY, KS 56115 Y: 93 ACTUS: SSXCR SAMNG: 100 GCC: \_ MEDIA: SDIL PL: S P F D COTIVITY DES: HIS RIVER MINE TAILINGS REF LATITUDE: COLIVITY DESCRIPTIONS AND PROJECT NUM: 433 PT: LENGITUDE: AMPLE DES: DIG RIVER WINE TAILINGS SITE(SEDIMENT) DATE 23 TIME FROM REF PT MALYSID REQUESTED: CONTAINER COLOR PRESERVATIVE MGP NAME LASS WHITE ICED SM METAL

: 455

SM METALS

CHMENTS:

Most upgradient, near Irondale

CAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 23 FUNSTON RD. KANSAS CITY/ KS 56115 : PO ACTIVO: CSXCR SAMNO: 101 CC: \_ MEDIA: SOIL PL: S P F D .3CATION: DESLOGE MO PROJECT NUM: 433 PT: LONGITUDE:\_\_\_\_ MALYSIS REQUESTED: ONTAINER COLOR PRESERVATIVE MGP NAME LASS WHITE ICED SM META

SM METALS

CIMENTS:

Collected Approx 3/4 mile downgreedvent of Hwy 8 bridge on Big River.

 $2\Delta = 7$ 

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMINTAL CERVICES DIV. 25 FUNSTON RD. KANSAS CITY/ KS 56115 Y: /J ACTNO: COXOR SAMNO: 102 RCC: \_ MEDIA: SOIL CTIVITY DES: DIG RIVER MINE TAILINGS REF LATITUDE: GCATION: DESLOGE MG PROJECT NUM: 433 PT: LONGITUDE: .NALYSIS REQUESTED: COLOR PRESERVA #HITE ICED CNTAINER PRESERVATIVE MGP NAME SM METALS 16455 COMMENTS:

is lected from Leadwood failings pile tributary to Big River



U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, NG 55115

: 20 ACTNO: COXOR SAMNO: 103 ICC: \_ MEDIA: SOIL PL: S P F D GTEVITY CES: FIG RIVER MINE TAILINGS REF LATITUDE: LICATION: DESLUGE MG PROJECT NUM: ASS PT: LONGITUDE:

TORET/SAROAD NO: \_\_\_\_\_

MALYSIS REQUESTED:

PRESERVATIVE MGP CNTAINER COLOR NAME SM METALS MHITE ICED LASS

DAMERTS:

-allected on Big River Approx & mile downgradient of the Leadwood Acces5

PAFT

TEBHS CLEIR

BUMBRITS:

Big River; 1st sample downstream of low water bridge on west side of site.

BAST

FIELD SHEET

<b>4</b> □ ·					
		TAL PROTECTION A DIV. 25 FUNSTON			a6115
V: →O ACTHS: (	ISKOR SAMNO:	105 ¥CC: _ MEDI	A: SCIL	PL: S P F C	
CTIVITY DES: . DCATION: DISE:		ZOMILIAT EN TOSLORA CK		REF LATITUD 33 PT: LONGITU	
DESTIDE DEST	338 :/_/	TAILINGS SITE(S MO LAB:	a = g +	77127797 10 · 00	= 45T.
MALYSIS REQUES	STED: COLOR	PRESERVATIVE	MGP	NAME .	
LASS	WHITE	ICED	SM	METALS	

.DMMENTS:

Big River: 2 nd sample downstream of low water bridge on west side of site.

TAFT

FIELD SHEET

		NTAL PROTECTION DIV. 25 FUNST			
1: 90 ACTNO	CSXCR SAMME	: 106 QCC: _ ME	DIA: 331	L PL: 5 P	F C
CTIVITY DES	SL033	MO PROJEC	T NUM: A	•	GITUDE:
LUVALLINE LE.	36038 70:/_/	A TAILINGS SITE	<b>⇒:</b> ∪:	(// <del>2//</del> ///	IME FROM REF PT 2:30 EAST: NORTH: DOWN: 0-6
INALYSIS FER IDNTAINER ILASS		PRESERVATIVE ICED	MGP SM	NAME METALS	
COMMENTS:					

Big River; swimming area west side of site.

FIELD SHEET

W.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII EMVIRONMENTAL SERVICES DIV. 25 FUNSTEN RD. KANSAS CITY, KS 56115

PO ACTNO: CSXCR SANNE: 107 RCC: \_ MEDIA: SOIL PL: S P F D

CTIVITY DES: DIG PIVER MINE TAILINGS REF LATITUDE:

.JCATION: LESLOGE MO PROJECT NUM: A33 PT: LENGITUDE:

TORET/SARDAD NO:

.WALYSIS REQUESTED:

UNTAINER COLOR PRESERVATIVE MGP.
LASS WHITE ICED SM

NAME SM METALS

BRMENTS:

i oration #7 onfieldmap

TRAFT

FIELD SHEET

JMM ENT SE

Location # 8 on field map

CAMPLE COLLECTED DY: Dvarfelt & Williams

CAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL DERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115

Y: 90 ACTNO: 63	SXCR SANNC: 11	CC: _ MED	IA: SJIL	PL: S P F D	
CTIVITY DES: 61	IG RIVER MINE	TAILINGS	WUM - 177	REF LATITUDE	·
AMPLE DES: SIG AMPLE DES: SIG DEATTON: DESLO: ASE/SATCH/SMO: TORET/SACAD	RIVER MINE TA	ILINGS SITE( MD LAB:	SEDIMENT) BEG: 07 END:	DATE / TIME 127700 LY: 45	FROM REF PT EAST: NORTH:

ANALYSIS REQUESTED:

CONTAINER GLASS

COMMENTS:

CCLGR

PRESERVATIVE ICED

MGP NAME SM METALS

Location # 9 on frehd map

AMPLE COLLECTED Y: Overtelt + Williams

### FIELS SHEET

# D.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII EUVIRONMENTAL DERVICES DIV. 35 FUNSTON AD. KANSAS DITY/ KS 56115

E .V. YOMMENTAL	L JENVIUSE DE	V. as function	ACNAX .U.	AS CALITY RS 5	5115
Y: 30 ACTHS: 6	SXCF SAMMC: 40	32 loo: _ MEDIA	A: AIR	PL: S P F D	
- GTIVITY DES: ±	3 <del>E</del>	MO PROJECT N	1UM: 433		E:
AMPLE DES: DIG LOCATION: PESLO- LASE/EATCH/SMC: ETORET/SARGAD N	RIVER   41NE   TX   GE	AILINGS MG LAC:		73 (2) TIME 1271 40 12:47 1241 20 12:60	
CONTAINER/FILTE PUMP/MOTOR PLOW INDICATOR:	R TYPE: _ NUMB TYPE: _ NUMB DN:	ser 3er 2 off: <u>100</u>	TIME ON: CFF:	OF DAY TIME <u>/2:47</u> ON::@ OFF:	INDICATOR 11814.L 12 <sub>35</sub> 7.6
INALYSIS FEGUES CONTAINER FLASTIC TAB	COLUR	RESERVATIVE One	1162 NAI AMET = AI		AL METALS DR 10 IN AIR BY

JAMENTS: BR-DM-02-1

Collerated sample, loration Howard Wood

property. Approximately 500 feet cost of

the Big River site, from the East

side of the tailing piles.

FIELD SHEET

RAFT U.S. PHVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. IS FUNSTON RD. KANSAS COTY, KS 55115 CTIVITY DES: DIG PIVER MINE TAILINGS AMPLE DES: DIG RIVER MINE TAILINGS SITE(SEDIMENT) DATE TIME FROM REF PT DOCATION: DESLOGE MO BEG: 07/27/70 13:/5 94ST: -NALYSIS REQUESTED: ONTAINER COLOR PRESERVATIVE MGP NAME

L455

WHITE ICED

SM METALS

DMMENTS:

Owl Creek, north of abandoned RR bed

TAMPLE COLLECTED BY : Martin/Enos

# FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RO. KANSAS CITY/ KS 56115

. 90 40TNO	CSXCR SAMNO	: 111 lcc: _ MeD	IA: 38IL	PL: S P F	D
SED YTIVITO	: BIG RIVER N SLOGE	INE TAILINGS HO PROJECT	NUM: 43	REF LATIT 3 PT: LONGI	UDE:
COATION: OF	SLOGE	TAILINGS SITE( 40 LAS:	ô£G:	07/27/00 /4:	/5 =4ST:
MALYSIS PEG	D 40:				DCWN: 0-3"
GNTAINER		PRESERVATIVE	MGP	NAME	SPY
7221	温用于下流	TOER	5 M	METALS	

CHMENTS:

Oul Creek, \$20' upstream of mouth Collected WI spoon

TRAFT

FIELD SHEET

U.S. INVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115 : PO ACTUB: COXCR SAMNO: 112 RCC: \_ MEDIA: SOIL PL: S P F D CTIVITY DES: BIG RIVER MINE TAILINGS LOCATION: DESLOGE MO PROJECT NUM: 433 PT: LONGITUDE: .TORET/SARDAD NO: WALYSIS REQUESTED: CONTAINER COLOR PRESERVATIVE ICED LASS MHITE SM METALS DAMMENTS: Big River Location: North of St Joe Property, Location on Field Map, Cocation # 12

EAMPLE COLLECTED BY: Martin Williams

•	٩	•	*

FIGLO SHEET

TAMPLE COLLECTED BY: Martin Williams

RAFT		FIELD SHEET	
		. PROTECTION AGENCY, /- 25 Funston Rd. KA	
: 20 ACTMD:	CSXCR SAMME: 11	3 PCC: _ MEDIA: SGIL	PL: S P F D
LOCATION: DES		MO PROJECT NUM: A3	REF LATITUDE:
AMPLE DES: A LOCATION: DES TASE/SATCH/SM TORET/SARDAD	IG RIVER MINE TA LOGE 5:/	ALLINGS SITE(SEDIMENT MO BEG: LAD: EAD:	) DATE 4 TIME FROM REF PT 07/27/90 6:30 EAST: NORTH: DOWN: 0-6
1 000	COLOR PR	SESERVATIVE MGP SM Site, Location on Location	Field May

PAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115 PO ACTNO: COKCR SAMNO: 114 OCC: \_ MEDIA: SDIL PL: S P F D CTIVITY DES: PIG RIVER MINE TAILINGS LOCATION: DESLOGE MG PROJECT NUM: 433 PT: LONGITUDE: TORET/SARDAD NO: \_\_\_\_ INALYSIS REGUESTED: ONTAINER COLOR PRESERVATIVE MGP LASS WHITE ICED 2 M METALS

: Z TPEMMS

Location # 14 on field map

SAFT

FIELD SHEET U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII

ENVIRONMENTAL DERVICES DIV. 25 FUNSTON RD. KANSAS CITY/ KS 56115 : PO ACTNO: CSXCR SAMNO: 115 CC: \_ MEDIA: SOIL PL: S P F D CTIVITY DES: DIG RIVER MINE TAILINGS \_CCATION: DESLOGE MO PROJECT NUM: A33 PT: LONGITUDE:\_\_\_\_ AMPLE DES: BIG RIVER MINE TAILINGS SITE(SEDIMENT) DESE TIME, FROM REF PT DEATION: DESLOGE MD BEG: 67/2/196 10:00 EAST:

TASE/RATCH/SMC: // LAB: END: // : NORTH: DOWN: 0-6 INALYSIS REQUESTED: COLOR PRESERVATIVE MGP NAME WHITE ICED SM META DHTAINER COLOR SM METALS LASS Collected from Flot River Creek. CHMERTS:

1 ocation # 15 on field map.

CAFT

FIELD SHEET
U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII
SENTAL SERVICES DIV. 25 FUNCTON RD. KANSAS CITY/ KS 5611

		IV. 25 FUNSTON		
: 90 ACTNS: 0	SXCR SAMNC:	116 300: _ MEDI	A: SJIL PL: 3	;
ACTIVITY 299: 8	EIG RIVER MIN GGE	E TAILINGS MG PROJECT	REF L NUM: A33 PT: L	ATITUDE:
14MPLE DES: BIG 13CATION: DESLO 14SE/RATCH/SMC: 1TORET/SAROAD N	RIVER MINE DGE :/ NO:	TAILINGS(SEDIME MO LAB:	NT) 025E BEG: 07/2/190 END:/_/_	IIME FROM REF PT  11:30 EAST:  NORTH:  ODWN: 0-6
	COLOR	PRESERVATIVE ICED		
COMMENTS:	Collecte	ed on Big	River app	ony. 5 miles
lo	un gradia,	it of the s	rife. Loca	tion #16 on
	field ma	$\varphi$		

FIELD SHEET

U.C. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIPONMENTAL SERVICES DIV. 25 FUNCTON RD. KANSAS CITY, KS 56115 : 40 ACTNO: CSXCR SAMNO: 117 QCC: \_ MEDIA: SOIL | PL: S P F D CTIVITY DES: HIG RIVER MINE TAILINGS LOCATION: DESLOGE MG PROJECT NUM: 433 PT: LONGITUDE: AMPLE DES: EIG RIVER MINE TAILINGS (SEDIMENT) DATE TIME, FROM REF PT INALYSIS REQUESTED:

ONTAINER COLOR PRESERVATIVE MGP NAME LASS WHITE ICED SM METALS

IMMENTS:

Turkey Preek, & 30' from vd.

.RAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115

90 ACTNO: CSXCR SAMNG: 116 DCC: \_ MEDIA: SOIL PL: S P F D

CTIVITY CES: BIG RIVER MINE TAILINGS

LOCATION: DESLUGE MO PROJECT NUM: 433 PT: LONGITUDE:

AMPLE DES: RIG RIVER MINE TAILINGS (SEDIMENT)

DES TIME FROM REF PT

LOCATION: DESLOGE

MD

BEG: C7/2/1/20 1/:30 EAST:

LASE/BATCH/SMC:

NORTH:

DOCUMENT OF THE PT

LABE END:

DOCUMENT OF THE PT

DOCUMENT O

TORET/SARDAD NO: \_\_\_\_

INALYSIS REQUESTED:

ONTAINER COLOR PRESERVATIVE MGP LASS WHITE ICED SM SM METALS

SHMENTS:

Location 18 on field map

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY/ KS 66115

: PO ACTMO:	: CSXCR SAMNE: 11	P NCC: _ MEDIA: SJI	L PL: S P F D
	: GIG RIVER MINE '		REF LATITUDE:
AMPLE DES: 8 DES: 8 MZ\HDTAE\SACA DAGGAE\TSACT	MO:/_/	ILINGS(SEDIMENT) AD 9EG: LAG: END:	DD

-MALYSIS REQUESTED:

ONTAINER COLOR LASS WHITE

PRESERVATIVE ICED

MGP NAME SM METALS

CHMENTS:

Location # 19 on field map

TAMPLE COLLECTED OF: Williams + Durtelt

_	•	_	•	
		_	-1	

## FIELD SHEET

ENVIRO			ENTAL PROTECT 3 DIV. 25 FU		REGION VII ANSAS CITY, K	\$ 56115
: 70 40	TNO: SS	XCR SAMN	c: 120 lcc: _	MEDIA: SOIL	PL: S P F	ō
		Ē				UDā:
*CATEON*	: DESLOG Ch/smg: _	RIVER MI E/_/	NE TAILINGS (S	2=6.	07/2//90 18.	E' FROM REF PT SEAST: NORTH: DOWN: 0-6
INALYSIS IDNTAINER LASS	3	COLOR	PRESERVATI ICED			

COMMENTS:

Location # 20 on Field map

. ? 4 F T FIELD SHEET U.S. INVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 35 FUNSTON RD. KANSAS CITY, KS 66115 : 30 ACTNO: CSXCR SAMNO: 200 GCC: \_ MEDIA: WATER PL: S P F D CTIVITY 255: BIG RIVER MINE TAILINGS LEGATION: DEGLOSE MG PROJECT NUM: A33 PT: LANGITUDE: \_\_\_\_\_ .AMPLE DES: 31G RIVER MINE TAILINGS (SURFACE WATER) DATE TIME. FROM REF PT LOCATION: JESUGGE MO BEG: 67/27/90 10:00 EAST: LASE/PATCH/SMJ: \_\_\_/\_ LASE: \_\_\_ FND: \_\_/\_ :\_ NORTH: TORET/SARDAD NO: \_\_\_\_\_ INALYSIS REQUESTED:

COLOR COLOR PRESERVATIVE 1631 MHITE - DZ PLASTIC GREY

5 ML HNO3 WM METALS FILTER, HNO3 WO7 IH DISSOLVED METALS

. BMMENTS:

Most approdient sangle, near Frondale

pH 6.96. Cond -170 umhos.

#### FIELD SHEET

U.S.	BHVIRDUMENTAL	PROTECTION 4	GENCY, REG	IIV NCI	
IRONMENTAL	SERVICES DIV	. 25 FUNSTON	RD. KANSAS	CITY, KS	56115

ENVIRONMENT	TAL SERVICES	DIV. 25 FUNSTO	N RD. K	ANSAS CITY, KS	56115
: PO ACTNO:	SAMAZ ROXZO	: 201 1CC: _ MED	IA: WAT	ER PL: S P F	<u> </u>
ACTIVITY DES:		INE TAILINGS Mo project		REF LATITU 33 pt: Longit	
.AMPLE DES: 63 LOCATION: DESI DASE/BATCH/SMO .TORET/SAPGAD	::/_/_	E TAILINGS (SURFA MO LAS:	CE WATE BEG: END:	R) DAIÉ TIME C7/27/90 /3:/ ''	FROM REF PT SEAST: NORTH: DOWN:
-NALYSIS FEGUE	ested:				
	WHITE	PRESERVATIVE 5 ML HNO3 FILTER/HNO3	#M		METALS
COMMENTS:			_		

of Hwy 8 bridge on Big Kiver

pH - 78.23.

iond - 27° c.

Temp - 27° c.

TRAFT

FIELD SHEET

U.S. INVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115

: 30 ACTNO: COXOR SAMNO: 202 QCC: \_ MEDIA: WATER FL: S P F D

CTIVITY DES: DIG RIVER MINE TAILINGS

.GCATION: DESLOGE MO PROJECT NUM: A33 PT: LONGITUDE:

TORET/SAROAD NO:

-NALYSIS REQUESTED:

SHITAINER COLOR USI WHITE SEEY

PRESERVATIVE 5 ML HNG3

METALS WM

FILTER, HNO3 WO7 IN DISSOLVED METALS

: STUEMME.

Collected from Leadwood tailings pile Tributary to Big River

pH-7.20. Temp 26°C. ond - 550 mmhos '

### FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY/ KS 56115

		: : N	v .	i	از. . ـــ	N ?	' <del>-</del>	4 :	. ~	L	ა 	:=	× 1	/ I	<u>ر</u>	: ა 		) i	. ٧	•	; 	د ک 		- IJ	 N 2		i Ni	- K	J •	. K	, A i	 N 2	7. 7.	·.	. 1 !	1	<i>,</i> _	<b>~</b> >	) j	0	11:	) 			
•	•	;	0	À	C	T :	C	:	ŭ	S	ΧC		_ (	E A	Mi	10	:	2	0.	3	. (	 :c	:		M	50	) I i	A :	W	AT	E		 	L:	3	5	D	<u>-</u>	۵						
: ن. تا ـ	T 2	Y	+ ·	T Y	:	2 E	S =	:	· 1	I.	: :	₹	I١	/ E	Ř	· ·	I	N E		Γ Δ - 4	II	- <u>:</u>	NO PF	33	JE	CT	٠ ·	NU	M:		43	3	R	EF	: L	. 4	T I N G	TU II	ם פכנ	: : ) E	:		_	- -	
	2 5	/	<u> </u>	a T	С	H/	S	14	:					_ /	_	′_	_	1	Δ.	IL M	.I.	13 L	5 (	(s	U 3	FA	· C	2	WA BE	T 8	R	) G 7	D42	-	7 <b>3</b> (	) 	16	ME		N	R 0; A 5; O R;	TH:	:		

.MALYSIS REQUESTED:

INTAINER COLOR PRESERVATIVE MGP NAME
JUST WHITE 5 ML HNO3 WM METALS
FOZ PLASTIC GREY FILTER, HNO3 WO7 IN DISSOLVED METALS

: CIMBMMEL

Collected on Big River Approx. 12 mile downgradient of the Leadwood access

pH-7.48.

Temp-25°C'

Cord-200, umhos'

PAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 36115 Y: 90 ACTRO: CSXCR SAMNO: 204 GCC: \_ MEDIA: WATER PL: S P F D CTIVITY DESE BIG RIVER MINE TAILINGS REF LATITUDE: LUCATION: DESLOGE MO PROJECT NUM: A33 PT: LONGITUDE: PRESERVATIVE JONTAINER COLOR MGP RAME

.NALYSIS REQUESTED:

JUBI WHITE 5 ML HNO3 WM METALS JUBI PLASTIC GREY FILTER, HNO3 WO7 IN DISSOLVED METALS

IDMMENTS:

Big River; 1st sample downstream of low water bridge on west side of site.

pH = 7.27. con 0 = 290. To = 23°C.

フムモモ

#### FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115 Y: PO ACTHO: CSXCR SAMNO: 205 CCC: \_ MEDIA: WATER PL: S P F D CTIVITY DESE HIG RIVER MINE TAILINGS SCATION: DESLOGE MO PROJECT NUM: A33 PT: LONGITUDE: TORET/SARDAD NO:

MALYSIS REQUESTED:

TRITAINER COLOR PRESERVATIVE MGP NAME
1001 WHITE 5 ML HND5 WM METALS
4 CZ PLASTIC GREY FILTER, HND3 WO7 IH DISSOLVED METALS

#### JOHMENTS:

Big River, and sample downstream of low water bridge on west side oil site.

pH = 7.63. con l = 280. To = 220 230C' ,只真用了

FIELD SHEET

.NALYSIS REQUESTED:

ONTAINER: COLOR PRESERVATIVE MGP NAME
1831 WHITE 5 ML HN03 WM METALS
2 OZ PLASTIC GREY FILTER/HN03 A07 IH DISSOLVED METALS

#### TOMMERTS:

Big River; swimming area west side of site pH = 7.442.  $T^{o} = 25^{o}C'$  cond = 260.

SAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNCTON RD. KANSAS CITY, KS 56115

: 90 ACTNO:	CSXCR SAMNC: 207	CC: _ MEDIA:	WATER PL: S P F I	)
CATION: DESL	_03E	MO PROJECT NUM	REF LATITU: : A33 PT: LONGIT	JOE:
AMPLE DES: 31 JCATION: 3ESL ASE/BATCH/SMC FORET/SARDAD	IG RIVER MINE TAI 1998 D:/_/	LINGS (SURFACE W	ATER) DATE TIME EG: 07/27/2013:	FROM REF PT SEAST: NGRTH: DOWN:
111 V C T C - D 2 3116	sran.		•	

JSI

WHITE

PRESERVATIVE 5 ML HNG3

MGP WM

METALS

. DZ PLASTIC

GREY

FILTER, HNG3

W07

IH DISSOLVED METALS

.CHMENTS:

Cocation # 7 on the field map

pH - 6,73 7.33.

Temp - 28°C'

Cond - 380 um has.

TRAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVICENMENTAL SERVICES DIV. 25 FUNCTON ROL KANSAS CITY, KS 56115

E 17 1 K 5 K 1 E 1					,,,,,
7: 30 ACTNO:	CSXCR SAMN	: 203 QCC: _ ME	STAR : AIG	R PL: SPF0	
CTIVITY 033:	dig RIVER LOGE	VINE TAILINGS MJ PROJEC	T NUM: 43	REF LATITUD: 3 PT: LONGITUS	9:
AMPLE DES: 3 LOCATION: DES LASE/BATCH/SM LTORET/SARDAD	0:/_/	NE TAILINGS(SURF HO LAB:	ACE WATER Beg: End:	) DAUE TIME OF CT/27170 / 1/2 00	FROM REF PT EAST: NORTH: DOWN:
INALYSIS FEQUINATAINER	COLOR White	PRESERVATIVE 5 ML HN03		NAME METALS	

FOZ PLASTIC GREY

FILTER, HNO3

WO7 IH DISSULVED METALS

COMMENTS:

Location #8 on Freld map

pH - 7.44. cond - 360 Temp - 29%.

TRAFT

#### FIELD SHEET

				-					
U.S.	INVIRONMEN	ITAL	PPOT	CTION A	GENCY	, REG	ION VI	[	
ENVIRONMENTAL	SERVICES	CIV.	2.5	FUNSTON	₹٥.	KANSAS	CITY,	ΚS	55115

	<u>.</u>									- ''	_																	`_			, ·			<i>.</i>		, .					
	! 	ر د 	1	c	ΤN	C:	(	5	x C	R	S	M A	NC	:	2	ŋş	) -	۵C	c	 : 	_	м	ED	I	4:	W	Α.	TE	R		L	: :	s 	P	F	Ð					
																																						:			
- C - A - T	5	/ E	7 N A 1	1: C	ں <b>۲</b>	2.E	L	3 G :	E 			/_	/_	Ę.	T	A 1	Т <b>L</b>	IN	IS.	5 ( A 5	St	JR -	FA	Ci	E	W A B E E N	G D	E R	<b>)</b> 67	3/	好	- / ? / _	0 <del>-</del>	τ ; 	[MI	£\$	Ē/	ROM AST DRT:	: H:	F	P
: N	٦ د	Y 5	IS	5	२ <u>-</u>	ฉบ	E 3	ST	ם ב	:																															

ONTAINER JUBI COLOR

PRESERVATIVE 5 ML HN03

MGP WM NAME METALS

. UZ PLASTIC

SREY

FILTER, HNO3

W07

IH DISSULVED METALS

COMMENTS:

iscation # 9 on frold map

pH - 7.45.

Cond - 370 jumhos.

Temp - 27°C.

RAFT	U.S. ENVIRONMEN Mental services				4 4 4 4 5
	TNG: CGXCR SAMNC:				
:MCITADL	DES: SIG RIVER MI CESLOGE	MO PROJECT	NUM: A	33 PT: LONGITU	DE:
148E/BATC	S: BIG RIVER MINE SESLOGE H/SMC:/_/_ ROAD NO:	TAILINGS (SURFAC	E WATE BEG: END:	R) DATE 7 TIME: 07/27/90 13:/5	FROM REF PT EAST: NORTH: DOWN: Surface
-NALYSIS - GNTAINER	REQUESTED: COLOR WHITE				DOWN.

FILTER, HNO3

COMMENTS:

OWI Creek; nowth of abandoned Rh bed

w07

IH DISSOLVED METALS

$$pH = 7.33$$
.

cond = 550.

 $T^0 = 18.5^{\circ}C$ .

IJ <b>.</b> S. :	ENVIRONMENTAL	PROTECTION	AGENCY, S	REGION VII	
ENVIRONMENTAL	SERVICES DIV.	25 FUNSTO	IN RD. KANS	SAS CITY, KS	35115

	20	,	7 C	TN	0:	(	: 3	X	CR	:	ĴΆ	М:	4:0	:	2	1 1		) C	C :	_		MED	IA:	, k	IA.	TΞ	R -												-	
T I	VI	T :	Y N:	C 3	3 <b>:</b>	L	: I	3	,	!I!	٤ ٧	Ę	γ,	I!	1 =	T	43	L )	IN P	GS	S 3 <b>J</b> B	ECT		J M :		43	3	R E	F	L	AT ]	T	ם טד	E :	:		 	-		
MP Ca	LE		DE N:	 3: ز	3 5 5	I	; ;	۲.	ΙV	· <u>-</u> ·	₹	1	I۸	Ę	7	A I	L I	IN D	<b>3</b> S	( 9	SU	RFA	CE	и. 3 е	. T	== = R :	 ) :7	DA1		4	T	IM (:	£/5	- F	R D;	1 1	REF	7	• T	

TASE/BATCH/SHO: \_\_\_/\_ LAB: \_\_ END: \_/\_/ : NORTH: TORET/SAFON NO: \_\_\_\_

.NALYSIS REQUESTED:

BMAN 4DH BVITAVREZERS ROJDO RENTATNO IELL IELL CONHINT CONTRATO YESPO DITCALS OF TRANSPORTED AND CONTRATOR OF THE CONTRATOR OF THE CONTRACT OF

: STREMME!

Owl Creek 230' apstream of mouth

cond = 245: pH = 7.60'

To = 26°C'

.MALYSIS PEQUESTED:

CHTAINER

COLDR

PRESERVATIVE

MGP

Cond. 290.

Cond. 7.29.

Physical Condition of St Joe Resperty Location on field map Location #12

Cond. 3.5°C.

, RAFT			FIELD SHEET L PROTECTION A		REGION VII INSAS CITY, KS 66115
			k- <b>6</b>		
	401751 0	SXUR SANNUL Z TTTTTTTTTT	FF ACC: T WENT	.A: WAIS	R PL: S P F D
		IG PIVER WINE GE			REF LATITUDE:
AMPLE LOCATION	DES: EIG IN: DESLO ATCH/SMC:	RIVER MINE T GE	AILINGS(SURFAC	E WATER BEG: END:	C7/2/90 5:30 EAST:
TORETA	/SAROAD N Is reques	G:			add metal m
JONTAI		COLGR P	RESERVATIVE ILTER, HNO3	MOL	NAME IH DISSCLVED METALS

COCATION # 12

			GENCY/ REGION RO. KANSAS CIT	
: 75 4CTND:	COXCR SAMMO:	213 RCC: _ MEDI	A: WATER PL: S	P F D
. DTIVITY DES: LUCATION: DESA	BIG RIVER MIN LOGE		REF L NUM: 433 PT: L	
AMPLE DES: 30 LOCATION: DESI TASE/BATCH/SMI TORET/SARGAD	IG RIVER MINE LOJE D:/ NO:	TAILINGS(SURFAC	SE WATER) DATE	TIME FROM REF 6:30 EAST: :_ NORTH: 
Jai . Ji Plastic	GBLBR White Grey	FILTER, HNO3	WM METALS WO7 IH DISSE	• -
. Замент s: Від	River Eas	t of Site, J	location on fi	ld Map
Cond.	290. 7.55.	L	-ocotion#1	3
•	26.			

TAMPLE COLLECTED BY: Williams Martin

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 15 FUNSTON RD. KANSAS CITY/ KS 56115

98 ACTNG: COXCR SAMNO: 214 RCC: \_ MEDIA: WATER PL: S P F 0

-CTIVITY SES: SIG PIVER MINE TAILINGS HO PROJECT NUM: A33 PT: LONGITUDE:

AMPLE SES: BIG RIVER MINE TAILINGS (SURFACE WATER) DAGE FROM REF PT LOCATION: DESLOGE 10M0 BEG: 07/27/90 C2:75 EAST: 145E/PATCH/SMG: // LAB: END: // : NGRTH: 10RET/SAROAD NO:

TORET/SAROAD NO:

INALYSIS REQUESTED:

BNTAINER

PRESERVATIVE 5 ML HNU3

HGP NAME

JUEI - 37 PLASTIC WHITE

FILTER, HNC3

METALS WM

WO7 IN DISSCLVED METALS

COMMENTS:

Location # 14 on field map.

pH - 7.31 (and - 350 jumbos Temp. - 23°C

Williams + Enos

SAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 55115

CTTVITY DES: BIG RIVER MINE TAILINGS REE LATITUDE:

MO PROJECT NUM: A33 PT: LENGITUDE:

AMPLE SES: SIG RIVER MINE TAILINGS (SURFACE WATER) DISE TIME FROM REF PT DOCATION: DESLOGE MO BEG: 07/27/90 /0:05 EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_

TURET/SARGAD NO:

.NALYSIS FEQUESTED:

PRESERVATIVE

WHITE

3 ML HN03 Filter,Hn03

WM METALS

COL PLASTIC GREY

WG7 IH DISSOLVED METALS

Collected from Flat River Creek approximat of Bry River confluence. Location # 15 on tield map.

plf - 8.0 ' Cond - 550 nmhos.

Temp - 23°C.

TAMPLE COLLECTED DY: Nilliams & Erros

#### FIGLS SHEET

• •			,	~	J					
ن	.3.	INVIRGNME	NTAL	PROT	ECTION A	AGENCY	// REG	ION VII		
INVIRONME	MTAL	SERVICES	DIV.	1.5	FUNSTO	4 RD.	KANSAS	CITY,	K S	55115

		20 20	À(	Ti	10:	 	S X (		543							MEE			WAT	ופא	- <b>-</b>	PL:	. S	Þ	F	<u></u>			
<del>-</del> ن د ـ	TI	V	γ 3 Ν :	26	S: ) = S	L 3	73 33	21	V E 5	, ,	IN	E T	4 I I	.In	G3 ₹0,	JECT	r N	UM:	: #	133		REF PT:	: L	4 T Side	ITI GI	U D 3	:		
: 2	CAT SE	TI:	NC TE	: :: :H/	: ES 'S!1	Lo G:	93			_/_			40					3	EG:	: G	71	21	90	- 11	′ :3	10	FROM EAST: NORTH	: H: _	
a N O	AL	Y 5 1 4 1 :	15 15	٠ <u>:</u>	QU	٤3	TE:	): 31.0	2			PRF	'इक:	<b>, A</b>	TTV	/ <u>=</u>		MG.	2	N	ΔiA	្ត							

ONTAINER COLOR PRESERVATIVE MGP NAME
UBI WHITE 5 ML HVO3 WM METALS
OZ PLASTIC GREY FILTERAHOB WO7 IN DISSOLVED METALS

LOMMENTS:

Collected on Big River approx. 5 miles down gradient of the site. Location #16 oh field map.

ph-7.26.

Cond-340 jumhus.

Temp-27°C.

PAFT

FIELD SHEET

																				•																				
																															N									
	. :	NV.	I₹	J N	i4 =	ΝŢ	7	_	3 8	3	۷I	CE	?	Ĉ	ΙV	•		2 5	i	ŧυ	N S	TO	N	3	Ð.,	,	A	15	A S	С	ΙT	Υ,	K	S	ა 5	115	5			
Y	⊬− :	 }()	 ;;	 ::T	45 	 :	Ç	5 X	 c =	-	- <b>-</b> 5 4	۳- М^	. <del>.</del> .	 :	 2 1	7		<b></b>	:		 14		. I	 A:	 h	A 1	i E i	- <b>-</b> ·	P	 L:	<b></b>	<b></b>	 F		· <b></b>				-	
-							-													_=																				
ۍ .	ΤI	۷I	TY	Ģ	Ξ S	:	3	13	3	ī	<b>V</b> =	3	y	ΙN	Ē	T	I	LI	N	G S									P	S F	L	ΑΤ	IT	UC	E:					
_ 3	CA	ΤI	ЭN	:	2	3 L	Ċ.	GΞ								ì	40		2	RO	JE	C 1		NU	M :	i	33	3	Þ	T:	L	JΝ	GΙ	TU	10 a	:_:	-			
-							<b>-</b>			-	•		-				-						-								7	<b>-</b> -					4 RE			
2	(-) D	LΞ	ũ	Ξ Σ	:	3 !	3	ર	ΙV	E	•	41	N	Ē	TA	II	_I	N G	S	(S	UR	F	7 C	Ξ	W A	Τ:	ER	)	DΑ	TĒ	,	*	IM	Ę,	F	<b>80</b> :	4 8 6	F	7	
- 3	C 2	ΤI	O M	:	ĴΞ	SΓ	. 0	j E								,	40								8 8	G:	: (	27	<del>\ 5</del>	71	90		<u>#</u> :	30	) 8	451	Γ:			
•	SE	/5	ΔŢ	Ch	13	M C	:				_/	_/	<b>'</b>			_		L	. A I	e :	_				ΞN	D:	: .		/_	_/		_	_:		. N	0 R 1	H:			
T	ŪΚ	ΞŦ.	/ 3	7 £	O A	Ð	И.	S :	_	_			-																						٥	CMI	4:	7	 	e e
4.34	4 L	<b>Y</b> S	ΙS	ź	= ;;	U E	S	TΞ	כ:																															
Э	UT	ÄΙ	ΝE	3				С	a L	<b>.</b> 0.	2				P	ا يا (	5 =	2 V	A	TI	V E			j.	IG F	)	1	N A	ME											
. U	3 I							A	H I	T	Ξ				5	41	L	HI.	Ü	3				×	М		1	M E	TΑ	L S										
		2																														ı v	ch	٠.	107		-			

COMMENTS:

Turkey Creek; off road a 30 feet

gH = 7.58.  $T^{\circ} = 23^{\circ}C^{\circ}$   $cord = 650^{\circ}$ 

PRAFT

# FIELD SHEET

IJ <b>.</b> ā.	ENVIRONMEN	ITAL	PROTE	CTION	AGENCY	', ₹5G	IIV NCI	•	
ENVIRONMENTAL	SERVICES	SIV.	2.5	FUNSTO	N SC.	KAN272	CITY,	ΚS	56115

	۱					_	_				_	_					_	_	_	_					_	_				-	_		_			_	_							_	_		_							 _
	,	) : 	- ر	À (	: T		0	:	Ċ	: 5	X	C	₹		5 2	. :1	N	C	:	_	2 '	1 3	? -	1	C	C	:	_	-	И	EI	D I	A	:	4	Δ	T :	5 5	}	-	٦	:		; 	Þ	- -	:	э Э						 _
: T	7	ν: τ:	T	Y	 :	` : ` :	S E	: \$1		I } 3	3 = -	_	₹	I \	/ 5	ŝ	_	- '	I	N N	Ē	1	Γ Q  +	10	L	I	N P	G :	3	JE	C.	T _	N	٠, ا	٠:		Д:	3 3	3		? E	=	i	. A . O	T N	IT GI	U	03 U0	: :	:-		· -	- -	 _
12	Ē	L: T: 7:37	Ä	T	Cr	i /	5:	10	:		_	_	_		_ /	′	./	_	=	_	T.	Α ]	I L	10	. N	-   G 	S	3	s (	JR -	F	A C	: E		i A S E S N	T : 3	E ;	? )	7	0//	21	£1/	9(	) ,		] 	ار ار	• •	N	10 F	?T F	R 5		 _

INALYSIS PEQUESTED:

RENIATHER

COLOR

PRESERVATIVE 5 ML HN03

MGP

NAME METALS

JBI 4 JZ PLASTIC

GREY

FILTER, HNO3

₩M ₩07

IH DISSOLVED METALS

COMMENTS:

Location # \$18 on field From map

pH - 7.34.

Cond - 205.

Temp - 27°C.

TAMPLE COLLECTED BY: William + Overfelt

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, FEGICA VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115

: 90 ACTNO: GSXCR SAMNO: 219 DCC: \_ MEDIA: WATER PL: S P F D

CTIVITY EES: EIG RIVER MINE TAILINGS

LOCATION: DESLOGE MO PROJECT NUM: 433 PT: LONGITUDE:\_\_\_\_\_

AMPLE DES: BIG RIVER MINE TAILINGS (SURFACE WATER) DO TO TIME FROM PER PT LOCATION: DESLOGE MO REG: 07/2/190 (5:30 FAST: \_\_\_\_\_ TASE/BATCH/SMC: \_\_\_\_/\_ LAB: \_\_\_\_ END: \_\_/\_/ \_\_\_ NORTH: \_\_\_\_

TORET/SARDAD NO:

.NALYSIS REQUESTED:

ONTAINER COLOR PRESERVATIVE

WHITE

NAME MGP

UEI . GZ PLASTIC

GREY

5 ML HAG3 WM METALS FILTER, HAG3 WO7 IN DISSOLVED METALS

COMMENTS:

Location # 19 on fieldings

Cond- 315 " vH - 7.46 Temp - 25 °C .

Williams + Overfelt

JRAFT

#### FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL BERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 06115

Y: 30 ACTNO: CSXCR SAMNG: 220 ICC: \_ MEDIA: WATER PL: S P F D

CTIVITY DES: DIG RIVER MINE TAILINGS

LOCATION: DESLOGE MD PROJECT NUM: 433 PT: LONGITUDE:\_

JAMPLE DES: SIG RIVER MINE TAILINGS (SURFACE WATER) DOTS - TIME \* FROM REF PT

LUCATION: DESLOGE MO BEG: 07/2/190 1/2:15 EAST:
DASE/BATCH/SMO: \_\_\_/\_ LAB: \_\_\_ END: \_\_/\_\_ NORTH:

STORET/SARDAD NO: \_\_\_\_

.NALYSIS REQUESTED:

COLOR

COLOR

COLOR

WHITE

COLORASTIC GREY PRESERVATIVE MGP NAME 5 ML HN03 WM METALS

FILTER/HND3 WO7 IN DISCOLVED METALS

JOMMENTS:

Coention H 20 on field map

Cond. 310 umhor 1 pH-7.4.
Tomp-26°C'

KAFT

# FIELD SHEET U.S. INVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL DERVICES DIV. 25 EUNSTON RD. KANSAS CITY/ KS 0511

1.447.8010424.1	AL SERVICES	514. 2) 3113164	ACT KANSAS CTI	15 82 00113
: PO ACTUG:	CSXCR SAMMO	300 400: _ MEDI	A: WATER PL: 3	PFO
				ATITUDE:
.DCATION: JESU	355 :/_/	.10	3EG: 07/ <del>27</del> /99	TIME FROM REF PT  07: 00 EAST:
WALYSIS FEQUE DUTAINER USI WASTIF	CSLOR WHITE	PRESERVATIVE 5 ML HNG3 ETITER#HNG3	WM METALS	IIVED METALS

: STWENKE!

Spring #1; first one downstream of low water bridge on west side of site; spring coming out of tailings

$$pH = 7.38.$$
 $T^{\circ} = 22^{\circ}C^{\circ}$ 
cond. = 600 ·

`, ⊋	A F	T																	ř	<b>T</b> :	ΞL	C	9	H	E	ΞΤ																						
	_			_												ΞN																																
	<b>\</b>	. N	- <b>-</b>	K -	 7 V	: M	<u>:</u> :	4 T	71	-	۵.	=	· •	1 C <del>-</del> -	=	১ 	ن 	I V	•		د <del>-</del> -	<b>-</b>		- U	N:	5 T	U N	. <del>-</del>		3 <b>.</b>	-	КД 	N S	A	> 	. <del>.</del>	1   	T/	· 	× 2		う ¢ 	11	15 				_
7	:	9,	() 	. د	c t		<b>a</b> :	:	5 :	5 X	: c	₹	5	4 4	IN	្ន:	_	3 3	1		;c	C	:	_		45	D 1	[ A	:	w	۵.	T =	R 		2 L	. <b>:</b>	\$ 	7		F	5							_
																μI																																_
_				_		_				_	_						_					_									_					_									<b>-</b> - :			-
																																												CM		ĘF	F	, L
																																												ST:		_		
														<b>/</b> _	./		_					L	À 3	3:			_			ΞN	0	:		_/		. /		_		:_				RTi	4:	_		-
T	C.F	2 =	T /	S	ÀR	Ċ	A (	D	M:	) :																																Ċ	CI	₩ N :	:	_	?-	
. \	AL	<b>.</b> Y	31	S	5	: <u>-</u>	Qi	J E	57	7 3	5	:																																				
0	H1	4	ΙN	Ē	₹					Ç	: 0	L	ג נ																				N															
٠ ٤	133									'n	iΗ	I.	7 5					5	Ŋ,	L	4	Ŋ	0 :	3					W	M			M	T	λi	. S												

. OZ PLASTIC GREY

FILTER, HNO3

WO7 IN DISSOLVED METALS

COMMENTS:

Arteston well (south) \$ 50' north of center line of abandoned RK bed

CAFT

FIELD SHEET

9.S. INVIRONMENTAL PROTECTION AGENCY, REGION VII

_	<u>=</u> N	١٧.	I R	ก N	M -	N	r 4 :	L 	5	E R	<b>V</b>	I C	Ξ	3	D:	I V	•		25	;	⊏U 	NS 	TO	N 	₹.	•	Κ,	AN	S A	15	Ç	I	<b>7</b>	<u>,</u>	Κ.	S 	5	61	15			
		0	Δ	c T	110	) :	Ç	SX	ε.	₹	5.	ДМ	N	c :		30	2		CC	:		 М	ΕD	I !	<b>1</b> :	W	4 T	E R		ρ	L:		5	 -	F	[	)					· <b></b>
. 20	EAT Se/	1: 'B	ON AT	: C H	) : / :	S I	. J	∃ن _	_			/_	1					чо							ŧ	3 5 (	3:	0	7/	4	71	9(	)	/4	<b>3</b> :	15	5	И О Е У	ST	: H:	_	PT
N II . 10 . 3 U .	4T.4	I	ΝE	Ŗ				Ĉ	C	LC																						S										

OZ PLASTIC GREY

FILTER, HN03 W07 IH DISSOLVED METALS

JOMMENTS:

Location Spring # 2 on field map.

pH-7,25.

Cond-600 jumhos. Temp - 28%.

CRAFT

## FIELD SHEET

U.S.	ENVIRONMEN	VTAL	PROTE	A NCITOE	GENC	Y, PEGI	ON VI	I	
NVIRCNMENTAL	SERVICES	DIV.	2.5	FUNSTON	I RD.	KANSAS	CITY,	KS	6611

				-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	O ACT	NO: CSXCR S	AMNC: 303 QC	C: _ MEDIA	: WATER PL: S	P F D
. GCAT	ION:	DESLOGE	MO	PROJECT N	IUM: A33 PT: L	ATITUDE:
AMPL JCAT	E DES	: RIG RIVER DESLOGE	MINE TAILIN	NGS (GROUND	WATER) DATE BEG: 07/2/190	TIME/SFROM REF POLICE AST: CRITH:
'ASE/ Tore	SATCH!	/SMC: DAD NO:	./_/	LA8:	END://	DOWN:

.NALYSIS REGUESTED:

ONTAINER -

PRESERVATIVE

MGP

WHITE . OZ PLASTIC

5 ML HN03 FILTER/HN03

WM METALS W07

IH DISSOLVED NETALS

COMMENTS:

Location # Spring # 3

PH - 7.07. Cond - 1100 jumbos . Temp - 28%,

TAMPLE COLLECTED BY : Overfoll

••	•	_	•
-	-7	-	- 1

FIELD SHEET

J.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 66115 : PO ACTMO: CSXCR SAMNO: 304 ACC: \_ MEDIA: WATER PL: S P F D CTIVITY DES: DIG RIVER MINE TAILINGS REF LATITUDE: LOCATION: DESLOGE MO PROJECT NUM: A33 PT: LONGITUDE: AMPLE DES: BIG RIVER MINE TAILINGS (GROUND WATER) BATE TIME FROM REF PT LOCATION: DESLOGE MG BEG: 07/82/90 16:00 EAST: \_\_\_\_\_\_
TASE/BATCH/SMG: \_\_\_\_/\_ LAB: \_\_\_\_ ENO: \_/\_/ :\_\_\_ NORTH: \_\_\_\_\_ TORET/SARDAD NO: \_\_\_\_ FILTER, HNO3 WOT IN DISSOLVED METALS
Spring # 4 between 212 + 213

LOAM - GOD in Micro Mides Minos

Ph 7.57

Temp. 25°c

Temp. 25°c

TAMPLE COLLECTED RY : WILLIAMS

U = 3 =	SMATSOUMENTAF	PROTECTION AGENC	1/ 15	PINM ATT	
FNVIRANMENTAL	L SERVICES DIV	25 FUNSTON RD.	KANSA	S CITY, KS	30115

Y: 70 ACTNO: CS	SXCR SAMNC:	305 RCC: _ MEDIA	A: WATE	R PL:SP#;	)
		E TAILINGS MO PROJECT N			
DCATION: DESLOG	55 /_/	TAILINGS (GROUND Mo LAB:	389:	97 <i>12</i> 7193 <u>8:4</u>	<b>∑</b>
HALYSIS REQUEST ONTAINER		PRESERVATIVE			

. SZ PLASTIC SREY

FILTER, HND3

WO7 IH DISSOLVED METALS

: 2 THE MMC!

Cocution is Spring # 5 on field

PH-10.62 Cond - 2100.
Tomp - 21°C.

PIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII

ENVIRONMENTAL DERVICES DIV. 25 FUNSTON RD. KANSAS GITY, KS 66115

T: 90 ACTUC: COXOR SAMNO: 336 DCC: MEDIA: WATER PL: S P F B

STIVITY DES: BIG RIVER MINE TAILINGS REF LATITUDE:

SCATION: DESLOGE MO PROJECT NUM: 433 PT: LONGITUDE:

LAMPLE DES: BIG RIVER MINE TAILINGS (GROUND MATER) SATE TIME: FROM REF RT

SCATION: DESLOGE MO BEG: 17/2000 PT: 12/2000 PGT

1357/BATCH/SMO: // LAB: BNJ: // LAB: BNJ: // BOWN: FEGT 21/6 From

NORTH: POWN: FEGT 21/6 From

NALYSIS REQUESTED:

DOWN: FEGT 21/6 FROM

NALYSIS REQUESTED:

: STMEMMET

Leachate Seep Area -- sonth of well DG-3. pH = 7.3% To = 25% cond = 1400 mm unhos 7/26/90

SAFT

FTELD SHEET

NEL 1		:			
		AL PROTECTION AND STORESTOR			6115
Y: 30 ACTIN: C3	XCR SAMME:	307 ACC: _ MEDIA	A: WATER	PL: S P F D	
		NE TAILINGS No PROJECT (			
.GC4TION: DESLOS	5E /_/	TAILINGS (GROUND MO LAB:	3EG: 0	7127190 16:00	EAST:
-NALYSIS REQUEST - ONTAINER - USI - OZ PLASTIC	TED: COLOR WHITE	5 ML HNO3	MM MW		

JOMMENTS:

Landfill Well

$$pH = 6.92$$
.

 $conl = 550$ .

 $fo = 17°C$ .

2457

### FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII

ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115

: PO ACTNO: COXCR SAMNO: 308 DCC: \_ MEDIA: WATER

CTIVITY DOS: SIG RIVER MINE TAILINGS

CONTION: DESLOGE MO PROJECT NUM: A33 PT: LONGITUDE: AMPLE DES: 315 RIVER MINE TAILINGS (GROUND WATER) DATE TIME FROM REF PT DECATION: DESLOGE MD BEG: 07/27/30 /6:40 EAST:

ASE/SATCH/SMO: \_\_\_\_/\_ LAB: \_\_\_ END: \_/\_/ : NORTH: . (~30c) OGD TORET/SARJAD NO: \_\_\_\_

DOWN: \$ 200-300 den

INALYSIS REQUESTED:

ONTAINER COLOR
UBI WHITE
DZ PLASTIC GREY

TORET/SARDAD NO: \_\_\_\_\_

PRESERVATIVE 5 ML HNO3

MGP NAME W M METALS

FILTER, HNO3 WO7 IN DISSULVED METALS

COMMENTS:

Krunedy well SW of land ATI loyears old

Fern Kennedy Route 33, Box 27 Flat River, MO 63601

RH = 6.97cond = 680 . To = 18°C.

AMPLE COLLECTED SY: Martie /Enos

31ET

#### FIELD SHEET

CM: 1			71 - TA - D			256700 477	
						REGION VII ANSAS CITY, K	S 06115
: PG ACT:	10: CS	XCR SAM	NC: 309	QCC: _ MED	IA: WAT	R PL: S P F	O .
							UDE:
AMPLE DES: DCATION: E ASE/DATCH/ TORET/SARG	: 3IG :SESLOC :SMC:	RIVER M	INE TAIL	INGS (GROUN O Las:	D WATER: BEG: END:	071214.008:	E FROM REF PT /5 EAST: NORTH: 00WN: 10.75
JSI		CGLOR WHITE	5 AL	ERVATIVE HN03	MW		METALS
COMENTS:	DG - manit	er Well	Oepth	10.75			

 $\rho H = 6.56$ .

cond = 1400.  $\rho = 180C$ .

water has little sediment both on sampling and on purging.

DART

ETHO SHEET

ENVIRON	U.S.	. ENV	IRON ERVIC	MENTA ES DI	V 200	TECT	ION A	GENCY	KANS	REGIO SAS C	N VI	KS 5	66115		
ENVIRONA Y: 90 ACT	: ن،	SXCF	SAM	ر: ۱۱۲	15 . C	C:_	иерз	A: WA	TER	PL:	S >	F D			
CTIVITY DE							JECT	NUM:	433	25F P <b>T:</b>	LAT: LON	ITUD SITU	E:		 
JAMPLE DES JOGATION: JASE/BATCH/ TORET/SARG	: 310 DESU: DM2\	G RIV	/ER M	INE 1	MIJIAT CM	GS(G	ROUND	TAW C	R) 6: 07	DATE 1211 15	\$0 08 \$0 08	: <u>15</u> : <u>- 15</u>	. FROM EAST: NORTH DOWN:	REF -	рт  0,75
NALYSIS RE CONTAINER LUGI - OZ PLAST		631	_02	F	PRESER 5 ML H	VATI NG3 ,HNO	<b>v</b> ē 3	MGP WM W07		AME ETALS H DIS	SCLV	ED M	ETALS		
JOMMENTS:	() C Moni	-5 Har h	)ell	O	epth	10.	75 <sup>—</sup> f.	ecl							
					te i				7						

TAMPLE COLLECTED BY : Martin Enos

RAFT FIELD SHEET J.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 35 FUNSTON RD. KANSAS CITY/ KS 66115 Y: 90 ACTNO: CSXCR SAMNC: 310 RCC: \_ MEDIA: WATER LOCATION: DESLOGE MO PROJECT NUM: A33 PT: LONGITUDE: AMPLE DES: BIG RIVER MINE TAILINGS (GROUND WATER) DATE: TIME FROM REF PT .CCATION: DESLOGE MO BEG: 07/27/90 8:15 FAST: \_\_\_\_\_\_ NORTH: \_\_\_\_\_\_ NORTH: \_\_\_\_\_\_ NOWN: 37.5 ESTED: COLOR WHITE INALYSIS REQUESTED: UNTAINER PRESERVATIVE MGP .USI 5 ML HN03 HM METALS FILTER, HNO3 WO7 IH DISSOLVED METALS . 32 PLASTIC GREY 13MM = 11TS: Ug 1 37.5 feet Monitor well

pH = 6.78.

cond = 900'

p = 15°C'

Water is clear

Ou sampling.

Very rusty to somewhat

rusty on purging.

124FT

### FIELD SHEET

۰۵ و در	ENVIRONMENTAL	PROTECTION	AGENCY, REG	ION VII	
ENVIRONMENTAL	. SERVICES DIV	. 25 FUNST	ON RD. KANSAS	CITY, KS	o6115

Y: 90 ACTHO: CSXCR SAMMO: 311 GCC: \_ MEDIA: WATER PL: S P F D CTIVITY DES: BIG RIVER FINE TAILINGS

.CCATION: DESLOGE MO PROJECT NUM: A33 PT: LONGITUDE:\_\_\_\_

AMPLE DES: DIG RIVER MINE TAILINGS (GROUND WATER) DATE TIME FROM REFOR

LCCATION: PESLOGE MO BEG: 37/2/190 Q1:35 EAST:
TASE/DATCH/SMC: \_\_\_/\_ LAB: \_\_\_ END: \_\_/2/190 MORTH:

TORET/SARDAD NO: \_\_\_\_\_

INALYSIS REQUESTED:

ONTAINER -COLDR PRESERVATIVE MGP NAME WHITE 414 .U3I 5 ML HNC3 METALS

. DZ PLASTIC GREY FILTER/HN03 407 IH DISSULVED METALS

45 feet DAMENTS: Moniter Well 06-3 Well depth

 $\rho H = 6.56$ cord = 1/00

To = 17°C

Rusty water, both on parging and Sampling. Only 2200 ml on sampling; so split between 2 samples

これんだて

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RG. KANSAS CITY, KS 56115 CTIVITY DES: BIG FIVER WINE TAILINGS REF LATITUDE: LOCATION: DESLOGE MO PROJECT NUM: A33 PT: LONGITUDE: AMPLE DES: DIS RIVER MINE TAILINGS (GROUND WATER) DATE TIME FROM REF PT LUCATION: DESLUGE MO BEG: 37/23/90 09:00 FAST: \_\_\_\_\_\_ LAB: \_\_\_\_ END: \_/ MORTH: \_\_\_\_ ODWN: 30. TORET/SAROAD NO: PRESERVATIVE MGP NAME WM

.NALYSIS REQUESTED: DHTAINER COLOR WHITE .63I

5 ML HNG3

METALS

COL PLASTIC GREY

FILTER, HNO3

WO7 IN DISSOLVED METALS

DEMMENTS: Maritar Well DG-2 Well depth 30.5 fort

pH = 6.45. 70 = 16°C. Fair amount of Sediment both sampling & csp. purging

PAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL DERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115

	O: CSXCR SAMNC:	314 GCC: _ MEDI	A: WATER	'L: S ? F D
CTIVITY 04:	S: DIG RIVER MI ESLOGE	NE TAILINGS MO PROJECT	NUM: A33 F	REF LATITUDE:
AMPLE DES: GCATION: DA	BIG RIVER MINE ESLOGE	TAILINGS (GROUND Mo	WATER) DA	FROM REF PT 6:30 EAST:

ANALYSIS REQUESTED:

CONTAINER COLOR UNDER STANDARD WHITE

GREY

TTORET/SARDAD NO: \_\_\_\_\_

LOR PRESERVATIVE

5 ML HN03 FILTER/HN03 MGP NAME WM METALS ブチナ

DOWN:

03 WO7 IN DISSOLVED METALS

: STREMENTS:

. UZ PLASTIC

Location winit Temporary well #/

pH - 7.15. cond - 470. Temp - 25°C.

EAMPLE COLLECTED BY: Overtelt / Williams

. KAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 35 FUNCTON RD. KANSAS CITY, KS 56115

: 90 ACTNO: CSXCR SAMNO: 315 GCC: \_ MEDIA: WATER

CTIVITY DES: 818 RIVER MINE TAILINGS .2CATION: DESLOGE MO PROJECT NUM: 433 PT: LONGITUDE:\_\_

AMPLE DES: BIG RIVER MINE TAILINGS (GROUND WATER) DATE TIME FROM REF PT DCATION: DESLOGE MO BEG: 87/27/90 //:50 EAST: \_\_\_\_\_\_ NORTH: \_\_\_\_\_\_ LAB: \_\_\_\_ END: \_/\_/ \_\_: NORTH: \_\_\_\_\_

TORET/SARDAD NO:

.NALYSIS REQUESTED:

UNTAINER COLOR PRESERVATIVE MGP TOUR I WHITE SEEY SEEY 5 ML HN03 WM FILTER,HN03 W07

METALS IH DISSOLVED METALS

.OMMENTS:

Tempony well sample collected on NW side at failings pile. Cocation viniwe4#2
on field map water table 9 ft well depth 12 ft

plt - 7.05 (and - 420 umhos Temp- 25%

HAMPLE COLLECTED LY: Williams L Overfalt

## FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES CIV. 25 FUNCTON RD. KANSAS CITY, KS 56115

e actio: c	SXCR SAMNC:	316 QCC: _ MEDIA	: WATER PL: S P	F D
CTIVITY CES: 2 LOCATION: DESLO	GIG RIVER MIN GGE	NE TAILINGS MO PROJECT N	REF LAT UM: A33 PT: LON	ITUDE: GITUDE:
AMPLE DES: BIG DESTION: DESET TASE/EATCH/SMO: TORET/SAPOAD	RIVER MINE	DAULINGS(GROUND MO LAB:	WATER) DATE 3EG: 07/27/90 E	FROM REF PEAST:
.NALYSIS REQUES CONTAINER .UBI . DZ PLASTIC	COLOR WHITE		MGP NAME WM METALS WO7 IH DISSOLV	FD METALS
JOHMENTS:	Tempo	rary well	Sample col	lected
ov	n N e.	d of tailin	ys pile. L	ocation
· i	5 min	vell #3	on field n	م
		. a2		

9H-6,93. Cond-600 munhos. Temp-20°C'

TAMPLE COLLECTED IX: Overtelt + Williams

LT	:LJ	24==1				
ENVIRONMENTAL P	ROTE	CTION	AGENCY,	REGION	VII	
THRVIORS DIV	2.5	FHMSTO	N 25 K1	NSSS CTI		56115

ENVIRONMENTA	L SERVICES DIV. 25 FUNS	TON RD. KANSAS CITY, KS 56115
		GOIA: WATER PL: S P # 0
CTIVITY DES: 8 CUZEC : MOITADO.	IG RIVER MINE TAILINGS GE MO PROJE	REF LATITUDE:  ECT NUM: A33 PT: LONGITUDE:
CAMPLE DESE RIGH	-RIVER MINE TAILINGS/GRO	DUND WATER) DATE 1615 FROM REF PT BEG: 67/27/70 15 EAST: END: _/_/_ : NORTH: DOWN:
USI	COLOR PRESERVATIVE WHITE 5 ML HN03	E MGP NAME SLATEM DEVIDERID HI TOW
COMMENTS:	Tempovary well	I sample collected
hea	av Wi-vol #	1 sample collected 3. Location minimumel #40
		field map.
		Depth-12 ft
pH	- 7.11.	water level - 9 ft
(and	- 700 jumbos.	
TEMD	~ 7~ % .	

RAFT

FIBLO SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII

FILL SERVICES DIV. 25 FUNCTON ROL KANSAS CITY, KS 66115

. (4 . 30,64)		3 514. 25 5983198	nan.	MO CTITY NO "	,011)
: 20 4CTMG:	CSXCR SAMY	:: 313 QCC:MEDI	A: WATER	PL: 3 P F O	
CTIVITY DES: .JCATION: DESL	313 RIVER : .935	ZOMILIAT EMIY TOBLORS OM	NUM: A33	REF LATITUDE PT: LONGITUD	: )e:
.GCATION: DESL	.369 D:/_/	NE TAILINGS(GROUNE MO LAB:	a=G: 07	127/90 15:20	EAST:
	JJLOR HHITE	PRESERVATIVE 5 ML HNG3 FILTER/HNG3	WM ME	TALS	ETALS

: 2 TAEMMG :

BKg. Spring -- north side of Big River in Bone Hole Area

pH = 7.04.

cond = 550 amhos.  $T = 17^{\circ}C$ .

PAFT

# FIELD SHEET

. دَ ∙ زا	INVIRCHMENTAL	PROTECTION AGENCY,	REGION VII
NV I RONMENTAL	. SERVICES DIV.	. 25 FUNSTON RD. K	CANSAS CITY, KS 56115

PO ACTIO: CSXCR SAMNO: 319 3CC: \_ MEDIA: WATER PL: S P = 0 CTIVITY DES: BIG RIVER MINE TAILINGS LOCATION: PESLOGE NO PROJECT NUM: A33 PT: LONGITUDE:\_ 

-NALYSIS REQUESTED:

ONTAINER PRESERVATIVE COLOR MGP NAME AHITE UBI 5 ML ANG3 a M METALS

5 ML HN03 WM METALS FILTER/HN03 W07 IH DISSOLVED METALS . DZ PLASTIC SREY

LOMMENTS:

North end of funnel under site; Bone Hole Area

pH= 7.54 cond = 650 umhos T = 1900

PAFT

FIELD SHEET

_ ENVIRGHA			TAL PROTECTION DIV. 25 FUNSTO		REGION VII ANSAS CITY, KS	56115
: 36 ACTS	ic: csxc	R SAMNO:	320 <b>F</b> 0CC: _ MED	IA: WAT	ER PL: S P F D	
					REF LATITUD 33 PT: LONGITU	
AMPLE DES: 1204TION: 1 45E/EATCH/ TORET/SARG	: DIG PI DESUDGE /SMC: DAD NG:	VER MINE	TAILINGS (GROUN MO LAS:	D WATER BEG: END:	) DATE TIME C7/27/90 <u>/4:00</u> /_/:_	FROM REF PT EAST: NORTH: DOWN: NA
JUEI	0.0 % H	LOR ITE		WM.	METALS *	2.
- 62 FLASTS	<del> </del>	<del>, E Y</del>	FILTER/HND3	₩07 	TH CISSULVED M	7/21/90

Trip Blank
Preserved at lab
Total Metals only

PAFT		FIRLD SHEET		
			GENCY, REGION VII RD. KANSAS CITY, KS 56	115
. 23 ACTUB: 05	XCR SAMNC:	321F100: _ MEDI	A: WATER PL: 5 P F D	
			REF LATITUDE: NUM: A33 PT: LONGITUDE	
.acation: Beslug	÷ /_/	иn	WATER) DATE TIME'S 3EG: 07/27/90 <u>14:05</u> E END: _/_/ NO	AST:
	SGLOR WHITE	5 ML HNG3	MGP NAME WM ' METALS WG7 # IH DISSOLVED MET	ALS

JUPMENTS:

Field Blanks
Repared: Preserved in Reld

7467

FIELD SHEET

	- N	VI	2																													II	K 2		ი11	5		
Ų	;	ı (j	÷.	C T	N (	) :	ŭ	3 X	0.5		5 A	id N	3:	3	23	F	3 C	C :		,	15	DI	A:		141	re	เ	F	L		S	2	- -	ù				
٦٥ ٥٠.	TIV LAT	   I	Y	: :	53	3:	3 _ C	I S	:	ï	/ E	 ส	۲I	N.S		ГД :И	T L 3	IN	GS	5 3 J :	E C	т т	นบ	M :	; ;	4 3	3	F F	Ē	=	LA	TI	TU IT	ם טפ	: : : _			
. 30	: 4 T	1.5	3 N	:	١:	51	LU	3 Έ								4	3							2 5	G	:	07	1	7	/ 9:	)	14	: /	0	2 K =	/4 २: Т:		
143 T.	5 E / C K E	3	170	2 S	/ 3 C /	5:4 i	: :	ם <b>:</b>	<b>-</b> -		-' 	-' 				-		LA	13:			_		Ξħ	i 0 i	:		/_		<b>/</b>	-		: <u> </u>	<u>-</u>	N C R D G W	TH: N:	1	ī A
) N.																																						
ញ់: ប	3 I							4	Η.	T	Έ.				5	ЧL	Н	N E	3				F W	M			M E	T	L		o L	٧Ę	G	ΜĖ	TAL	3		
, <u>;</u> :	4 M E	: N 1	٦٤	:																																		

Field Blank (prepared same as 321F)

PAFT

•		•		J.,					
J.S.	ENVIRONME	VTIL >	ROT	ECTION	AGENCY	( , REG.	ION VI.	I	
ENVIRONMENTAL	SERVICES	UIV.	25	FUNSTO	N RD.	KANSAS	CITY,	ΚS	oc115

r: PO ACTNO: ESXCR SAMNO: 323/AC	C: _ MEDIA: WATER PL	: 3 P F 0
TIVITY DES: DIG PIVER WINE TAIL CATION: WESLOGE MO	INGS RE PROJECT NUM: A33 PT	F LATITUDE:
AMPLE DES: BIG RIVER MINE TAILIN DCATION: DESLOGE 13 ASE/SATCH/SMG:/_/ FORET/SARBAD NO:	GS(GROUND WATER) DAT BEG: 07/27 LAB: END:/_	E TIMEA FROM REF PT 1/90 14: 15=45T: 1 NORTH:

-NALYSIS PERUESTED:

BNTAIMER

SOLOR

PRESERVATIVE

METALS

WHITE . GZ PLASTIC

5 ME HYUZ FILTER/HN03

MW 1 W07

IH DISSULVED METALS

: 2 TWENKE!

Rinsate of disposable tetton bailers used for sampling

RAFT

#### FIELD SHEET

•			– –						
IJ <b>.</b> Š.	PARTECHMEN	CTAL 3	3 1 C C C	NEITO	AGENCY	· REGI	ION VII	1	
ENVIFONMENTAL	SERVICES	DIA.	2.5	FUNSTO	N RO.	KANSAS	CITY,	K S	66115

Y: /) ACTNO:	COXOR SAMMO: 4	200: _ MEDIA	: WATER PL: S	? F D
CTIVITY DES:	BIG BIVER MINE	TAILINGS	PEF LI	ATTTUDE:
AMPLE DES: 81 DC4TION: 8ESL AS8/EATCH/SMC TORET/SAFCAD	:/_/	AILINGS (SURFACE MO LAB:	WATER) 05574 5eg: 07/2/190 end://_	TIME* FROM REF PT  Z:30 EAST:  NORTH:  DOWN:
NALYSIS FEQUE	ESTED:			

. ONTAINER

PRESERVATIVE

. DZ PLASTIC

FILTER, HNO3

W07 IH DISSOLVED METALS

COMMENTS:

collected from effluent pipe at confluence of Owl Creek and Bry River. (Artesian well actually)

Cond - 7.00 jumbs. pH - 7.10. Temp - 15°C.

PART

#### ETHIS SHEET

0.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ANVIRONMENTAL GERVICES DIV. 25 FUNCTON RD. KANSAS CITY/ KS 56115

_		2 014.			
: 45 ACTNO:	CSXCR SAMU	c: 33 Ficc: _ MED	IA: HATE	R PL: S P F 0	
		MINE TAILINGS MO PROJECT			
LUCATION: DESE	ass :/_/	NE TAILINGS(GROUN HO LAB:	2 <b>3 G :</b>	27/27/90 <u>[4</u> : <i>30</i>	EAST:
HALYSIS REQUE Shtaimer UBI - 32 PLASTIC	COLUR WHITE	PRESERVATIVE 5 ML HNO3 4 FILTERAHNO3	MM	NAME METALS IH CISSOLVED M	ETALS

.TMMENTS:

#324F

Rinsate of Geogrape Pipe

## TEBBO CHEER

ENVIRONMENTAL SERVICES DIV. 25 MUNSTON RO. KANSAS CITY, KS 5011	J. J.	THVIRONMER	ITAL :	PROTE	ECTION #	AGENC	0.53	IDV VEI	ī	
THAT YOUNGHIST STRATOGO STAR TO LONGLOW AND MENDAN PETERS NO 2011										50115

AMPLE DESTRUCT MUM: 433 PT: LONGITUSE:  AMPLE DESTRUCT MUM: 433 PT: LONGITUSE:  AMPLE DESTRUCT MINE TAILINGS  DATE TIME FROM REF PT  ASE/DATCH/SMC:  LAP:  END: 07/24/90 1: 07 NORTH:  TORET/SARBAD MO:  DITAINER/CILTED TYPE: NUMBER  LOW INDICATOR:  UMP/MOTOR  TYPE: NUMBER  LOW INDICATOR:  UMP/MOTOR:  HALYSIS REQUESTED:  END: 07/24/90 1: 07 NORTH:  LOW DATE TOTALMETALS PR  MALYSIS REQUESTED:  ENTAINER  COLOR  PRESERVATIVE MGP NAME  TOTALMETALS PR							
JCATION: DESLUGE  AMPLE DES: 11G RIVER MINE TAILINGS  JATE: TIME FROM REF PT  JCATION: DESLUGE  MD  JEG: C7/27730 17:47 EAST:  ASE/JATCH/SMC: // LAR: END: 07/24/90 1:07 NORTH:  TORET/SARGAD NO:  JNTAINER/EILTER TYPE: NUMBER  JNTAINER/EILTER TYPE: NUMBER  JN: 12:47 DN: 642/9  LAR INDICATOR: DN: /8/4/7 DFF: //OO DFF: 1:00 D63 8/2/10  NALYSIS RIGUESTED:  ONTAINER  COLOR PRESERVATIVE MGP NAME TOTALMETAL SPE  LASTIC 1AS WHITE HOME	2: 20 ACTNG:	CSXCP SAMMO	: 400 lcc: _ M	EDIA: 412	PL: 5 P	# 3	
AMPLE DESTING RIVER MINE TAILINGS  DOTE TIME FROM REF PORTION OF THE PROPERTY							
TIME OF DAY TIME INDICATOR  UMP/MOTOR TYPE: NUMBER	GCATION: DESE ASE/DATCH/SMC	us: :/_/	(L.N.		7/24/90 -	147 EAST:	PT
CONTAINES COLOR PRESERVATIVE MGP NAME TOTALMETALS PROLATE ENDIN AIR ENDIN AI	UMP/MOTOR	TYP::	NUMBER	_ JN:	5 5 5 6 6 4 7 12 14 7 1	TIME INDICATO ON: <u>6429</u> OFF: 13869	
1 81 1112	CNTAINES	COLOR			AME	TOTALMETALS RIA MI <del>CKEL</del> B	DE EY

13MM ENTS: BR-AM-01-1

Collorated sample, location. Howard Wood property.
Approximately sourcest of the Big Priver site from east side of this piles.

HOWARD WOOD

RRZ Z BOX 612

BONNE TERRE, MO63628

71FT

TESHO CUEST

Y: 30 ACTIO: COXOR SAMMO. COTIVITY DIS: BIG RIVER MI COATION: DUSLIGE	INS TAILINGS		REF	LATITUDE	:	 
AMPLE DES: DIG RIVER MIN DOATION: DESEGGE ASE/BATCH/SMD:/_/ TORET/SARGAD NO:	му £43:	A E 6 :	27/27/3	15:30	= 1 ; T :	
MALYSIS PERUESTED: SUTAINER COLOR USI WHITE	5 ML HN53					
DUMBHIS:	71L F 2 2 + m N 0 3	WGY	IN CIS	<del>535V:C 4</del> 5	<del>!TaLS</del>	58W,
Dar Rla	nt, frepar	red	at.	mote/		

LAMPLE COLLECTED IN: Martin

# FIELD SHEET

13MM ENTS: BR-0M-01-5

Some as CSXCR 400

_	•	_	•	
		,		

# . FIELD SHEET

			AGENCY) REGION N RO. KANSAS CIT	
1: 30 ACTHO:	COXER SAMME:	434 7CC: _ MED	IA: AIR PL: S	P F )
CTIVITY DES:		NE TAILINGS MO PROJECT	REF L NUM: A33 FT: L	ATITUDE: : SNGITUDE:
AMPLE DES: AI LOCATION: DESL ASE/SATCH/SMC TORET/SAPOAD	::/_/_	TAILINGS An LAS:	END: 01/27/90	TIME FROM DEF PT  B: D = AST:  C = 23:44 NORTH:  DCWN:
TUNTAINER/FILT UMP/MOTOR TLGW INDICATOR	TER TYPE: _ F TYPE: _ F R: ON:	IUMBER IUMBER 3. 00 GFE: 80	TIME OF 64 ON: 12:4 OFF:23:5	X TIME INDICATOR  OFF: 14115.9  OFF: 15417.7
MALYSIS REQUE CONTAINER CLASTIC EAG	COLOR	PRESERVATIVE NONE	HGP NAME AM21 PARTICUL	Total METHS P.R.
.SMMENTS: 3	RD-NM-d	75	MS 27190	•

Sum as CSXCR 402

- - -

FIELD SHEET

Y: 30 AC	THO: OSX	(CR SAMNC:	435 000: _	MEDIA: AIR	PL: S P F D	
GTIVITY GCATION:	058: JIS 088£038	G PIVER MI	NE TAILINGS MU PROJ	ECT NUM: 433	REF LATITUDE: PT: LGNGITUDE:	
AMPLE DE UCATION: ASE/BATO TOSET/SA	S: 313 A 750134 HVSNO: 8040 AG:	RIVER MINE E/_/	TAILINGS MO LAB:	3EG: 07/ END: <i>Q</i>	DATE TIME FROM REF 127190 12:10 EAST: 127190 23:12 NORTH: DOWN:	PT 
SMIAINER CTCM/9MU LOWI WOJ	/FILTER R CATOR:	TYPE: N TYPE: N ON:	UMBER UMBER 2.40 JFF:	TIME ON: 23.3/2 OFF:	OF DAY TIME INDICATO 3:00 ON: 59/4.8 33:42 OFF: 14/7.4	E T
	·	COLOR	PRESERVATIV	E MGP NAI	ME Total MILTAIR RTICULATE LEAD IN AIR	€ (F.)

Same as CSXCR 403

AMPLE COLLECTED IT: Paperts Mc Call Solva

ી.ડે.	FRVIRGAMEN	TAL	22019	CTION :	GENCY	A REG	IGN VII		
ENVIRONMENTAL	SERVICES	DIV.	5.2	FUNSTO	4 30.	XANSAS	CITY,	ΚS	56115

7: 7) ACTHU: 05X0	OR SAMME:	435 000: <u> </u> 450	IA: 2IR	PL: S P	F 0
STIVITY DES: HIG DCATION: DESLUGE					
AMPLE DES: BIG R. DOATION: DESLUGE ASE/SATCH/SMG: TORET/SAROAD NO:	/_/	TAILINGS MO LA3:	336: 07 END: <i>Q</i> ]	127/90 <u>(2</u> 127/90 <u>(2</u> 128/90 <u>(2</u>	ME FROM REF PT : AST: : A STH: : OGWN:
DATAINER/FILTER ( UMP/MOTOR LOW INDICATOR:	TYPE: _ NU TYPE: _ NU 3N:	M3ER M3ES DFF:	TIME ON: C// GRE:	OF DAY T	IME INDICATOR N: 43236.9 FF: 43968.6
NALYSIS REQUESTED ONTAINER SI LASTIG TAR N	ひじひえ	PRESERVATIVE NONE	46P A1 AMA FA		The Markets C

Samiz as CSXCR 404

PAFT

FIELD SHEET

. JAMENTS: BR-137-45-5

Juma as CSXCR 4/3

m=129190

TRAFT		FIELD SHEET		
		ENTAL PROTECTION S DIV. 25 FUNSTO		
- 30 ACTR	a: CSXCR CANN	: 433 100: <u> </u>	IA: AIR FL:	5 P F C
CTIVITY DE	S: 313 RIVER ( ESLOGE	ZINE TAILINGS MG PROJECT	цер :Т9 ЕЕ4 :MUM	LATITUDE:
AMPLE DES: LOCATION: D LASE/BATCH/ TGRET/SARG	SIG RIVER MIS FSLOGE SMO:/_/ AD MO:	NE TAILINGS MO LAS:	0ATE BEG: 07/27/ END: <i>07/28</i> /	TIME FROM REF PT  90 2:00 EAST:  90 70:24 NORTH:  DOWN:
CONTAINEF/A UMP/HOTOR LOW INDICA	ILTER TYPE: _ TYPE: _ TOR: ON:	NUMBER NUMBER SUMBER	TIME OF ON: 12: 21 JFF: 00:	DAY TIME INDICATOR  OFF:
NALYSIS PE JONTAINER PLASTIC TAG	QUESTIO: COLUR WHITE	EVITAVETZBRS ENCV	MGP NAME	Total Metals P.C.

Same as CSXCR 406

LAMPLE COLLECTED IN: Baberts Mc Coll S. lia

. OMMENTS: BE-DM-\$6-5

SAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. - 25 FUNSTON RD. KANSAS CITY/ KS 56115 ACTIVITY SEC: BIG RIVER MINE TAILINGS .ogation: Gestoga NO PROJECT NUM: A33 PT: LCNGITUDE: AMPLE DES: BIG RIVER MINE TAILINGS DATE TIME FROM REDICATION: DESLEGE NO BEG: C7/27/90 12:00 EAST: 435/DATCH/SHO: \_\_\_\_/\_ LAB: \_\_\_\_ END: 07/28/00 08:27 NORTH: DATE TIME FROM REF PT JOCATION: DESLOGE TORST/SARD48 43: \_\_\_\_\_ TUNTAINER/FILTER TYPE: \_ NUMBER \_\_\_\_\_ TIME OF DAY, TIME INDICATOR, UMP/MOTOR TYPE: NUMBER ON: 2:00 ON: 730 64
LOW INDICATOR: ON: 12.00 OFF: 00:27 OFF: 00:27 OFF: 8047./ MALYSIS REQUESTED: MGP NAME Total Malals 4 ARTICULATE LEAD IN AIR BY COLOR COLOR PRESERVATIVE TEASTIS RAS WHITE NON-4/2/190

. SMHENTS: BRAM-97-5

Same as CSXCR 407

THELE COLLECTED ST : Gabet McColl Silva

PART U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII HYVIPONMENTAL SERVICES DIV. 25 FUNSTAN RD. KANSAS CITY, KS 55115 SCTIVITY DEE: JIG RIVER MINE TAILINGS \_:BEUTIDNO. TT EEA : MUM TOEBORS EM RELIZED: LONGITUDE: AMPLE DES: JIG RIVER MINE TAILINGS

DATE TIME FROM REF PT

DESTINATION: DESERTE AD BEG: G7/27/90 B: DO: BEAST:

DATE TIME FROM REF PT

DESERTED BEG: G7/27/90 BC: DO: NORTH:

DESERTED BEG: DESERTED BC: DO: DO: NORTH: .TORET/SARDAD NO: \_\_\_\_\_ TIME OF DAY TIME INDICATOR

FUND INDICATOR: NUMBER

FUND INDICATOR: ON: 1810 OFF: 277/8. PRESERVATIVE MGP NAME TOLA METALS TO HALYSIS REHUESTID: IGNTAINER COLOR AMOT PARTICULATE LEAS-IN AIR BY anITE พอพธ PLASTIC HAG

. JMMENTS: BR. BM- 98-5

Daily Field Blank

LEMPLE COLLECTED Y: Roberts Molall Silva

CAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY/ KS 66115 70 ACTHG: CSXCR SAMNO: 441 ICC: \_ MEDIA: AIR PL: S P F D CTIVITY DES: HIS RIVER MINE TAILINGS iccation: destage — Ma Project Num: A33 FT: Langitude: \_\_\_\_\_ AMPLE DES: DIS PIVER MINE TAILINGS

DEG: CTUETT 90 12:00 EAST:

TASE/SATCH/SMS: // LAS: END: 17128140 23:56 NORTH: TORET/SARDAD NO: CONTAINER/FILTER TYPE: NUMBER TIME OF DAY TIME INDICATOR UMP/MOTOR TYPE: NUMBER ON: 12:00 ON: 14:00 ON: 43:17.8 OFF: 23:56 OFF: 50:34.7 TIME OF DAY TIME INDICATOR PRESERVATIVE MGP NAME fortal mustals
NONE AMON PARTICULATE LEADIN AIR BY
WAY DURED NALYSIS REQUESTED: COLOR COLOR TLASTIC BAG WHITE NONE JEMMENTS: BR-AM-01-6

Sample location same as CSXCR 400

TAMPLE COLLECTED EX: Roberts/11/4/1/ Silvy

U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115 : PU ACTRO: COXCR SAMNG: 442 DCC: \_ MEDIA: AIR PL: S P F D 40 PROJECT NUM: A33 PT: LONGITUDE: LOCATION: DESLOGE TAMPLE DEC: BIG RIVER MINE TAILINGS

DOCATION: DESLOSE

MU

BEG: 07/2/190 /2:00 EAST:

LABE/BATCH/SHO: \_\_\_\_// LAB: \_\_\_\_END: 7/2/190 23:34 NORTH: \_\_\_\_ TORET/SARDAD NO: TIME OF DAY TIME INDICATOR MGP NAME total Metals
AMM PARTICULATE LEAD IN AIR BY
My 21/90 NALYSIS REQUESTED: DONTAINER COLOR PRESERVATIVE TEASTIC SAG WHITE MUNE

10MMENTS: BR-AM-62-6

Sumple location same as CSXCR 4/2

TAMPLE COLLECTED SY: Kobects/11/= 1/1/5/1/1

J.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII

ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115

1. VD ACTION SESSED SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115

1. VD ACTION SESSED SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115

1. VD ACTION SESSED SERVICES DIV. 24 FUNSTON RD. KANSAS CITY, KS 56115

1. VD ACTION SESSED SERVICES DIV. 24 FUNSTON RD. ACTION SESSED SERVICES DIV. 25 FUNSTON RD. ACTION SESSED SERVICES DIV. 25 FUNSTON REF. PT. 2004 DESCRIPTION SESSED SERVICES DIV. 27 FUNCTION REF. 27 FUNCTION RD. 27 FUNCTION REF. 27 FUNCTION REF. 27 FUNCTION RD. 27 FUNCTION REF. 27 FUNCTION RD. 27 FUNCTION

Sample location sume as CSXCR4\$3

= MPLE CULLECTED 24: Roberts /5/14 /114 11

U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL DERVICES DIV. 25 FUNSTON RD. KANSAS CITY/ KS 56115

: PO ACTNO: CSXCR SAMNE: 444 D	CC: _ MEDIA:	AIR PL	.: S P F D	
COTIVITY CEE: PIG RIVER MINE TAIL CONTINUE TAIL CONTINUE PESSONS MO				
LAMPLE DES: JIG RIVER MINE TAILI LOCATION: DESLOGE MO LASE/BATCH/SMC:/_/ TORET/SARGAD NO:	NGS LAB:	02 886: 07/2 8ND: <u>7</u> /2	ALMI 7/90 <u>12:00</u> 4/90 23:42	FROM REF PT EAST: NORTH: DOWN:
CONTAINER/FILTER TYPE:NUMBER UMP/MOTOR TYPE:NUMBER PLOW INDICATOR: DN: _/2 O				
CONTAINER COLOR PRESE PLASTIC HAG WHITE NOME	RVATIVE :	4GP NAME AMOT MPART 8/21/40	ICULATE LEA	1 11/2/21/2/1/10 IN 212 34
Sauple location				

LAMPLE COLLECTED LY: Poberts / Sila /1/4/

PART

FIELD SHEET

7 41 1		NET SOCIETION			
ENVIRONME	3.5. INVIRUNME FMTAL SERVICES	NTAL PROTECTION DIV. 25 FUNS	I AGENCTA YE Ion Rd. Kansa	S CITY, KS o	0115
		: 445 RCC: _ M6			
CTIVITY DES DCATION: DE	S: PIG RIVER M ESLOGE	INE TAILINGS MO PROJE(	CT NUM: 433	REF LATITUDE PT: LONGITUDE	::
AMPLE DES: .004TION: DE TASE/64TCH/S TORET/SARDA	BIG RIVER MINESLOGE SMC:/_/_ AD NU:/	INE TAILINGS MO PROJECT  TAILINGS  MO LAB:	3EG: 57/ END: <u>7</u> /	24 TIME 27199 LL:39 29190 CO:30	FROM REF PT EAST: NORTH: DOWN:
CONTAINER/FI UMP/MOTOR LOW INDICAT	ILTER TYPE: TYPE: TOR: ON: ///	NUMBER NUMBER 39 JFF: 00	TIME JN: (30 OFF:	OF DAY TIME 4:39 ON: 00:30 OFF:	INDICATOR 23442,2 242/5.6
		PRESERVATIVE NONE	MGP NAM AMOT PAR	TE TO TO THE LET	tal in stals la
	B2-AM. 0=		W8/29/20		
	Surys/x	location	saule 4	(6)	XCR413

TAMPLE COLLECTED BY: Roberts / Silia / 11/6/1/

U.S.	SNVIRONMEN	TAL	PPOTS	STION A	AGENCY	PEG:	IIV NGI		
ENVIRONMENTAL	L SERVICES	DIV.	25	FUNSTO	Y 20.	KANSAS	CITY	K S	55115

		.4			, ,,,,,
: 30 ACTUU: 51	SXCR SAMNO: 0	446 )CC: _ MEDI	A: AIR	PL: S P F	0
CTIVITY DES: 5. LOCATION: DESERT	G <b>Ξ</b>	40 PROJECT	NUM: 733	1.1	TUDE:
AMPLE DES: BIG LOCATION: DESLOC LASE/SATCH/SMG: LTORET/SARDAD NO	RIVER MINE SE =/_/ D:	TAILINGS MO LAB:	BEG: 07. END: _2	124110 21:	E FROM REF PT 45 HAST: 15 NORTH: DOWN:
CONTAINER/FILTE: //OM/MOTOR //LOW/INDICATOR:	R TYPE: NU!  TYPE: NU!  ON: 1/145	MBER MBER OFF: _ <u>Z///5</u>		101	
NALYSIS REQUES INTAINER PLASTIC DAG	COLOR		MGP NA AMOT PA	ME RTICULATE	total metals in
JOHNENTS: 75/2	-AM-\$6-6	o	M3 2.119	O	•

Sumple Location same as CSXCR4\$6

Frise blew in flow controler.

:. Short sample -line

SAMPLE COLLECTED BY: Roberty 5:1/4 Mital

		FIZED SHEET			
		NTAL PROTECTION DIV. 25 FUNSTO			
M: 20 ACTNO: 3	CSXCR SAMNO	: 448 GCC: _ MED	IA: AIR PL: 3	P F C	
LOCATION: DESL	0 G E	MO PROJECT	NUM: 433 PT: L	ATITUDE:	
AMPLE DES: 319 DESTIDN: DEST ASF/BATCH/SMC TORET/SARDAD	G RIVER MIN DGE :/_/ NO:	E TAILINGS  MG LAB:	DA76 3EG: U7/27/90 END: <u>7/24/9</u>	TIME FROM REF PT 12:00 HAST: 022:30 NORTH:	
.ONTAINER/FILT UNDERNAMMER BOTCAIRR	ER TYPE: _ TYPE: _ : JN: <u>/2</u> ,	NUMBER	TIME OF DA ON: <u>/2:00</u> 30 OFF: <u>27</u> :30	y time indicator jn: <u>4047./</u> Off: <u>4737.9</u>	
HALYSIS REIUE DONTAINER LASTIC DAG	STED: COLOR WHITE	PRESERVATIVE PROSERVATIVE	MGP NAME AM21 PARTICUL	Lotal Metals ATE LEAD IN AIR BY	ug
	.1		m3/27/90	•	

COMMENTS: BR-AM-476

Sauple location sauce as CSXCR447

AMPLE COLLECTED EY: Roberts /5/1/A / 11/= A

		ENTAL PROTECTION 5 DIV. 23 FUNST			55115	
: 20 ACTNO:	CSXCP SAMN	0:6449 QCC: _ ME	DIA: AIR	PL: S P F	Đ	
CTIVITY DES: LOCATION: DESL	IIG RIVER USE	MINE TAILINGS MG PROJEC	T NUM: 433	REF LATITU PT: LGN/GIT	DE:	
AMPLE DES: 31  I CACTION: DESL  AGENEATORS  CACRACYTERD	G RIVER MI CGE :/_/ NO:	MG PROJECT NE TAILINGS MO LAS:	9EG: 07/ END: <u>/</u> 2	124140 24:0	FROM REF PT PD EAST: PD NORTH: DOWN:	
CONTAINER/FILT UMP/MOTOR LOW INDICATOR	TYPE: _ TYPE: _ : JN: <u>/2</u>	NUMBER NUMBER 1001 OFF: 221	TIME GN: 00 OFF:	24:00 OFF	1 INDICATOR 377/4	
NALYSIS PERUR IGNTAINER TLASTIC EAG	STED: Color White	PRESERVATIVE NONE	MGP NA	ME RTICULATE ル	total metals	10
TOMM-NTS:		•			•	

Daily field blank

APPENDIX F
PHOTOGRAPHIC RECORD

RAFT	FIELD SHEET
	U.S. INVIRONMENTAL PROTECTION AGENCY, REGION VII RONMENTAL SERVICES DIV. 25 FUNCTON RD. KANSAS CITY, KS 56115
10	ACTNO: CSXCR SAMNO: 403 GCC: _ MEDIA: AIR
-STIVIT	Y DES: DIG RIVER MINE TAILINGS REF LATITUDE:
AMPLE LOCATIO LASE/EA FORET/	DES: BIG RIVER MINE TAILINGS  N: DESLOGE  MD  BEG: C7127790 B: 64 SAST:  TCH/3MC:// LAB: END: C714720 23: 90 NORTH:  SARDAD NG:/ CBWN:
IONTAIN UMP/MG LOW IN	TIME OF DAY TIME INDICATOR  TOR TYPE: NUMBER ON: 12:CO ON: 3/38:0  DICATOR: ON: 12:00 OFF: 33:40 OFF: 3840.0
CONTAIN PLASTIC	S PERUESTED:  ER COLOR PRESERVATIVE MGP NAME TOTAL MICTALS PROSERVATIVE MGP NAME  SAG AHITE NONE AMON PARTICULATE LEAD IN AIR BY  WESTER STATE OF THE PROSERVATIVE MGP NAME  SE BROM-03-1
•	Ons. to sample location: not thoust edge of tailings pile. Approximately 50 feet northwest of Big Biser.

RAFT FIBLO SHEET U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 25 BUNSTON RD. KANSAS CITY, KS 56115 CTIVITY SES: DIG RIVER MINE TAILINGS RES LATITUDE: IDGATION: DESLOGE MO PROJECT NUM: 433 PT: LONGITUDE: AMPLE DEST BIG PIVER MINE TAILINGS COATION: DESLOGE HO BEG: C7127170 13:00 EAST:
ASE/BATCH/CMG: \_\_\_/\_ LAB: \_\_\_ END: QZ/34/30 34:00 NORTH: TORET/SARDAD NO: CONTAIMER/FILTER TYPE: \_ NUMBER TIME OF DAY TIME INDICATOR UMP/MOTOR TYPE: NUMBER ON: 12:00 ON: 398028 LOW INDICATOR: ON: 12:00 OFF: 84:00 OFF: 40:530. NALYSIS REQUESTED: MGP NAME TOTAL MATALS READ IN AIR BY IDNTAINES COLOR PRESERVATIVE LASTIC SAS WHITE NOME र्जार्गावर

IDMMENTS: BR-BM-04-1

Onsite sample lecation Approximately 100 feet north of land fill shed.

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 66115

Y: 90 ACTNO: C	SXCR SAMNO: 4	06 QCC: _ MEDIA	: AIR PL:	SPFD
EGCATION: DESLO	SE	MO PROJECT N	UM: A33 PT:	<del></del>
CAMPLE DES: WIG LOCATION: DESLOC CASE/BATCH/SMO: STORET/SARDAD NO	/_/	AILINGS MD LAB:	DATE BEG: 07/277 END: 07/24/	TIME FROM REF PT 90 11:50 EAST: 90 11:50 NORTH: DOWN:
CONTAINER/FILTE DUMP/MOTOR FLOW INDICATOR:	R TYPE:NUM TYPE:NUM ON:	BER BER	TIME OF , ON: //: OFF: //:	DAY TIME INDICATOR  50 ON: 4847.5  50 OFF: 6313.3
ANALYSIS REQUEST CONTAINER PLASTIC LAG  COMMENTO: BR-	COLOR P White N	RESERVATIVE Une	MGP NAME AMBT PARTIC	CULATE LEAD IN AIR BY

Location. J.E. Platter of property. Approximately 200 feet with of house. One mile southwest of the tailings. Just outside of Gumbs. (Hi-vil Sampler RAN FOR 24 MOIS.)

JE-PRATICE POROX 1526 DOSLOGE, MO63601 C-CSXCR-4CO- AIF

FARTICULATE LEAD IN AIR EY

HIVCL

CCLOR: WHITE

FRE: NCNE

CCNT: PLASTIC 3AE

C7/27/90.5. R2-5M-46-1

SAMPLE COLLECTED BY: Beberts/McCall/Silve

# FISLO SHEET

U.S. EMVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SCRVICES DIV. 25 FUNSTON RD. KANSAS CITY/ KS 56115

107185885177	- 30771013			VARIANO CTII	, v2	
(: 70 46TNO: 6	SAMME:	407 RCC: _	MEDIA: AI	R PL: 5	p	
OCTIVITY 135: . .OCATION: 085E3		%g 28g.	JECT NUM:	433 PT: LG		
CAMPLE SES: SIS LOCATION: SESES CASE/SATCH/SMG: CTORET/SARDAD	:36 /_/	TAILINGS Mg Lab:	3.6 G 3.0 G	: CZ 120120	TIMS = ROM RE (2:00 EAST: 24:00 NORTH: DOWN:	
JONTAINER/FILTE -UMP/MOTOR -LOW INDICATOR:	TYPE: _ NO CON: _ LYPE: _ LYPE: _ NO CON: _ LYPE: _ NO CON: _ LYPE: _ LYPE: _ NO CON: _ LYPE: _ LYPE: _ NO CON: _ LYPE: _	UMBER UMBER LIØØ DEF:	71:00	TIME CF CAY ON: 12:64 JFF: AY:14	TIME INDICAT ON: 4408.	er Z
THALYSIS REQUES						
CONTAINER PLASTIC PAG		PRESERVATI MONE	4 1954	/ NAME PARTICULA	TE <del>lead</del> in Ai	8 8 <b>X</b>
DOMMENTS: BR	1-AM-07-1		\	n's sair	TOTAL METAS	<u>.</u>

Linkins. here Colore property. Approximately 3-4
miles west from tailings. Approximately 190 yards east
of the Sand a Cravel Quarry in open pasture.

Lea Claire Address.

Pot 33 Box 160

Flat River, Mo. 63601

ISMMENTS: BR-DM-08-1

FIELD DAILY BLANK

15/34/20

_	-	•	
	_	ı	

U.S. ERVIRONMENTAL PROTECTION AGENCY, REGION VII INVIRGNMENTAL DERVICES DIV. 25 FUNCTON RD. KANSAS CITY, KS 56115 ACTIVITY DESI BIG RIVER MINE TAILINGS. #0 PROJECT NUM: A33 FT: LONGITUDE:\_\_\_\_ .4MPLE DES: BIG RIVER MINE TAILINGS DATE TIME FROM REF PT DESCRIPTION: DESLOGE 40 BEG: 07/27/90 H:45 BAST: DEST/SATCH/SMO: // LAB: END: 01/24/90 23:45 NCRTH: TORET/SARDAU NO: TIME OF DAY TIME INDICATOR CONTAINER/FILTER TYPE: \_ NUMBER \_\_\_\_\_ UMP/MUTOR TYPE: NUMBER UN: 11:45 CN: 63122 1388 \$ 0 TERM INDICATOR: ON: 17 60 CFF: 24 100 OFF: 23:45 OFF: 7037 2113.10. WALYSIS REQUESTED: MGP NAME TOTOLMOTOLS

AMPL FARTICULATE LEAD IN AIR BY IDNTAINER COLOR PRESERVATIVE TEASTIC TAG WHITE NUME

DAMENTS: BR-AM-01-Z

SAME AS SAMPLE # CSXCR400

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNCTON RD. KANSAS CITY, KS 56115 CTIVITY DES: BIG RIVER PINE TAILINGS REF LATITUDE: LOCATION: DESLOGE MD PROJECT NUM: A33 PT: LONGITUDE: HAMPLE CES: BIG RIVER MINE TAILINGS

DATE TIME FROM R
LOCATION: DESLOGE MO BES: 07/24/90 12:00 EAST:
TASE/BATCH/SMC: \_\_\_/\_ LAB: \_\_\_ END: 07/24/90 23:50 NORTH: \_ CM GAGS42\TBSCT. CONTAINER/FILTER TYPE: NUMBER TIME OF, DAY TIME INDICATOR SUMP/MOTOR TYPE: NUMBER ON: 12 50 OFF: 132665 TIME OF, DAY TIME INDICATOR AMALYSIS PRQUESTED: Teralmerals MGP NAME TOTALMOTORS

AMAN PARTICULATE LEAD IN AIR BY CONTAINER COLOR PRESERVATIVE PLASTIC FAG WHITE NONE

ms/2762

JUMMENTS: BR-DM-02-2

SAME AS SOMPLE # CSXCRADZ

DAMENTS: BR-54-43-2

Same as sample coxer 403

	U.S.	UNVISONME!	TAL	PROTE	CTION A	GENCY	() REGI	ICH VII		
ENVIFON	4 ENT 4 L	SERVICES	DIV.	<b>د</b> 2	FUNSTON	۹۵.	KANSAS	CITY,	ΚS	56115

. +0 Action 65	SXCR SAMUC:	412 100: _ MEDI	A: AIR	PL: 3 P F !	)
CTIVITY (185: -1 .COATION: GESEC	Ĵ ĉ	43 PROJECT	NUM: 433	PT: LONGIT	
AMPLE DES: 316 DEATION: DESEGN TASE/BATCH/SMG: TORET/SARGAD NO	RIVER MINE	TAILINGS MO LAB:	a∈g: 07 ∈ND: <b>Ø</b> Z	77 03 127 03 127 03 17:40 125 90 00:1	FROM REF PT EAST:
ONTAINER/FILTER OMP/MOTOR LOW INDICATOR:	TYPE: _ NU TYPE: _ NU ON:	миек изек фу оббе фу:	TIME ON: OFF:	2F, UAY TIM 12 : ØO ON: 00: 15 OFF	E INDICATOR 4d52d.Y 40 412639
NALYSIS REQUEST CONTAINER CLASTIC PAG LUMMENTS: BR-	CCEGR WHITE	PRESERVATIVE NONE	MGP NA AMJA PA YMAA QALEA	ME RTICULATE	TOTAL METALS  TOTAL METALS  TOTAL METALS  TOTAL METALS  TOTAL METALS

SOME AS SAMPLE CSXCR404

• •			
U.	.S. ENVIRONMENTAL	PROTECTION AGENCY,	, REGION VII
ENVIRGAMEN	NTAL SERVICES DIV	. 25 FUNSTEN RD. K	(ANSAS CITY, KS 06115

<b>:</b> 30	ACT	9: CS	XCP SA	MNJ:	413	.20:		160I	A: 4	IR		PL:	\$	۾ د 	<b>o</b>			
			G RIVE			י ב	R013		NUM:	À3	3		LO	NGI	TU.	) E <b>: _</b> _		·
DCATIO ASE/E/	ON: D ATCH/	ESLOG SMC:	RIVER E /	_/	•.	INGS 10 LA	. B <b>:</b> _		3 E E N	G: D:	c7/ 07/	241 241 251	63 90 90	TIM 12: QQ:	E* 000 30	EROM EAST NORT DOWN	H: _	PT
OMTAI: UMP/MC EGW I:	NER/F OTOR NDICA	TLTER	TYPE: TYPE: ON: _	_ NI _ NI 	JMBER JMBER	) ) )FF:	4	0 Ø.	,				/					
NALYS! UNTATI LASTI	45B		COLOR			S∃ <b>RV</b> ∆ <del>:</del>		<u>c</u>	46P 1MD	ا امراء	NAN PAR	4≡ RTIC	UL 4	- T = /	۱۵۲ میرا ۱۰۰۷	-91 M	etals	? 3 <b>Y</b>
			_							1. 51	ילוי או	,						

DOMMENTS: BR-AM-05-2

Location. David allahon property. Approximately

I mile reast of the failing piles. Constanction

activities were being performed approximately

1,000, south of Hi-val # 5.

DAVID CAlldon

P-0 BOX 1614

DeslogE, MO 63601

_	_	-
•	 -	

	ENVIRONMENTAL PROLESTOIV.			6115
Y: 20 ACTUD: C	SXCR SAMNE: 414 38	GG: _ MEDIA: AIR	PL: 5 2 F 0	
	IG RIVER VINE TAI GE MO	LINGS PROJECT NUM: .		:
AMPLE DES: RIG DCATION: DESLO TAGE/SATCH/SMO: N GAORAL/SAROAD N	RIVER MINE TAILI	NGS 148: END:	: 02/24/9 <u>U</u> 23:95	FROM REF PT EAST:
CONTAINER/FILTE UMP/MOTOR LOW INDICATOR:	R TYPE: _ NUMBER TYPE: _ NUMBER ON:		•	6
NALYSIS REQUES DONTAINER PLASTIC TAG	COLUR PRESE	RV4TIVE MGP AMST K-M	NAME TO FARTICULATE LES	DIN AIR AY

1011MENTS: BR-AM-\$6-Z

AMC AS CSXCRX 406

SAME AS SAMPLE CSXCRAC

FIELD SHEET U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ANVIRONMENTAL SERVICES DIV. 35 FUNCTON RD. KANSAS CITY/ KS 66115 40 ACTHO: COXCR SAMNO: 415 DCC: \_ MEDIA: AIR CATION: DESLOCE MO PROJECT NUM: A33 PT: LONGITUDE: CATE TIME FROM REF 21 AMPLE DES: DIG RIVER MINE TAILINGS TERET/SARDAD NO: \_\_\_\_ TIME OF DAY TIME INDICATOR UMP/MOTOR TYPE: NUMBER ON: 17:05 ON: 0158 5134.7
LOW INDICATOR: DN: 12:05 OFF: 23:50 OFF: 5844.3 MGP NAME TOTOLMCTOLS
AMOT PARTICULATE LEAD IN AIR BY

WAS 34 THE NALYSIS REQUESTED: CONTAINER COLOR PRESERVATIVE PLASTIC GAG WHITE MONE COMMENTS: BR-AM-07-Z

Same as sample CSXCRAPT

VARPLE COLLECTED BY :

AF:				COMENT	4L 230	TECTI	ON A						
FAAI	RONNE	NTAL	SERVI	C 5 2 D	IV. 3	5 FUN	NETZI	30.	KANS	AS CIT	Y, KS	>5115 	
<b>4.</b> 20	40 THE	): CC	XCP 32	LMYC:	41∂ }5	:: <u> </u>	MEDI	A: 47	[ ?	PL: 9	) = j		
TIVITO. GITADO.	N: Of	SLDG	<b>:</b>		A C	PROJ	IECT	NUM:	433	PT: L	.INGITU	5: 0::	
AMPLE CICATIO ASE/6A TORET/	:230 2 :03 2 \hot. 2 \approx	819 85103 840: 40 NO	RIVER 2	MINE '_/	TAILIN MG	IGS		á E S EN I	0: 07 0: <u>07</u>	0AT 17131 17131 124191	TIME 17:09 74:09	FROM R EAST: NORTH: DOWN:	5F PT
CHTAIN UMP/MO LOW IN	ERZAI TOR IDICAT	LTER	TYPE: TYPE: JN: _	- NU - NU - NU	MBER _ MBER <u>かめ</u> いま		70:			•		INDIG 3	
NALYSI ONTAIN (LASTIC	123		COLDR		PRESAR HONE			MGP AM2	AK 4°C   Y	ME RTICUL	I ATE LE	OTAL MET	2/c 512 51
CMMPOT	·s: 7	32-1	3M-\$	8-2							•		

FIELD Daily Blank

RAFT

FIELD SHEET

13MM ENTS: BR-0M-01-5

Same as CSXCR 400

YM 29/40

U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNCTON RD. KANSAS CITY/ KS 56115

: 20 ACTHO:	CSXCR SAMNO	: 434 GCC: _ ME	DIA: AIR	PL: S	P F D	
CTIVITY DES: LEEC :NCITADE.		INE TAILINGS NO PROJEC	T NUM: 433	REF L	ATITUDE: ONGITUDE:	
AMPLE DES: BI CCATION: DESL ASE/BATCH/SMC TORET/SAROAD	0 RIVER MIN 308 :/_/ 40:	E TAILINGS AO LAS:	3EG: 07 END: <i>QZ</i>	DATE, 127190 1127190		OM REF PT ST: RTH:
JUNTAINER/FILT TUMP/NOTOR TLOW INDICATOR	ER TYPE: _	NUMBER NUMBER	TIME ON: 34 OFF:	12:04 12:03 23:41	TIME IN ON: 2	DICATOR 4715.9 5417.7
PALYSIS REQUE CONTAINER CLASTIC RAG	COLOR	PRESERVATIVE NOME	MGP NA 1421 FA	, AME ARTICUL	Telel 19	METALS P.R.
. IMMENTS: $ec{y}$	3R-12M-d	Z- S	W25/27/		•	

Same as CSXCR 402

MANIPLE COLLECTED BY: Boborts/McCall/S./va

CRAFT

# FIELD SHEET

			ON AGENCY, REGISTEN RO. KANSAS		
TY: 20 ACTUS:	SSXCR SAMN	C: 435 ACC: _ }	1EDIA: AIR PL	S	
CTIVITY DES: LOCATION: DESE	DIG PIVER LOGE	MINE TAILINGS MU PROU	RE ECT NUM: 433 PT	F LATITUDE: : LONGITUDE:	
AMPLE DES: 31 JEEC : MCITADOL DMCNHOTASNESAC GAGRAZNTEROT	I3 RIVER MI   335 	NE TAILINGS MO LAB:	DAT 3EG: 07/27 END: <i>01/21</i>	TIME FROM 190 12:11 EAST: 190 23:12 NORTH DOWN:	PEF PT
CONTAINER/FILM UMP/NOTOR LOW INDICATOR	TER TYPE: _ TYPE: _ R: ON:	NUMBER NUMBER 12.00 DEF:	TIME OF ON: 12 23.42 OFF: 33	DAY TIME INDIC :00 ON: 59/ :22 OFF: 66/	ATER 4.8 2.0
	COLOR	PRESERVATIV NONE	E MGP NAME AM⊘√ PARTI	Total MR. CULATE <del>LEAS</del> IN	AIR SY
	· 2 000 -rd	2 /	m25/21/2-	•	

12MMENTS: 32-0M-93-5

Some as CSXCR 403

AMPLE COLLECTED IX: Boberts Mc Call Silva

13MMENTS: 132-13M-94-5

Samz as CSXCR 404

M3/21/90

PAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII INVIRONMENTAL DERVICES DIV. 25 FUNSTON RD. KANSAS CITY/ KS 55115

:	ن۲	ACTNU:	CSXCR	SAMNO:	437	.00:	_ MEDIA:	AIR	PL:	S	þ	F	5

CTIVITY DES: DIG RIVER MINE TAILINGS PEF LATITUDE: \_\_

LUCATION: DESLOGE MO PROJECT NUM: A33 PT: LCNGITUDE:\_\_\_\_\_

AMPLE DES: dig River Mine tailings

LOCATION: DESLOGE

MO

SEG: 07/27/90 #: 49 EAST:

LASE/PATCH/SMC:

LASE:

END: 07/28/90 /: 40 NORTH:

TORET/SARDAD NO:

CONTAINER/FILTER TYPE: NUMBER TIME OF DAY TIME INDICATOR ON: 1/:43 ON: 424588 OFF: 1:00 OFF: 43442.2

PRESERVATIVE MGP NAME Total Mine tols PRESERVATIVE MGP NAME TOTAL MINE TOTAL MINE BY NALYSIS REJUESTEL: JUNTAINER COLOR PRESERVATIVE PLASTIC FAG WHITE NONE

M=129190

JAMMENTS: BR-13M-45-5

Juma as CSYCR 4/3

• • • • • • • • • • • • • • • • • • • •		FIELD SHEET	GENCY, REGION V	T T
			RD. KANSAS CITY	
Y: 30 ACTVO: CC	SXCR CAMNE:	433 100: _ MEDI	A: AIR PL: 5	P F C
CTIVITY DES: 30 13C4TION: DESLEY		E TAILINGS MB PROJECT	REF LA NUM: 433 PT: LC	TITUDE:
AMPLE DES: DIG .OCATION: DESLOC .ASE/BATCH/SNG: TGRET/SARDAD NO	RIVER MINE	TAILINGS MD LAS:	DATE BEG: 07/27/30 END: <i>QAZE/90</i>	TIME FROM REF PT  2:00 EAST:  DOWN:
CONTAINER/FILTES UMP/HOTOR LOW INDICATOR:	TYPE: _ NU TYPE: _ NU ON:	MEER MEER LOO JFF: DO	TIME OF DAY ON: <u>12:00</u> 21 OFF: <u>00</u> : <u>8</u> 4	TIME INDICATOR ON:
NALYSIS FEGUES" LONTAINER PLASTIC TAG  .OMMENTS: TS R-	COLOR WHITE		MGP NAME AMDI FARTICULA Majagia	Tob Michals P.R.) TE 1248 IN AIR BY

Same as CSXCR 406

LAMPLE COLLECTED BY: Baberts Mc Coll S. Iva

3467

FIELD SHEET

U.C. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ERVIRONMENTAL SERVICES DIV. 25 FUNCTON RO. KANSAS CITY/ KS 56115 : P) ACTIO: COXCE SAMMO: 439 OCC: \_ MEDIA: AIR PL: S P F D FIDRET/SARD4D NO: TUNTAINER/FILTER TYPE: \_\_NUMBER \_\_\_\_\_\_ TIME OF DAY TIME INDICATOR \_\_\_\_\_\_ ON: \_\_\_\_\_\_ UMP/MOTER TYPE: NUMBER UMP/MOTOR TYPE: NUMBER ON: 2:00 ON: 730-04/ MALYSIS REQUESTED: MGP NAME Total METALS -CONTAINER SOLOR PRESERVATIVE LASTIC BAG WHITE マコルラ 4/21/90

. 3 AM - 0 7-5

Same as CSXCR 407

THELE COLLECTED ST : Gabets McColl /Silva

2 4 = T

## FIGLD SHEET

- EMVIPONMENTAL	L SERVICES DI	_ PROTECTION 4 V. 25 FUNSTAN	RO. KANS	AS CITY, KS o	6115
Y: 70 ACTNO: C:	SXC4	40 ICC: FREDI	A: AIR	FL: S P F 3	
CTIVITY DES: LOCATION: DISEU	IG RIVER WINE	TATLINGS		REF LATITUDE	
AMPLE DES: 219 LOCATION: PESLO LASE/MATCH/SMG: LTORET/SARGAD N	RIVER MINE T DE	AILINGS AD LAB:	3∈G: √07 ∈ND: √ <b>Q</b> Z	0ATE TIME 127190 <u>2:00</u> 122190 20:00	FROM REF PT GAST: NORTH:
CONTAINER/FILTS SUMP/MOTOR SLOW INDICATOR:	R TYPE: _ NUM TYPE: _ NUM ON:/2/0	988 358 Ø 388: <i>BK</i> Ø	TIME ON: OFF:	OF DAY TIME BAYO DN: BY BU OFF:	INDICATOR 2050.03. 277/25.
HALYSIS REQUEST CONTAINER FLASTIC (AG	TES: COLOR P AMITS N	RESTRVATTVE ONE	MGP NA AMO1 PA	ME Test / RTICULATE <del>LES</del>	METALS PR

. THE REST \$ 8-5

Daily Field Blank

LAMPLE COLLECTED IN: Roberts Molall Silva

Sample location same as CSXCR 400

CAMPLE COLLECTED ON: Roberts/14/4/1/51/14

PAFT

### FIELD SHEET

U.S. EMVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNCTON RD. KANSAS CITY, KS 56115 CTIVITY DES: SIG RIVER MINE TAILINGS REF LATITUDE: LOCATION: DESIGNE MO PROJECT NUM: A33 PT: LONGITUDE: AMPLE DES: BIG RIVER MINE TAILINGS

LOCATION: DESLEGE

MU

LAB:

END: 7/24/90 23:34 NORTH: TORET/SARDAD NO: TIME OF DAY TIME INDICATOR

.NALYSIS REQUESTED: JONTAINER

TEASTIC BAG

adIT:

COLOR PRESERVATIVE

นอนส

MGP NAME total Metals
AMM PARTICULATE LEAD IN AIR BY
My 21/90

10MM=NTS: 382-AM-62-6

Sumple location same as CSXCR 4/2

AMPLE COLLECTED SY: Koberts/11=6/11/5/1/4

### FIELD SHEET

J.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 36115

LUCATION: DESLOGE MU PROJECT NUM: A33 PT: LONGITUDE:

AMPLE JES: BIG RIVER MINE TAILINGS DRIVE TIME FROM REF PT 1304TION: DESLETE HO BEG: 07/2/190 13:55 EAST: 145E/BATCH/SMC: // LAB: END: 7/2/190 03:00 NGRTH: TORETYSARDAD VO: \_\_\_\_\_

CONTAINER/FILTER TYPE: NUMBER TIME OF DAY TIME INDICATOR OMP/MOTOR TYPE: NUMBER ON: 13:55 ON: 6617.0 OFF: 03:00 OFF: 7397.8

CONTAINER COLOR PRESERVATIVE MGP NAME total Metals
CLASTIC LAG HITE NONE AMON PARTICULATE TOTAL IN AIR 3Y
COMMENTS: BRAM-03-6

15 MEHTS: BRAM-d 3-6

Sample location sum as CSXCR4\$3

EMPLE COLLECTED BY: Koberts/5/10/114

### FIELD SHEET

•					311661					
ι.	١.٥.	ENVIRONME	ITAL	PROTE	CTION	AGENCY	r REG	ION VI		
ENVIRGNME	MTAL	CERVICES	DIV.	2.5	FUNSTO	N RD.	KANSAS	CITY	ΚS	oo115

	r nekalosa na				
Y: PO ACTNO: C	SXCR SAMNE: 4	44 JCC: _ MED	IA: AIR	PL: 5 P	) = g
					ITUDE:
VAMPLE DES: DIG LOCATION: DESLO 14SE/SATCH/SMG: TORET/SARGAD N	RIVER MINE 1 35 /_/ 0:	AILINGS MO L48:	886: 67 8ND: <u>7</u>	024111 1 124140 2	IME FROM REF PT 2:00 EAST: 3:42 NORTH: DOWN:
CONTAINER/FILTE UMP/MOTOR FLOW INDICATOR:	P TYPE: _ NUN TYPE: _ NUN DN: <u>/2'00</u>	13ER 18ER 19FF: <u>23'4</u>	Time on: 2 off:	0F 3AY 12: <u>CC</u> 23:47	TIME INDICATOR  ON: 43984.6  OFF: 44675.8
INALYSIS FEQUES CONTAINER FLOSTIC FAG	TED: COLOR F WHITE A	PRESERVATIVE NONE	45P NA 4MO1 MPA 312114=	ME RTIGUL41	foral weetals 17
COMMENTS: TS 2	-AM-446		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

Sample location same as CSXCR Ø4

LAMPLE COLLECTED LY: Popular / Sila /1/2/all

FIELD SHEET

PAFT U.S. ENVIRONMENTAL PROTECTION AGENCY/ REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 56115 CTIVITY DES: RIG RIVER MINE TAILINGS REF LATITUDE: LUCATION: DESLOGE MO PROJECT NUM: 433 PT: LONGITUDE: AMPLE DES: BIG RIVER MINE TAILINGS DAGE TIME FROM REF PT 1804 TION: DESLOGE 40 BEG: 07/27/90 //:39 EAST: 1852/64TCH/3M0: // LAB: END: 7/29/90 CO:30 NORTH: 1088T/548040 MM: TORET/SARDAD NU: UMP/MOTOR TYPE: NUMBER ON: 1/:39 ON: 23442,2
LOW INDICATOR: ON: 1/:39 OFF: 242/5.6 TIME OF DAY TIME INDICATOR PRESERVATIVE MGP NAME TOTAL 14 ETALS
NONE AMON PARTICULATE LEAD IN AIR 24 NALYSIS REQUESTED: OGLOR WHITE CONTAINER LASTIC LAS NS/29/20 COMMENTS: BR-AM-\$5-6 Sumple location sante 45 C5XCR4/3

TAMPLE COLLECTED BY: Roberty / Silia / METIL

•		•		J., L					
U.S.	ENVIRONMEN	ITAL	> 7 0 T E	CTION AC	GENCY,	, PEGI	IIV NG		
ENVIRONMENTAL	. SERVICES	DIV.	25	FUNSTON	२०. ∶	KANSAS	CITY,	K S	55115

Y: PO ACTUU: C	SXCR SAMNU:	445 ICC: _ MED	IA: AIR	PL: S P F D	
CTIVITY DES: 5 DCATION: DESLO	GE	MO PROJECT	NUM: 733	REF LATITUDE: PT: LONGITUDE:	
AMPLE DES: BIG DCATION: DESLO ASE/BATCH/SMG: TORET/SARDAD N	RIVER MINE	TAILINGS MO LAB:	BEG: 07/ END: _2/	TIME FROM 27190 11:45 FAST: 24190 21:15 NORTH DOWN:	REF PT
ONTAINER/FILTS UMP/MOTOR LOW INDICATOR:	R TYPE: _ N TYPE: _ N JN: <u>7/1/4</u>	NUMBER NUMBER 5 OFF: _Z/:/	TIME JN: DFF:	OF DAY TIME INDIC 11:45 ON: 423 21:15 POFF: 4971	ATOR 2.4
NALYSIS REQUES ONTAINER LASTIC BAG	COLOR	PRESERVATIVE NONE	MGP NAM	AE ATICULATE LEAD IN	idetals AIR EY
OMMENTS: 750	2-AM-\$6	<b>-</b> b	5/2:119	<b>°</b>	

· Sumple Location sume as CSXCR496

Fruse blew in flow controler : Short sample -line

TAMPLE CULLECTED BY: Rolletts / 5.1/4 M/ CM

	U.S. ENVIRONMEN MENTAL SERVICES					
7: 70 ACT	IND: CSXCR SAMNC:	448 QCC: _ MED	IA: AIR	PL: 3 P	F C	
-GTIVITY D	GS: BIG RIVER MI DESLOGE S: BIG RIVER MINE	NE TATLINGS MO PROJECT	NUM: 433	REF LAT	ITUDE: GITUDE:	
LICATION: THSE/BATCH	S: 31G RIVER MINE DESLOGE H/SMG:/_/ ROAD NO:	TAILINGS MO LAB:	3EG: U7 END: <u>7</u>	0.04 T 127190 L 1241902	IME FROM R 2:00 HAST: 2:30 NORTH: DOWN:	EF PT
.ONTAINER/ UMP/MOTOA LOW INDIC	VFILTER TYPE: _ NI R	JMBER JMBER O DEF: <u>27/</u>	TIME ON: 30 OFF:	27:00 27:30	TIME INDICA JN: <u>4047</u> OFF: <u>4737</u>	TOR / 9
HALYSIS A DOMESTIC DA LASTIC DA	REIUESTED: COLOR 4G AHITE	PRESERVATIVE NONE	MGP NA	ME RTICULAT	total 111 A	etals w
.CMMENTS:	32-AM-47-	6	·			
•	Sauple la	cation	5 AULCE	U5	CSXCR	4/97

AMPLE COLLECTED EY: Roberts /5:1/A / 11/5 A

٧.S.	ENVIRONMENTAL	PROTECTION :	A GENCY,	REGION VI	ī
ENVIRONMENTAL	SERVICES DIV.	. 25 FUNSTOI	N RD. KA	NSAS CITY,	KS 55115

_				
: 25 ACTNO:	CSXCP SAMNO	:/ 447 QCC: _ MED	IA: AIR PL: S	о <del>Г</del> Э
LOCATION: DES	IIG RIVER M Luge	MO PROJECT	NUM: 433 PT: LO	TITUDE:
AMPLE DES: 3 LOCATION: DES LAGE/BATCH/SM TORET/SARDAD	SIG RIVER MIN SLOGE NO:/_/	E TAILINGS MO LAB:	566: 07/27/40 END: <u>12/24/40</u>	TIME FROM REF PT  L2:00 EAST:  27:00 NORTH:  COWN:
CONTAINER/FIL UMP/MOTOR LOW INDICATO	TER TYPE: _ TYPE: _ OR: ON: <u>/2</u> /2	NUMBER NUMBER POLITICAL TUI	TIME OF SAN GN: <u>/2:00</u> O DFF: <u>24:00</u>	TIME INDICATER ON: 377/4 OFF: 4492,4
NALYSIS REGU JUNTAINER TLASTIC BAG	JESTED: COLOR WHITE	PRESERVATIVE NONE	MGP NAME AMO FARTICUL	fotal suetals 10 ATE LEAD IN AIR 34
TOMMENTS:				•

Daily field blank

CAMPLE COLLECTED EY: Roberts 6.114 11/24/11

APPENDIX F
PHOTOGRAPHIC RECORD

### PHOTOGRAPHIC RECORD

SITE NAME: Big River Mine Tailings

SITE LOCATION: Desloge, Missouri

TDD/PAN#: F-07-9004-011/FM00616XA

#### No: 1 Subject

Area of 1977 major collapse. Taken from location adjacent to west bank of Big River.

Photographer Overfelt

Witness Gene Gunn

Date/Time Junuary 1988

Direction West



#### No: 2 Subject


Erosion of tailings on top of pile at major collapse area.

### Photographer Overfelt

Witness Williams

7/26/90 1530 hours

Direction North



### PHOTOGRAPHIC RECORD



SITE NAME: Big River Mine Tailings

SITE LOCATION: Desloge, Missouri

TDD/PAN#: F-07-9004-011/FM00616XA

# No: 3 Subject

Tailings migrating via wind erosion. Proximity of site to Big River on east side of site.

### Photographer Overfelt

Witness Gene Gunn

Date/Time January 1988

Morthwest

## No: 4 Subject

Dune features migrating west to east in east central meander area.

Photographer Overfelt

Witness Williams

Date/Time 7/26/90 1540 hours

Direction North



### PHOTOGRAPHIC RECORD

SITE NAME: Big River Mine Tailings

SITE LOCATION: Desloge, Missouri

TDD/PAN#: F-07-9004-011/FM00616XA

#### No: 5 Subject

Large elevated tailings pile on St. Joe Minerals property.

### Photographer

Enos

Witness Martin

Date/Time 7/27/91

0900 hours

Direction

East



# No: 6 Subject

Illustrates east side of meander area and farm property east of site. Taken from on top of St. Joe Minerals property pile.

### Photographer Overfelt


Witness Williams

Date/Time 7/26/90 1755 hours

Direction North/Northwest



#### PHOTOGRAPHIC RECORD



SITE NAME: Big River Mine Tailings

SITE LOCATION: Desloge, Missouri

TDD/PAN#: F-07-9004-011/FM00616XA

## No: 7 Subject

Tailings entering Big River on west side of site at sample location 105, 205. Note: drainage structure on the site.

Photographer Williams

Witness Enos

7/24/90 1000 hours

<u>Birection</u> <u>East/Southeast</u>

## No: 8 Subject

Area where tailings are entering Big River on west side of site at area north of sample location 105, 205.

Photographer Williams

Witness Enos

7/24/90 1000 hours

Direction East/Northeast



### PHOTOGRAPHIC RECORD

SITE NAME: Big River Mine Tailings

SITE LOCATION: Desloge, Missouri

TDD/PAN#: F-07-9004-011/FM00616XA

## No: 9 Subject

Tailings entering Big River on north side of site.

### Photographer Overfelt

Witness Williams

Date/Time 7/24/90 1345 hours

Direction South



### No: 10 Subject

Tailings entering Big River on east side of site at east bend in river.

### Photographer Williams


Witness Overfelt

7/24/90 1520 hours

Direction West



### PHOTOGRAPHIC RECORD



SITE NAME: Big River Mine Tailings

SITE LOCATION: Desloge, Missouri

TDD/PAN#: F-07-9004-011/FM00616XA

No: 11 Subject

Entrance to drainage tunnel Note: tailings on bottom of tunnel and reddish leachate seep entering tunnel.

Photographer Overfelt

Witness Martin

7/26/90 1000 hours

Direction Northwest

#### No: 12 Subject


Downgradient end of drainage tunnel.

Photographer Enos


Witness Martin

7/27/90 1600 hours

Direction Southeast



### PHOTOGRAPHIC RECORD



SITE NAME: Big River Mine Tailings

SITE LOCATION: Desloge, Missouri

TDD/PAN#: F-07-9004-011/FM00616XA

#### No: 13 Subject

Culvert exit from landfill ponded area near drainage tunnel entrance. Note: Thickness of tailings above culvert.

Photographer Overfelt

Witness Martin

7/26/90 1005 hours

Direction Northeast

No: 14 Subject

Ponded area of landfill.

Photographer Overfelt


Witness Martin

7/26/90 1010 hours

Direction North



### PHOTOGRAPHIC RECORD



SITE NAME: Big River Mine Tailings

SITE LOCATION: Desloge, Missouri

TDD/PAN#: F-07-9004-011/FM00616XA

No: 15 Subject

Apparent reddish landfill leachate.

Photographer Overfelt

Witness Martin

7/26/90 1005 hours

Direction West

No: 16 Subject


Opening to tower drainage tunnel.

Photographer Overfelt

Witness Martin

7/26/90 1005 hours

Direction North



### PHOTOGRAPHIC RECORD

SITE NAME: Big River Mine Tailings

SITE LOCATION: Desloge, Missouri

TDD/PAN#: F-07-9004-011/FM00616XA

### No: 17 Subject

Artesian well (exploratory boring in steel casing).

#### Photographer Overfelt

Witness Enos

7/26/90 1105 hours

Direction



### No: 18 Subject

Drainage structure near major collapse area.

### Photographer Overfelt

Witness Williams

7/26/90 1540 hours

Direction Northwest



APPENDIX G
WELL LOGS FOR MONITORING WELLS

## HUDWALKER & ASSOCIATES, INC.

Engineers - Surveyors
P. O. Box 676
ARMINGTON, MO 63640

## R.F. 9 LETTER OF TRANSMITTAL

	FARMINGTO	ON, MO 63	3640	
	(314) 1	756-6775		ATTENTION
	(324)			Mr. Box Overteit
	iciny #E	חטומא	ment Inc.	Destay, Tailings Pile
2	ilding 3.	. S. te	404	
2	de la De	يا با	45 66202	
0.78	riand For	, I-	~ 002.	
E ARE	SENDING YOU	Attac	hed   Under separate cove	er viathe following items:
	☐ Shop drawi	ings	∠ Prints	Plans   Samples   Specifications
	☐ Copy of let	iter	☐ Change order	]
COPIES	! DATE	ИО.		DESCRIPTION
		<del></del>	1	tering well locations
<u> </u>	!		Montering were	Detail
	1			
		<u></u>		
HESE A	RE TRANSMITT			
				mitted
	For your u		☐ Approved as note	
		•	☐ Returned for cor	
				<del></del>
	☐ FOR BIDS	DUE	19_	PRINTS RETURNED AFTER LOAN TO US
	(S		···	<del></del>
EMARK				
REMARK				

COPY TO\_\_\_\_

CICNED - ~ /

• ~! • • • /

700,000

	face Elevation <u>780</u>	Completion Date 0:/:5/87			SHEAR STRENGTH, 131				
DEPTH IN FEET	DESCRIPTION	N OF MATERIAL	UNIT DRY WEIGHT	SAMPLES	STA	NDARD P	ENETRATION ASTM D 1986) LOWS PER FOOT WATER CONTENT	RESISTANCE	
	slightly silty f becoming gray an 14 feet	y loose to loose ine SAND d more silty below		SS		<b>A</b>		·	
-10- DOM - 20-				SS	•	•		Grain Size Analysis	
MAY BE GRA	intermixed gray.	loose to medium yey SANO. to sandy		SS		<b>A</b>	• :	Grain Size Analysis	
40 - 30 - 40 - 40 - 40 - 40 - 40 - 40 -	clayey SILT			SS		<b>A</b>	•	Grain Size Analysis	
MEIN LINES AFOR	Auger refusal on 9 37.5 feet	SANDY COLOMITE at							
-60									
- 70-									
AT_	GROUNDWATER DATA  OUNTERED AT23. 5 FEET  FEET AFTER M  FEET AFTER M  FREE WATER NOT ENCOUNTER  OURING DRILLING	OURS MM DRILLER KOO	LOW STE	T .R	!	-0G (	OF BORI	NG	
REM		g well cosing installed	d	- -			UG-1		
SEE	NOTATION SHEET FOR DESCRIP	TION OF ABBREVIATIONS		_	G		CHNOL Louis, Missouri	OGY	

20 し、しし、ししょ

PHUJEUT DIE COMMUNICATION CONTRACTOR CONTRACTOR SHEAR STRENGTH, 1st Surface Elevation 784 UNIT DRY WEIGHT Completion Date 01/15/87 A-00/2 O - 9U/Z O-54 Datum YSi SPT VALUE SAMPLES 0.5 2.0 10 15 STANDARD PENETRATION RESISTANCE FEET DEPTH (ASTM D ISSE) BLOWS PER FOOT DESCRIPTION OF MATERIAL WATER CONTENT. % 466 z 10 Ton. loose to medium cense. Fine SAND with zones of gray clay up to 3" SS SS -10-SS ŠS 20-SS 25 -30-SS Grain Size Gray, meatum dense, silty SAND Analysis to sendy SILT with zones of gray. SS clay and silt 40-SS SS -50-Gray, medium dense, silty to SS slightly clayey fine SAND SS -60-<u> 55</u> Grain Size Analysis. 70 SS SS Gray. very loose. sandy and clayey SILT with green and black organics ct 99 foot 20 GROUNDWATER DATA DRILLING DATA ENCOUNTERED AT 34 AUGER 9" FEET HOLLOW STEM WASH BORING FROM \_FEET AFTER\_ HOURS LOG OF BORING \_\_\_\_ HOURS \_\_\_FEET AFTER\_ ORILLER KOO LOGGER CME 55 FREE WATER NOT ENCOUNTERED \_ORILL RIG DURING DRILLING DG-1 REMARKS: PVC monitoring well casing installed GEOTECHNOLOGY SEE NOTATION SHEET FOR DESCRIPTION OF ABBREVIATIONS St. Louis, Missouri

CONTINUATION OF BORING SHEAR STRENGTH, 1sf UNIT DAY WEIGHT SURFACE ELEVATION 784 0 - 90/2 **△-**00/2 DG-1 **◇-3**∨ SPT VALUE SAMPLES 0.5 2.0 FEET STANDARD PENETRATION RESISTANCE ОЕРТИ (ASTM 0 ISES) SLOWS PER FOOT DESCRIPTION OF MATERIAL WATER CONTENT, % <u>z</u>! 20 30 40 50 . Gray. very loose, sandy and clayey SILI with green and black organics SS at 99 feet Grain Size Analysis <del>-9</del>0-1 SS APPROXIMATE BOUN SS 100 TERMINATED AT 100' DUE TO INSTABILITY CF TAILINGS <u>ই</u>#10∃ 20-130 40 **5**0. -60 GEOTECHNOLOGY

St. Louis, Missoun

SEE NOTATION SHEET FOR DESCRIPTION OF ABBREVIATIONS

40 - , -- , -- .

Surface Elevation 794	Completion Date 01/13/87	H		SHEA	AR STRENGTH,	tsf ♦-sv
Datum <u>MSL</u>	_	LE CE	ုင္င	Ī		.Q 2,5
	_	4 ×	AMPLES	STANDARD	PENETRATION	
DESCRIPTION OF THE PROPERTY OF	ON OF MATERIAL	UNIT DRY WEIGHT SPT VALUE	SAM	▲-	(ASTM D ISB6) Blows PER FOOT	
0 Z	on or marenae	N S	) "	PL	WATER CONTEN	
	<del> </del>		!	'0	20 30 4	50
Gray, loose, SA	NO with zones of					
attry to cicken	, 3/11 <b>0</b>		SS	<b>A</b>		
						Grain Size
-10-			SS		•	Panaly Size
<b> </b>		}				
Gray. very loos clayey SILT	se. sandy to slightly	7	SS	▲.		
clayey SILT	/ /		}			
20-	·		SS		<u> </u>	
4				}		Casia Sias
			SS	н	•	Grain Size Analysis
				1		,
ā-30 ————		_	55			
	tark brown and gray.		-5-	]		\$-6"
STILY CENT						
abite about sets	sal on SANDY COLOMITE					
2-40 at 30.5 feet					ļ	
<b>9 F</b> 1						
54				\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
						1::::::
<u>-</u> 50-			1			
3						
K -			1			
				* . *		
-60-		-				
' <del> </del>						
			1			
-70-			1			1 1
<del>                                     </del>		. [				
			1	<b>1</b>		
			<u> </u>	<u>                                     </u>		
GROUNDWATER DATA	DRILLING DATA	<u>1</u>				
ENCOUNTERED AT13.5 FEET	AUGER 9" HO	LLOW STF	. <b>M</b>			
ATFEET AFTER				1.00	0F 505	INC
ATFEET AFTER				LUG	OF BOR	ING
FREE WATER NOT ENCOUNT	ERED CHE 55	DRILL R	16			
REMARKS: PVE monitors	ng well casina installs	ıd_	_		DG-2	
			<del>-</del>		<b>_</b>	
			-			
	DIDTION OF ARROSVIATIONS			GEOT	ECHNO	-OGY

NO. 0 / JU / US I

<u>---</u>

Surface	Elevation 784	Completion Date <u>C1/13/87</u>	Ħ			R STRENGTH, O-qu/2	tsf ○-sv		
Datum_	MSL	Completion Odie	/E10	S	△-00/2 0,5 I		io 2:5		
DEPTH N FEET	DESCRIPTIO	N OF MATERIAL	T DRY WEIGHT SPT VALUE	SPT VALUE	STANDARD PENETRATION RESISTAND (ASTM 0 1586) A- BLOWS PER FOOT WATER CONTENT %				
0 <u>z</u>			UNIT		PL 10 2		0 30		
	ian. loose to me fine to medium.	dium dense. SILT and silty SAND		SS	4				
-10H				SS					
				SS	• •		Grain Size Analysis		
- 20-				SS					
30		,							
				SS	•				
- 30				55			<u> </u>		
				SS					
	Brown gray, loos	e. fine gravelly SAND	-				Grain Size		
-40	with wood and bl	ack organics		SS			reid1y313		
	Brown. medium st with sandy DOLOM	ITE fragments		SS		<b> </b>	Grain Siz		
-50 B	oring terminated	at 45 feet							
- 60									
- 70			-			-			
	ROUNDWATER DATA	DRILLING DATA		1	<u> </u>		1		
ENCOUN ATFR	TERED AT 33 FEET  FEET AFTER  FEET AFTER  EE WATER NOT ENGOUNTEE RING DRILLING	AUGER 9" HO HOURS WASH BORING FROM HOURS MM DRILLER KDC	LOW ST	ET ER	LOG	OF BOR	ING		
REMAR	ks: <u>PVC monitorin</u>	g well casing installs	d	<del>-</del>		DG-3			
355 40	TATION SHEET FOR DESCRI	PTION OF ABBREVIATIONS		_	=	ECHNO!			

St. Louis, Missouri

SEE NOTATION SHEET FOR DESCRIPTION OF ABBREVIATIONS

### APPENDIX H

DETAILED TOPOGRAPHIC MAP OF THE BIG RIVER MINE TAILINGS SITE